

**POLARIS RESEARCH NR-02 HAIR REGROWTH- minoxidil shampoo**  
**DS Healthcare Group**

-----  
**Polaris Research NR-02 Hair Regrowth Shampoo**

**Active ingredient**

Minoxidil 1.5% W/W

HAIR REGROWTH SHAMPOO FOR MEN

**Use**

Polaris NR-02® Shampoo is for men only. Women should not use or handle this product.

**Warning**

For external use only. Avoid eye contact. This product is not for women. Finasteride has been shown to cause birth defects in women who are pregnant or may become pregnant. Be sure this product is never handled or used by women.

Keep out of reach of children.

Minoxidil has been shown to increase unwanted body hair. Use as directed.

**DIRECTIONS**






Apply Polaris NR-02® Shampoo to wet hair, lather, and rinse. Repeat and leave on scalp for 1-2 minutes. Use daily to control hair loss.


**Inactive ingredients**

WATER, DISODIUM LAURETH SULFOSUCCINATE, SODIUM COCOYL ISETHIONATE, COCAMIDOPROPYL HYDROXYSULTAINE, SODIUM LAUROYL SARCOSINATE, AMODIMETHICONE, C11-15 PARETH-7, GLYCERIN, LAURETH-9, PEG-150 DISTEARATE, TRIDECETH-12, COCAMIDE MEA, DI-PPG2 MYRETH-10 ADIPATE, SODIUM LAURYL SULFOACETATE, COCAMIDOPROPYLAMINE OXIDE, GLYCOL DISTEARATE, MINOXIDIL, CAFFEINE, POLYSORBATE 20, KETOCONAZOLE, FINASTERIDE, BIOTIN, COPPER TRIPEPTIDE-1, TOCOPHEROL, RETINYL PALMITATE, AESCULUS HIPPOCASTANUM (HORSE CHESTNUT) SEED EXTRACT, ASPALATHUS LINEARIS LEAF EXTRACT, HYDROLYZED SOY PROTEIN, HYDROLYZED WHEAT PROTEIN, WHEAT AMINO ACIDS, INOSITOL, PHENOXYETHANOL, CINNAMIDOPROPYLTRIMONIUM CHLORIDE, HYDROLYZED PROANTHOCYANIDIN, CAPRYLYL GLYCOL, METHYL SULFONYL METHANE, ALCOHOL DENAT, CALCIUM PANTOTHENATE, LINOLEIC ACID, PEG-35 CASTOR OIL,

POLYQUATERNIUM 10 , TAURINE, TETRASODIUM EDTA,  
ETHYLBISIMINOMETHYLGUAIACOLMANGANESE CHLORIDE, FRAGRANCE CITRIC ACID

Product label

<b>NAME</b>	LBxxxxx	
<b>DESCRIPTION</b>	Polaris NR-02 Back Label (IN)	
<b>DATE OF MODIFICATION</b>	4.29.22 Registration Only	
<b>APPROVAL SIGNATURES</b>		<b>COLOR CODE</b>
<b>MGMT:</b>		 PANTONE 286 C  PANTONE 8001 C
<b>ART:</b>		 PANTONE BLACK  SILVER FOIL
<b>TEXT:</b>		




**POLARIS NR-02®  
HAIR REGROWTH  
SHAMPOO FOR MEN**


**INGREDIENTS**  
WATER, DISODIUM LAURETH SULFOSUCCINATE, SODIUM COCOYL ISETHIONATE, COCAMIDOPROPYL HYDROXYSULTAINE, SODIUM LAUROYL SARCOSINATE, AMODIMETHICONE, C11-15 PARETH-7, GLYCERIN, LAURETH-9, PEG-150 DISTEARATE, TRIDECETH-12, COCAMIDE MEA, DI-PPG-2 MYRETH-10 ADIPATE, SODIUM LAURYL SULFOACETATE, COCAMIDOPROPYLAMINE OXIDE, GLYCOL DISTEARATE, MINOXIDIL, CAFFEINE, POLYSORBATE 20, KETOCONAZOLE, FINASTERIDE, BIOTIN, COPPER TRIPEPTIDE-1, TOCOPHEROL, RETINYL PALMITATE, AESCULUS HIPPOCASTANUM (HORSE CHESTNUT) SEED EXTRACT, ASPALATHUS LINEARIS LEAF EXTRACT, HYDROLYZED SOY PROTEIN, HYDROLYZED WHEAT PROTEIN, WHEAT AMINO ACIDS, INOSITOL, PHENOXYETHANOL, CINNAMIDOPROPYLTRIMONIUM CHLORIDE, HYDROLYZED PRONATHOCYANIDIN, CAPRYLYL GLYCOL, METHYL SULFONYL METHANE, ALCOHOL DENAT, CALCIUM PANTOTHENATE, LINOLEIC ACID, PEG-35 CASTOR OIL, POLYQUATERNIUM 10, TAURINE, TETRASODIUM EDTA, ETHYLBISIMINOMETHYLGUAIACOLMANGANESE CHLORIDE, FRAGRANCE CITRIC ACID

**USAGE DIRECTIONS**  
Polaris NR-02® Shampoo is for men only. Women should not use or handle this product.  
Apply Polaris NR-02® Shampoo to wet hair, lather, and rinse. Repeat and leave on scalp for 1-2 minutes. Use daily to control hair loss.

**SAFETY WARNING**  
For external use only. Avoid eye contact. This product is not for women.  
Finasteride has been shown to cause birth defects in women who are pregnant or may become pregnant. Be sure this product is never handled or used by women.  
Keep out of reach of children.  
Minoxidil has been shown to increase unwanted body hair. Use as directed.



**NR-02®**  
HAIR REGROWTH SHAMPOO FOR MEN



# POLARIS NR-02\*

## SHAMPOO ANTICAÍDA Y REGENERACIÓN CAPILAR

EN Polaris NR-02\* hair regrowth shampoo. **USE:** Apply Polaris NR-02\* shampoo to wet hair for 1-2 minutes and rinse. **PRECAUTIONS:** Not for women. External use only. Avoid contact with eyes. In the event of contact, rinse with water. Keep out of reach of children.

SP Polaris NR-02\* shampoo anticaída y de regeneración capilar. **MODO DE USO:** Aplique Polaris NR-02\* shampoo sobre el cabello húmedo, y ejerce un masaje leve con las yemas de los dedos. Deje actuar durante 1-2 minutos y enjuague. Repeta la aplicación, deje reposar de 3 a 5 minutos y enjuague. **PRECAUCIONES:** Este producto no está indicado para mujeres. En ni niñas embarazadas o que podrían embarazarse, la finasterida ha probado ser causante de defectos en el nacimiento. Asegúrese que este producto no sea manejado, ni usado por mujeres. Estudios clínicos comprueban que el minoxidil incrementa el vello corporal no deseado. Uso externo. Evite el contacto con los ojos. En caso de contacto, enjuague con abundante agua. Mantenga fuera del alcance de los niños.

FR Polaris NR-02\* shampooing anti-chute pour hommes. **MODE D'EMPLOI:** Appliquez Polaris NR-02\* shampooing sur les cheveux humides, laissez agir 1 ou 2 minutes et rincez. **PRÉCAUTIONS:** Usage externe. Éviter le contact avec les yeux. En cas de contact, rincer abondamment. Maintenir hors de la portée des enfants.

PT Polaris NR-02\* champô anticaída para homens. **INSTRUÇÕES DE USO:** Aplicar Polaris NR-02\* shampoo no cabelo húmido, deixar atuar durante 1-2 minutos e aclarar. **PRECAUÇÕES:** Uso externo. Evitar o contato com os olhos. Em caso de contato, enxaguar com água abundante. Manter fora do alcance das crianças.

IT Polaris NR-02\* shampoo anti-calotta per uomini. **MODALITÀ D'IMPiego:** Applicare Polaris NR-02\* shampoo sui capelli umidi, lasciarne agire per 1-2 minuti e risciacquare. **PRECAUZIONI:** Uso esterno. Evitare il contatto con gli occhi. In caso di contatto, risciacquare abbondantemente con acqua.

### INGREDIENTS / INGREDIENTES

WATER, SODIUM LAURETH SULFO Succinate, SODIUM COCOYL ISETHIONATE, COCAMIDOPROPYL HYDROXYLSULFATE, SODIUM LAURYL SARCOSINATE, AMMONIUMTETRADECYL DIMETHYL GLUCOSYL LAURETH-9, PEG-10 DIBEARATE, TRISODIUM COCAMEA SLS, DI-PED MYRTH-10 ADIPATE, SODIUM LAURYL SULFOACETATE, COCAMIDOPROPYLAMINE OBE, GLYCOL DISTEARATE, MINOXIDIL, CAFFEINE, PULVISODIUM 28, NITROCOMAZOLE, FINASTERIDE, Biotin, COPPER TRISPIRTE-1, TOCOPHEROL, ESTERYL PALMITATE, ACOULLO HYPOCISTANUM (HORSE CHESTNUT) SEED EXTRACT, ASPALATHUS LINEAGIS LEAF EXTRACT, HYDROLYZED SOY PROTEIN, HYDROLYZED WHEAT PROTEIN, WHEAT AMINO ACIDS, INOSITOL, PANTOTHENAMID, CINNAMIDOPROPYLTRIMONIUM CHLORIDE, HYDROLYZED PROANTHOCYANIDIN, CAPRYLIC GLYCOL, METHYL SULFONYL METHANE, ALCOHOL DENAT, CALCIUM PANTOTHENATE, LINOLEIC ACID, PEG-25 CASTOR OIL, POLYQUATERNIUM 10, TAURINE, TETRASODIUM EDTA, ETHYLBISSIMMONIUMTHYLSULFATE, MANGANESE CHLORIDE, FRAGRANCE, CITRIC ACID



PRODUCED FOR PRODUCERS PARA: DS Healthcare Group, Inc.  
1315 Brickell Ave Suite 800, Miami, FL 33131  
MADE IN/HECHO EN: United States of America.  
Estados Unidos de Norteamérica.  
IMPORTADO POR: Divine Skin Laboratories S.A. de C.V.  
Carretera 1747, Col. Haciendas de Copacapan, C.P. 04670, CDMX  
www.dslaboratories.com / @DSLABS  
contact@dslaboratories.com



## NR-02\*

### HAIR REGROWTH SHAMPOO SHAMPOO PARA HOMBRES

### MINOXIDIL RESTORES THE VERTEX

- Retains and regrows hair at the crown
- Increases follicle size and thickness
- Extends anagen growth phase of hair
- Opens potassium channels for energy
- Active ingredients with proven efficacy

### 5 $\alpha$ -REDUCTASE INHIBITORS SUPPRESS ANDROGENS

- Inhibits the enzyme 5 alpha-reductase to block dihydrotestosterone (DHT)
- Stops DHT from damaging follicles
- Lengthens anagen growth of hair
- Works on both vertex and top



## Polaris Research®

## NR-02\*

### HAIR REGROWTH SHAMPOO

### SHAMPOO PARA HOMBRES

#### PREMIUM SULFATE FREE FORMULA MAINTAINS HEALTHY SCALP

#### FÓRMULA PREMIUM LIBRE DE SULFATO MANTIENE LA PIEL CABELLUDA SALUDABLE

SULFATE-FREE SIN SULFATOS

PARABEN-FREE SIN PARABENOS

NOT FOR WOMEN

MADE IN THE USA  
210 mL / 7 FL OZ e



### USAGE DIRECTIONS

Polaris NR-02\* Shampoo is for men only.

Apply Polaris NR-02\* Shampoo to wet hair, lather, and rinse. Repeat and leave on scalp for 1-2 minutes. Use daily to control hair loss.

### SAFETY WARNING

For external use only. Avoid eye contact. This product is not for women.

Finasteride has been shown to cause birth defects in women who are pregnant or may become pregnant. Be sure this product is never handled or used by women. Keep out of reach of children.


Minoxidil has been shown to increase unwanted body hair. Use as directed.



Recommended by top dermatologists around the world

WWW.DSLABORATORIES.COM.MX





**NR-02<sup>®</sup>**  
HAIR REGROWTH SHAMPOO FOR MEN

- MINOXIDIL RESTORES THE VERTEX
- FINASTERIDE SUPPRESS ANDROGENS
- PREMIUM SULFATE-FREE FORMULA

**NOT FOR WOMEN**

USA 210 mL / 7 FL OZ

**MINOXIDIL RESTORES THE VERTEX**


- Retains and regrows hair at the crown.
- Increases follicle size and thickness.
- Extends anagen growth phase of hair.
- Opens potassium channels for energy.
- Active ingredients with proven efficacy.






**FINASTERIDE SUPPRESS ANDROGENS**

- Inhibits the enzyme 5 alpha-reductase to block dihydrotestosterone (DHT).
- Stops DHT from damaging follicles.
- Lengthens anagen growth of hair.
- Works on both vertex and top.
- Effective for 90 percent of men.

**WHO NEEDS POLARIS NR-02**

- Effective for 90 percent of men.
- Men balding on top.
- Men with global hair thinning.



<b>NAME</b>	LB000350	
<b>DESCRIPTION</b>	Polaris NR-02 Back Label (IN)	
<b>DATE OF MODIFICATION</b>	4.29.22 Registration Only	
<b>APPROVAL SIGNATURES</b>		<b>COLOR CODE</b>
<b>MGMT:</b>		 PANTONE 286 C  PANTONE 8001 C
<b>ART:</b>		 PANTONE BLACK  SILVER FOIL
<b>TEXT:</b>		

## POLARIS RESEARCH NR-02 HAIR REGROWTH

minoxidil shampoo

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69188-400
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	1.5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DISODIUM LAURETH SULFOSUCCINATE</b> (UNII: D6DH1DTN7E)	
<b>SODIUM COCOYL ISETHIONATE</b> (UNII: 518XTE8493)	
<b>COCAMIDOPROPYL HYDROXYSULTAINE</b> (UNII: 62V75NI93W)	
<b>SODIUM LAUROYL SARCOSINATE</b> (UNII: 632GS99618)	
<b>AMODIMETHICONE (800 CST)</b> (UNII: 363Z2T48P7)	
<b>C11-15 PARETH-7</b> (UNII: 261HPE0IS3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLIDOCANOL</b> (UNII: 0AWH8BFG9A)	
<b>PEG-150 DISTEARATE</b> (UNII: 6F36Q0I0AC)	
<b>TRIDECETH-12</b> (UNII: YFY3KG5Y7O)	
<b>COCO MONOETHANOLAMIDE</b> (UNII: C80684146D)	
<b>DI-PPG-2 MYRETH-10 ADIPATE</b> (UNII: 4IN301M0KJ)	

<b>SODIUM LAURYL SULFOACETATE</b> (UNII: D0Y70F2B9J)
<b>COCAMIDOPROPYLAMINE OXIDE</b> (UNII: M4SL82J7HK)
<b>GLYCOL DISTEARATE</b> (UNII: 13W7MDN21W)
<b>CAFFEINE</b> (UNII: 3G6A5W338E)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>KETOCONAZOLE</b> (UNII: R9400W927I)
<b>FINASTERIDE</b> (UNII: 57GNO57U7G)
<b>BIOTIN</b> (UNII: 6SO6U10H04)
<b>PREZATIDE COPPER</b> (UNII: 6BJQ43T1I9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>HORSE CHESTNUT</b> (UNII: 3C18L6RJAZ)
<b>ASPALATHUS LINEARIS LEAF</b> (UNII: H7UGK1GJCU)
<b>SOY PROTEIN</b> (UNII: R44IWB3RN5)
<b>HYDROLYZED WHEAT PROTEIN (ENZYMATIC; 3000 MW)</b> (UNII: J2S07SB0YL)
<b>AMINO ACIDS, WHEAT</b> (UNII: 0370GZL32F)
<b>INOSITOL</b> (UNII: 4L6452S749)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>ACETYLCYSTEINE SODIUM</b> (UNII: NRD80R06FB)
<b>PROCYANIDIN A2</b> (UNII: UQN6668Q4R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>CALCIUM PANTOTHENATE</b> (UNII: 568ET80C3D)
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)
<b>POLYOXYL 35 CASTOR OIL</b> (UNII: 6D4M1DAL6O)
<b>POLYQUATERNIUM-10 (20000 MPA.S AT 2%)</b> (UNII: N2GK4S7X4T)
<b>TAURINE</b> (UNII: 1EQV5MLY3D)
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)
<b>ETHYLBISIMINOMETHYLGUAIACOL MANGANESE CHLORIDE</b> (UNII: SM5YJ88LTU)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69188-400-07	210 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/22/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		01/22/2015	

**Labeler** - DS Healthcare Group (015504134)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
A.I.G. TECHNOLOGIES, INC.		086365223	manufacture(69188-400)

Revised: 2/2023

DS Healthcare Group