SOLUVITA SODIUM FLUORIDE DROPS- sodium fluoride liquid Patrin Pharma

SoluVita[®] Sodium Fluoride Drops

Supplement Facts Serving Size: 1.0 mL Servings per container: 50			
	Amount Per Serving	% DV	
Fluoride	0.5 mg	*	
* U.S. Recon	nmended Daily Value n	ot	

established.

Other Ingredients

Purified Water, Sodium Benzoate, Ascorbic Acid , Strawberry Flavor , Sucralose, Red #33

Description

SoluVita® Sodium Fluoride Drops is a dietary supplement of fluoride to be used only under the supervision of a medical professional for patients living in areas where the drinking water fluoride level does not exceed 0.6 ppm.

See the guidelines for supplementation from the American Dental Association (ADA) and American Academy of Pediatrics (AAP) under the Dosage and Administration section.

WARNINGS

KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, call a Poison Control Center immediately.

Do not use in areas where drinking water fluoride level exceeds 0.6 ppm. Do not administer to patients less than 6 months old.

Storage

Store at controlled room temperature 20-25°C (68-77°F). Excursions permitted 15-30°C (59-86°F). After opening, store away from direct light. Close tightly after each use.

Tamper-Evident

Do not use if seal under cap is torn, broken or missing.

These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease and should be used

only under the supervision of a medical professional.

Questions?

Call (800) 936 3088

Dosage and Administration

SoluVita® Sodium Fluoride Drops should be used only under the supervision of a medical professional. The ADA and AAP recommends that daily intake should not exceed these guidelines.

Daily Fluoride Supplement Dosage					
Age Fluoride ion level in drinking water (ppm)					
	< 0.3 PPM	0.3-0.6 PPM	> 0.6 PPM		
6 mo-3 yrs	0.25 mg F =½ mL	0	0		
3 yrs-6 yrs	0.5 mg F =1 mL	0.25 mg F =½ mL	0		
6 yrs-16 yrs	1 mg F =2 mL	0.5 mg F =1 mL	0		

For Oral Use Only.

Do not use with dairy products.

Each bottle comes with an accompanying calibrated dropper.

SHAKE WELL BEFORE USING.

Made in the USA

Patrin Pharma Skokie, IL 60076

www.patrinpharma.com

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton

39328-007-50

SoluVita[®] Sodium Fluoride Drops

0.5 mg of Fluoride Ion per mL

Sugar Free • Gluten Free Alcohol Free • Lactose Free

1 2/3 fl. oz. (50 mL)

PATRIN PHARMA

	יבט 1,3 1,1 oz. פע שך	of ita® m Fluoride D notebnoul To To D M M M M M M M M M M M M M M M M M M M	nibo2			
SoluVit only ur sional.	ge and Admir ta® Sodium Fluor nder the supervis The ADA and AAF should not exceed Dally Fluoride S	ride Drops should ion of a medical p recommends that	rofes- dally	WARNINGS: KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, call a Polson Control Center Immediately. Do not use in areas where drinking water fluoride level exceeds 0.6 ppm. Do not administer to patients less than e months old. Storage: Store at controlled room temperature 20-20*C (88-77*F). Excursions	39328- 007 -50 SoluVita® Sodium Fluoride Drops	Supplement Facts Serving Size: 1.0 mL Servings per container: 50 Amount Per % DV Serving % DV Fluoide 0.3 mg * ⁴ U.S. Recommended Daily Value not established. Other Ingredients: Putilled Water, Sodium Benzoale, Ascotick Acid, Strawberty Flavor, Sucraiose, Red #33
Do not Each b calibra	0.20 mg F =1½ mL 0.5 mg F =1 mL 1 mg F =2 mL al Use Only. use with dairy pr tottle comes with ted dropper. E WELL BEFORE	an accompanying	0 0 0	permitted 1-5-0°C (98-88*F). After opening, store away from direct light. Close lightly after each use. Tamper-Evident: Do not use it seal under cap is tom, bioken or missing. These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease and should be used only under the supervision of a medical professional.	0.5 mg of Fluoride Ion per mL Sugar Free • Gluten Free Alcohol Free • Lactose Free 1 2/3 fl. oz. (50 mL)	Description: SoluVita® Sodium Fluoride Drops Is a dietary supplement of fluoride to be used only under the supervision of a medical professional for patients living in areas where the diminking water fluoride level does not exceed o.s ppm. See the guidelines for supplemen- tation from the American Dental Association (ADA) and American Academy of Pediatrics (AAP) under the Dosage and Administration section.
		Pharma , IL 60076		Questions? Call (800) 936 3088	PHARMA	www.patrinpharma.com
					Lov/Exp Date Unvarnished Rev01.0024	

SOLUVITA SODIUM FLUORIDE DROPS sodium fluoride liquid						
Product Information						
Product Type	DIETARY SUPPLEMENT	Item Code	e (Source)	NHRI	C:39328-007	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingredient Name Basis of Strength Strength						
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride ion - UNII:Q80VPU4080) Fluoride ion 0.5 mg in 1						

	Ingredient Name			Strength
Water (UNII: 059QF0K0	OR)			
Sodium benzoate (UN	II: OJ245FE5EU)			
Ascorbic acid (UNII: PC	eck8pd0r)			
STRAWBERRY (UNII: 4J	2TY8Y81V)			
Sucralose (UNII: 96K6L	Q3ZD4)			
D&C RED NO. 33 (UNII	9DBA0SBB0L)			
Packaging				
# Item Code	Package Description	Marketin	g Start Date	Marketing End Da
1 NHRIC:39328-007-50	1 in 1 CARTON			
	50 mL in 1 BOTTLE, PLASTIC			
1				
1				
1				
	ormation			
1 Marketing Inf Marketing Category	ormation Application Number or Mor Citation	nograph	Marketing St Date	tart Marketing E Date

Supplement Facts					
Serving Size :	Serving per Container :				
Amount Per Serving	% Daily Value				
color					
flavor					

Labeler - Patrin Pharma (806841677)

Revised: 4/2025

Patrin Pharma