

NITROGEN - nitrogen gas
Mississippi Welders Supply Company, Inc.

nitrogen

NITROGEN, Refrigerated Liquid UN1977 CAS 7727-37-9
Non-Flammable Gas
Nitrogen, NF

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Container temperature should not exceed 52oC(125oF). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately. Rx Only

WARNING: Administration of nitrogen may be hazardous or contraindicated. For use by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DO NOT REMOVE THIS LABEL.

Mississippi Welders Supply Company
Winona, MN 55987
507-454-5231

Contents: _____

NITROGEN, Refrigerated Liquid
UN1977
CAS 7727-37-9



Nitrogen, NF

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.
CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE SEVERE FROSTBITE.**
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use hand truck for container movement.
Container temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.
Use a back flow preventive device in the piping.
Use in accordance with Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

Rx Only
WARNING: Administration of nitrogen may be hazardous or contraindicated. For use by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DO NOT REMOVE THIS LABEL.

Mississippi Welders Supply Company

Winona, MN 55987
507-454-5231
(Rev. 24 Feb 10)

Contents: _____

(Rev.24 Feb 10)

NITROGEN, COMPRESSED,NF
UN1066

NON-FLAMMABLE GAS 2

Rx only. **WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.** **WARNING: CONTAINS GAS UNDER PRESSURE MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.** Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attentions. CAS: 7727-37-9. DO NOT REMOVE THIS PRODUCT LABEL.**

MISSISSIPPI WELDERS SUPPLY CO., INC.
5150 W 6TH STREET, WINONA, MN 55987
507-454-5231

CONTENTS: LTRS:
CU. FT.:



NITROGEN

nitrogen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:51996-013
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75)	Nitrogen	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51996-013-07	396 L in 1 CYLINDER		
2	NDC:51996-013-08	651 L in 1 CYLINDER		
3	NDC:51996-013-09	6510 L in 1 CYLINDER		
4	NDC:51996-013-11	8516 L in 1 CYLINDER		
5	NDC:51996-013-12	101556 L in 1 CYLINDER		
6	NDC:51996-013-13	3582 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141381	03/01/2010	

Labeler - Mississippi Welders Supply Company, Inc. (078691540)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Mississippi Welders Supply Company, Inc.		147577555	manufacture
--	--	-----------	-------------

Establishment

Name	Address	ID/FEI	Business Operations
Mississippi Welders Supply Company, Inc.		078691540	manufacture

Revised: 6/2015

Mississippi Welders Supply Company, Inc.