

HAMPTON SUN SPF30 MINERAL- zinx oxide lotion
S&C Hampton Sun LLC

Hampton Sun SPF30 Mineral Lotion 3.2oz ISO430-HS

Purpose Sunscreen

Active Ingredieints

Zinc Oxide 20%

Uses

Uses ■ helps prevent sunburn

Directions apply liberally to cool, dry skin
15 minutes before sun exposure • reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2
hours • **Sun Protection Measures.** Spending time
in the sun increases your risk of skin cancer and
early skin aging. To decrease this risk, regularly
use a sunscreen with a broad spectrum SPF of 15
or higher and other sun protection measures
including: • limit time in the sun, especially from
10 a.m. - 2. p.m. • wear a long-sleeve shirts,
pants, hats, and sunglasses. • children under 6
months: Ask a doctor.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse eyes with water
to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. if swallowed, get medical
help or contact a Polson Control Center right away.

Inactive Ingredients

Triethoxycaprylylsilane

Octyldodecanol

Dibutyl Lauroyl Glutamide
Dibutyl Ethylhexanoyl Glutamide
Caprilic/Capric Triglyceride
C12-15 Alkyl Benzoate
VP/Hexadecene Copolymer
Butyloctyl Salicylate
Ethylhexyl Methoxycrylene
Simmondsia Chinensis (Jojoba) Seed Oil
Vitis Vinifera (Grape) Seed Oil
Butyrospermum Parkii (Shea) Oil
Tocopheryl Acetate

SKIN BARRIER SUPPORT • HYDRATING RED MARINE ALGAE • WEIGHTLESS TEXTURE • SHEER, SMOOTH FINISH

Drug Facts / Informations Produit

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen

Uses: Helps prevent sunburn • If used as directed (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings: For external use only • Do not use on damaged or broken skin • When using this product: Keep out of eyes. Rinse with water to remove • Stop use and ask doctor if rash occurs • Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Apply liberally 15 minutes before sun exposure • Reapply: After 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum value of 15 or higher and other protection measures including: Limit time in the sun, especially from 10am - 2pm • Wear long-sleeve shirts, pants, hats and sunglasses • Children under 6 months: Ask a doctor.

Other Information: Protect this product from excessive heat and direct sun

Inactive Ingredients: Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Diatomaceous Earth, Dicaprylyl Carbonate, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Fragrance, Isododecane, Lithothamnion Calcareum Extract, Mannitol, Neopentyl Glycol Diheptanoate, Polyester-7, Polymethylsilsesquioxane, Hydrated Silica, Triethoxycaprylylsilane, Zinc Sulfate

Composants Actifs	Fonction
Oxyde de Zinc 20%	Écran Solaire

Utilisation: Prévention des coups de soleil • En complément d'autres mesures de protection (voir les conseils d'utilisation), réduit le risque de cancer et de vieillissement prématuré de la peau dus au soleil.

Avertissements: Pour usage externe uniquement • Ne pas utiliser sur une peau endommagée ou éraflée • Lors de l'utilisation de ce produit : Tenir hors de portée des yeux. Rincer à l'eau pour l'enlever. • Arrêter l'utilisation et consulter un médecin en cas d'éruption cutanée. • Garder hors de portée des enfants. • En cas d'ingestion, consulter un médecin ou contacter immédiatement un centre antipoison.

Conseils D'utilisation: Appliquer généreusement 15 minutes avant l'exposition au soleil. • Réappliquer : Après 80 minutes de baignade ou de transpiration, immédiatement après s'être séché avec une serviette, au moins toutes les 2 heures.

Mesures de Protection Contre le Soleil: Une exposition au soleil prolongée augmente le risque de vieillissement prématuré et de cancer de la peau • Pour réduire ce risque, utiliser régulièrement un écran solaire avec un FPS supérieur ou égal à 15 et à large spectre associé à d'autres moyens de protection: Limiter l'exposition au soleil, surtout entre 10 et 14 h • Porter des vêtements longs, un chapeau ou une casquette et des lunettes de soleil. Enfants de moins de 6 mois: Demander conseil à un médecin.

Autres Informations: Conserver à l'abri d'une chaleur excessive et du soleil.

Composants Inactifs: Salicylate de Butyloctyle, Triglycérade Caprylique/Caprique, Caprylylglycol, Terre de Diatomées, Carbonate de Dicaprylyle, Diméthicone, Polymère Croisé de Diméthicone, Polymère Croisé de Diméthicone/Bis-Isobutyl PPG-20, Parfum, Isododécane, Extrait De Lithothamnion Calcaire, Mannitol, Diheptanoate De Néopentylglycol, Polyester-7, Polyméthylsilsesquioxane, Silice Hydratée, Triéthoxycaprylylsilane, Sulfate De Zinc

Questions or comments? info@hamptonsun.com or www.hamptonsun.com



Made in the USA of global materials
 Distributed by: S&G Hampton Sun, LLC • Southampton, NY 11968
 RP. MSL, BL9 5NB, UK • RP. MSL, Suite 5385
 27 Upper Pembroke St, Dublin, IE.



SPF 30

HAMPTON SUN

MINERAL SUNSCREEN BODY LOTION

BROAD SPECTRUM + HYDRATION COMPLEX LAIT CORPS SOLAIRE MINÉRALE

3.2 FL.OZ. / 94.6 ML

HAMPTON SUN SPF30 MINERAL
 zinx oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87170-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.24 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BOSWELLIA SERRATA RESIN OIL (UNII: 5T1XCE6K8K)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIATOMACEOUS EARTH (UNII: 2RF6EJ0M85)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER (UNII: O4I3UFO6ZF)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PHYMATOLITHON CALCAREUM (UNII: 6J1M3WA0ZK)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
OLIBANUM (UNII: R9XLF1R1WM)	
POLYESTER-7 (UNII: 0841698D2F)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
SILICA (UNII: ETJ7Z6XBU4)	
JOJOBA OIL (UNII: 724GKU717M)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ZINC SULFATE (UNII: 89DS0H96TB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87170-013-01	94.6 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2025	

Labeler - S&C Hampton Sun LLC (031880374)

Registrant - Inspec Solutions LLC (081030372)

Establishment

Name	Address	ID/FEI	Business Operations
Inspec Solutions LLC		081030372	manufacture(87170-013)

Revised: 5/2026

S&C Hampton Sun LLC