

BE GONE SCARS TM- thiosinaminum ointment
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

THIOSINAMINUM 2X

USES

To diminish scars.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

THIOSINAMINUM Scarring

STOP USE AND ASK DOCTOR

For external use only. If symptoms persist/worsen or if pregnant/nursing, consult your practitioner. Do not use if inner foil seal is broken or missing.

DIRECTIONS


Apply to scar and rub in.

INACTIVE INGREDIENTS

50% Lanolin

50% Petrolatum

PRINCIPAL DISPLAY PANEL



Be gone Scars tube

BE GONE SCARS™

thiosinaminum ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68428-721
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	2 [hp_X] in 56 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
LANOLIN (UNII: 7EV65EAW6H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-721-29	56 g in 1 TUBE; Type 0: Not a Combination Product	03/15/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/15/2013	

Labeler - Washington Homeopathic Products (084929389)**Establishment**

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(68428-721)

Revised: 12/2019

Washington Homeopathic Products