

PEPTO-BISMOL- bismuth subsalicylate tablet
ASCLEMED USA INC.

Pepto BISMOL[®] Caplets

Drug Facts

Active ingredient (in each caplet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - belching
 - fullness

Warnings

Reye's syndrome:

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow with water, do not chew
- adults and children 12 years and over:
 - 2 caplets (1 dose) every ½ hour or 4 caplets (2 doses) every hour as needed for diarrhea
 - 2 caplets (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each caplet contains:** calcium 27 mg
- salicylate 99 mg
- low sodium
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

calcium carbonate, D&C red No. 27 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, polysorbate 80, povidone, silicon dioxide, sodium starch glycolate

Questions?

1-800-717-3786

TAMPER EVIDENT: Do not use if inner printed seal on bottle is broken or missing.


Relabeled by:

Enovachem PHARMACEUTICALS

Torrance, CA 90501

PRINCIPAL DISPLAY PANEL

Relabeled By:



Enovachem
PHARMACEUTICALS

379 Van Ness Ave.
Suite 1403-1406
Torrance, CA 90501


Pepto Bismol (Bismuth Subsalicylate 262 mg)

NDC: 76420-490-24

Qty: 24

Distributed By: Procter & Gamble
Source NDC: 58933-476-02
Description: pink; capsule shaped tablets/Pepto Bismol
Lot #: 00000000 Exp:
Batch #: 00000000
Drug Status: OTC

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. SEE PACKAGE INSERT.
KEEP OUT OF REACH OF CHILDREN. STORE AT 20-25C (68-77F) [SEE USP CONTROLLED ROOM TEMP].



(01) 0 0376420 49024 1
(17)
(10) 00000000
(21)

Pepto Bismol (Bismuth Subsalicylate 262 mg)
NDC: 76420-490-24
S/N:
Qty: 24

Pepto Bismol (Bismuth Subsalicylate 262 mg)
NDC: 76420-490-24
S/N:
Qty: 24

Pepto Bismol (Bismuth Subsalicylate 262 mg)
NDC: 76420-490-24
S/N:
Qty: 24

PEPTO-BISMOL

bismuth subsalicylate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC: 76420-490(NDC: 58933-476)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII: O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)

Product Characteristics

Color	pink	Score	no score
Shape	OVAL (Caplet)	Size	16mm
Flavor		Imprint Code	PeptoBismol
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76420-490-24	1 in 1 CARTON	10/15/2025	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	06/30/2004	

Labeler - ASCLEMED USA INC. (059888437)

Revised: 10/2025

ASCLEMED USA INC.