

**BAREMINERALS PREP STEP MINERAL SHIELD BROAD SPECTRUM SPF 50 DAILY
PREP- zinc oxide and titanium dioxide lotion**

Bare Escentuals Beauty, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

bareMinerals® Prep Step™ Mineral Shield Broad Spectrum SPF 50 Daily Prep Lotion

Drug Facts

| <i>Active ingredient(s)</i> | <i>Purpose</i> |
|------------------------------------|-----------------------|
| Zinc oxide 23.8% | Sunscreen |
| Titanium dioxide 4.1% | Sunscreen |

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: ask a doctor
- **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

coconut alkanes, caprylyl caprylate/caprate, water, squalane, adipic acid/neopentyl glycol crosspolymer, polyglyceryl-2 diisostearate, silica, glycerin, propanediol, sorbitan sesquiosostearate, isostearic acid, coco-caprylate/caprate, triethoxycaprylylsilane, gentiana urnula flower extract, moringa oleifera seed extract, butylene glycol, magnesium hydroxide, sodium citrate, citric acid, polyester-1, silica dimethyl silylate, disodium phosphate, phenoxyethanol. may contain: mica, titanium dioxide, iron

oxides.

Other information

Protect this product from excessive heat and direct sun

Questions or comments?

Call toll free **1-888-795-4747**

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA

PRINCIPAL DISPLAY PANEL - 40 mL Bottle Carton

bareMinerals®

PREP STEP™

MINERAL SHIELD

BROAD SPECTRUM

SPF 50

DAILY PREP LOTION



bareMinerals®
PREP STEP™

MINERAL SHIELD

**BROAD SPECTRUM
SPF 50**

DAILY PREP LOTION


PREP STEP™ products are formulated to smooth and ready skin for a flawless makeup application while addressing skin's specific needs.



MINERAL SHIELD BROAD SPECTRUM SPF 50 protects and preps skin for a flawless makeup application in one easy step. A non-chemical, broad spectrum SPF 50 delivers powerful sun protection, while botanical antioxidants help to defend against environmental stressors that can lead to premature skin aging. Formulated with skin conditioners to leave skin feeling soft and smooth, the lightweight lotion feels more like a nourishing skincare product than a greasy sunscreen. Unique micro-encapsulated pigments transform the white silky lotion into a lightweight makeup base that blends beautifully with your skin tone and dries to an invisible finish. Skin is left feeling smooth, protected and perfectly prepped for foundation.

SHAKE WELL.

Blend evenly into skin after normal skincare routine. Follow with bareMinerals® complexion products.



| | | |
|--|--|---|
| Drug Facts | | Drug Facts (continued) |
| Active ingredient(s) Zinc oxide 23.8% Titanium dioxide 4.1% | Purpose Sunscreen Sunscreen | children under 6 months: ask a doctor • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses |
| Uses - helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun | | Inactive ingredients coconut alkanes, caprylyl caprylate/caprate, water, squalene, adipic acid/neopentyl glycol crosspolymer, polyglyceryl-2 diisostearate, silica, glycerin, propanediol, sorbitan sesquiossearate, isostearic acid, coco-caprylate/caprate, triethoxycaprylylsilane, gentiana urmula flower extract, moringa oleifera seed extract, butylene glycol, magnesium hydroxide, sodium citrate, citric acid, polyester-1, silica dimethyl silylate, disodium phosphate, phenoxethanol. may contain: mica, titanium dioxide, iron oxides. |
| Warnings For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. | | Other information Protect this product from excessive heat and direct sun |
| Directions For sunscreen use • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • | | Questions or comments? Call toll free 1-888-795-4747 |

MADE IN USA.

BARE ESSENTUALS

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1F 8ZU • 75011**BAREMINERALS PREP STEP MINERAL SHIELD BROAD SPECTRUM SPF 50 DAILY PREP**

zinc oxide and titanium dioxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:98132-761 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 238 mg in 1 mL |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 41 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| coconut alkanes (UNII: 1E5KJY107T) | |
| caprylyl caprylate/caprate (UNII: 22MCG4RSMR) | |
| water (UNII: 059QF0K00R) | |
| squalene (UNII: 7QWM220FJH) | |
| polyglyceryl-2 diisostearate (UNII: DG195GP57P) | |
| silicon dioxide (UNII: ETJ7Z6XBU4) | |
| glycerin (UNII: PDC6A3C0OX) | |
| propanediol (UNII: 5965N8W85T) | |

| | |
|---|--|
| isostearic acid (UNII: X33R8U0062) | |
| coco-caprylate/caprate (UNII: 8D9H4QU99H) | |
| triethoxycaprylylsilane (UNII: LDC331P08E) | |
| gentiana urnula flower (UNII: 2RIZ3HY23X) | |
| moringa oleifera seed (UNII: TIX5482832) | |
| butylene glycol (UNII: 3XUS85K0RA) | |
| magnesium hydroxide (UNII: NBZ3QY004S) | |
| sodium citrate (UNII: 1Q73Q2JULR) | |
| citric acid monohydrate (UNII: 2968PHW8QP) | |
| silica dimethyl silylate (UNII: EU2PSP0G0W) | |
| sodium phosphate, dibasic, anhydrous (UNII: 22ADO53M6F) | |
| phenoxyethanol (UNII: HIE492ZZ3T) | |
| mica (UNII: V8A1AW0880) | |
| ferric oxide red (UNII: 1K09F3G675) | |

| Packaging | | | | |
|-----------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:98132-761-01 | 1 in 1 CARTON | | |
| 1 | | 40 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH NOT FINAL | part352 | 04/01/2015 | |

Labeler - Bare Escentuals Beauty, Inc. (087008363)