

**MINERAL SUNSCREEN SPF 50- zinc oxide lotion**  
**Hello Bello**

-----  
**Mineral Sunscreen Lotion SPF50**

***Drug Facts***

***Active Ingredients***

Zinc Oxide 20.0%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

***Do not use***

on broken or damaged skin

**When using this product**

Keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Shake well before use

Apply liberally and spread evenly by hand 15 minutes before sun exposure

Reapply:

- after 80 minutes of swimming or sweating immediately after towel use
- at least every 2 hours

## **Sun Protection Measures**

Spending time in the sun can increase your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limiting time in the sun, especially from 10a.m. - 2p.m.
- Wearing long-sleeved shirts, pants, hats and sunglasses

Children under six months: Ask a doctor

## **Other Information**

Protect this product from excessive heat and direct sun

Avoid long-term exposure storage above 40°C (104°F)

May stain some fabrics

## **Inactive Ingredients**

Arachidyl Alcohol, Arachidyl Glucoside, Behenyl Alcohol, Bisabolol\*, Butyloctyl Salicylate, Butyrospermum Parkii (Shea) Butter\*, Calendula Officinalis Flower Extract\*, Camellia Sinensis (Green Tea) Leaf Extract\*, Caprylhydroxamic Acid, Capryloyl Glycerin/Sebacic Acid Copolymer, Caprylyl Glycol, Cellulose Gum, Cetearyl Alcohol, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract\*, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Oil, Coco Glucoside, Cocos Nucifera (Coconut) Oil\*, Cucumis Sativus (Cucumber) Fruit Extract\*, Diheptyl Succinate, Glycerin, Methyl Dihydroabietate, Microcrystalline Cellulose, Persea Gratissima (Avocado) Fruit Extract\*, Polyhydroxystearic Acid, Prunus Armeniaca (Apricot) Kernel Oil\*, Sodium Gluconate, Sodium Hyaluronate, Sodium Stearoyl Glutamate, Theobroma Cacao (Cocoa) Seed Butter, Tocopherol, Triethyl Citrate, Vanilla Planifolia Fruit Extract, Water (Aqua) \*Organic

## **Questions?**

(888)860-6888

• Dermatologist Tested  
• Non-Greasy  
• Hypoallergenic



**Broad Spectrum SPF 50**  
**Non-Nano Zinc Oxide**  
**Mineral Sunscreen Lotion**  
 NET WT. 5.0 fl. oz. (147.8 ml)e



Reef Friendly



Water Resistant  
(80 Minutes)

Cover up and enjoy a good time outside knowing our sunscreen is helping protect and nourish your family's skin.

Drug Facts	
Active Ingredients	Purpose
Zinc Oxide 20.0%	Sunscreen
<b>Uses</b>	
• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product	
• keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right a way.	
<b>Directions</b>	
• Shake well before use	
• Apply liberally and spread evenly by hand 16 minutes before sun exposure. • Reapply: after 80 minutes of swimming or sweating • Immediately after towel drying • at least every 2 hours	
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• Limit time in the sun especially from 10 a.m. – 2 p.m.	
• Wear long-sleeved shirts, pants, hats, and sunglasses.	
• Children under six months: Ask a doctor.	
<b>Other Information</b>	
• Protect this product from excessive heat and direct sun	
• Avoid long-term exposure storage above 40°C (104°F)	
• May stain or damage some fabrics	
<b>Inactive Ingredients</b>	
Arachidyl Alcohol, Arachidyl Glucoside, Behenyl Alcohol, Bisabolol*, Butylcetyl Salkofate, Butyrospermum Parifi (Shea) Butter*, Calendula Officinalis Flower Extract*, Camellia Sinensis Leaf Extract*, Caprylylhydroxamic Acid, Caprylyl Glyceryl Sebacate Copolymer, Caprylyl Glycol, Cellulose Gum, Cetearyl Alcohol, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract*, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Oil, Coco-Glucoside, Cocos Nucifera (Coconut) Oil*, Cucumis Sativus (Cucumber) Fruit Extract*, Dihexyl Succinate, Glycerin, Methyl Dihydroabietate, Microcrystalline Cellulose, Polyhydroxyesteric Acid, Persea Gratissima (Avocado) Fruit Extract*, Prunus Armeniaca (Apricot) Kernel Oil*, Sodium Gluconate, Sodium Hyaluronate, Sodium Stearoyl Glutamate, Theobroma Cacao (Cocoa) Seed Butter*, Tocopherol, Triethyl Citrate, Vanilla Planifolia Fruit Extract, Water (Aqua) – Organic	
<b>Questions?</b> (888) 880-8888	

Made in the US with US and Imported materials  
 © 2023 Distributed by Unconventional Lane DSA Hello Bello, Los Angeles, CA 90272  
 Made with Recycled Materials

## MINERAL SUNSCREEN SPF 50

zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73418-102
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ)	
DOCOSANOL (UNII: 9G1OE216XY)	
LEVOMENOL (UNII: 24WE03BX2T)	

<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S)</b> (UNII: N7YC58165T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>COCONUT OIL</b> (UNII: Q9L0O73W7L)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>DIHEPTYL SUCCINATE</b> (UNII: 057N7SS26Y)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYL DIHYDROABIETATE</b> (UNII: 7666FJ0J9F)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>AVOCADO</b> (UNII: SDS87L369F)	
<b>POLYHYDROXYSTEARIC ACID STEARATE</b> (UNII: 8KQ7I65XZE)	
<b>APRICOT KERNEL OIL</b> (UNII: 54JB35T06A)	
<b>SODIUM GLUCONATE</b> (UNII: R6Q3791S76)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>VANILLA BEAN</b> (UNII: Q74T35078H)	
<b>WATER</b> (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73418-102-05	141.75 g in 1 TUBE; Type 0: Not a Combination Product	07/31/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/30/2023	

**Labeler** - Hello Bello (081135707)

