

PAIN RELIEVING LIDOCAINE PATCH- lidocaine patch
InterMed Laboratories Private Limited

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

YYBA - Welmate Lidocaine Pain Relieving Patch (73581-001)

Active ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

Temporarily relieves minor pain

Warnings

For external use only

Do Not Use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds or damaged skin
- with a heating pad
- if you are allergic to ingredients of this product

When Using This Product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop Use and Ask a Doctor if

- condition worsens
- redness is present
- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied
- symptoms clear up and occur again within few days

If Pregnant or Breast Feeding

ask a health professional before use.

Keep Out of Reach of Children and Pets

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:



- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove from the skin after at most 8-hour application
- apply to the affected area not more than 3 to 4 times daily

children 12 years or younger:ask a doctor

Inactive Ingredients

dihydroxyaluminium aminoacetate, disodium EDTA, glycerin, methylparaben, polyvinyl alcohol, propyl paraben, propylene glycol, purified water, sodium carboxymethyl cellulose, sodium polyacrylate, tartaric acid, titanium oxide

Package/Label Principal Display Panel



PAIN RELIEVING LIDOCAINE PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71811-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

Inactive Ingredients

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71811-003-30	30 in 1 CARTON	09/17/2020	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:71811-003-40	40 in 1 CARTON	09/17/2020	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/17/2020	

Labeler - InterMed Laboratories Private Limited (676244169)