

LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Liuquanmiao, LIDOCAINE PAIN RELIEF Gel-Patch, Lidocaine 4%, 18 Patches

Active ingredients

Lidocaine 4% Purpose: Topical Analgesic

Purpose

Topical Analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use ... if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

... ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur

- symptoms persist for more than 7 days

If pregnant or breast-feeding

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive Ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Usage


Usage



1
Remove patch from
outer package



2
Partially peel back
protective film



3
Place on
affected area



4
Remove remaining film
while pressing patch to skin

Questions or Comments

sumifunofficial@gmail.com

Package label. Principal display panel

145mm

50mm

185mm

www.sumifunofficial.com
INS: @sumifunofficial

YouTube: @sumifun
Facebook: @sumifunOfficial

TikTok: @sumifunofficial
Twitter: @sumifunOfficial


Sumifun®

LIDOCAINE PAIN RELIEF Gel-Patch

Numbing muscle and relieve pain:

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

▪ Knee	▪ Back	▪ Neck
▪ Elbow	▪ Shoulders	



18 PATCHES
5.5" x 3.9"
(14cm x 10cm)

Guangzhou Liguangmiao Import & Export Trade Co., Ltd.
A27, Bubei 2/A, No. 8, Dazhi Road, Shuiwei,
Zhucau, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Sumifun

Drug Facts

Active Ingredients..... Purpose
Lidocaine 4%..... Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

on wounds or damaged skin
with a heating pad or device
with other ointments, creams, sprays, or liniments
if you are allergic to any ingredients of this product

When using this product

use only as directed
avoid contact with the eyes, mucous membranes, or
nasal
do not bandage tightly

Stop use and ask a doctor if

skin reactions such as redness, swelling, blistering or
other discomfort occur
symptoms persist for more than 7 days

If pregnant or breast-feeding,

ask a health professional before use.
KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact
with Poison Control Center immediately.

EXP:



Directions

Adults and Children above 12 years old:
Clean and dry the affected area.
Tear off the protective film and apply the exposed part of
the patch to the affected area.
Carefully remove remaining film while pressing the patch
firmly on the skin.
Remove patch from the skin after at most 8-hour
application.
Children under age of 12: Consult a doctor

Inactive Ingredients

Olefinylaluminum Ammonioacetate,
Dioctyl Dimethylammoniumchloride, Acid Glycine,
Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol,
Polyacrylic Acid, Polyvinylpyrrolidone K10, Propylparaben,
Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Usage




Questions or Comments: sumifunofficial@gmail.com



袋子: 140mmx180mm

背面



140mm

LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-158
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-158-18	18 in 1 BOX	08/08/2023	
1	NDC:83602-158-01	12 g in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/08/2023	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(83602-158) , label(83602-158)

Revised: 8/2023

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.