

**LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch**  
**Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.**

-----  
**Liuquanmiao, LIDOCAINE PAIN RELIEF Gel-Patch, Lidocaine 4%, 18 Patches**

**Active ingredients**

Lidocaine 4% ..... Purpose: Topical Analgesic

**Purpose**

Topical Anesthetic

**Uses**

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only

**Do not use**

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

**Stop use ... if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**... ask a doctor if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**If pregnant or breast-feeding**

ask a health professional before use.

## **KEEP OUT OF REACH OF CHILDREN**

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

## **Directions**

### **Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

**Children under age of 12:** Consult a doctor

## **Inactive Ingredients**

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

## **Usage**



## Questions or Comments

supports@sumifunofficial.com

**83602-158-18**

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

CUT OPEN HERE

Sumifun®

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**Numbing muscle and relieve pain:**

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

▪ Knee	▪ Back	▪ Neck
▪ Elbow	▪ Shoulders	

**4% LIDOCAINE**

**1 PATCH**  
5.5" x 3.94"  
(14cm x 10cm)

**Drug Facts**

**Active ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical Anesthetic

**Uses**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**  
For external use only

**Do not use**  
- on wounds or damaged skin  
- with a heating pad or device  
- with other ointments, creams, sprays, or liniments  
- if you are allergic to any ingredients of this product

**When using this product**  
- use only as directed  
- avoid contact with the eyes, mucous membranes, or rashes  
- do not bandage tightly

**Stop use and ask a doctor if**  
- skin reactions such as redness, swelling, blistering or other discomfort occur  
- symptoms persist for more than 7 days

**If pregnant or breast-feeding,**  
ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**  
Adults and Children above 12 years old:  
- Clean and dry the affected area.  
- Tear off the protective film and apply the exposed part of the patch to the affected area.  
- Carefully remove remaining film while pressing the patch firmly on the skin.  
- Remove patch from the skin after at most 8-hour application.  
Children under age of 12: Consult a doctor

**Inactive Ingredients**  
Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water

**Usage**

**Questions or Comments:** [support@sumifunofficial.com](mailto:support@sumifunofficial.com)  
**Business Cooperation:** [business@sumifunofficial.com](mailto:business@sumifunofficial.com)

Guangzhou Liuguang Import & Export Trade Co., Ltd.  
417, Building A, No. 8, Dong Heng San Road,  
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Child Resistant Packaging

83602-158-01

CUT OPEN HERE

**Sumifun®**

# LIDOCAINE

## PAIN RELIEF Gel-Patch

**Numbing muscle and relieve pain:**

**4% LIDOCAINE**

- **Odor-Free**
- **Maximum Strength**
- **Easy to apply and remove**
- **Single-Use Application**

▪ Knee	▪ Back	▪ Neck
▪ Elbow	▪ Shoulders	

**1 PATCH**  
5.5" x 3.94"  
(14cm x 10cm)

**Drug Facts**

**Active ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical Anesthetic

**Uses**  
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**  
For external use only

**Do not use**

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

**Stop use and ask a doctor if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**If pregnant or breast-feeding,**  
ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**  
Adults and Children above 12 years old:  
· Clean and dry the affected area.  
· Tear off the protective film and apply the exposed part of the patch to the affected area.  
· Carefully remove remaining film while pressing the patch firmly on the skin.  
· Remove patch from the skin after at most 8-hour application.  
Children under age of 12: Consult a doctor

**Inactive Ingredients**  
Dihydroxyaluminum Aminoacetate,  
Disodium Ethylenediaminetetraacetic Acid, Glycerin,  
Kaolin, Methylparaben, Polycarbonate 80, Propylene Glycol,  
Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben,  
Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water

**Usage**

**Questions or Comments:** [support@sumifunofficial.com](mailto:support@sumifunofficial.com)  
**Business Cooperation:** [business@sumifunofficial.com](mailto:business@sumifunofficial.com)

Guangzhou Liuguanniao Import & Export Trade Co., Ltd.  
417, Building A, No. 8, Dong Heng San Road,  
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Child Resistant Packaging

## LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83602-158
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>TARTARIC ACID</b> (UNII: W4888119H)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-158-18	18 in 1 BOX	08/08/2023	
1		12 g in 1 BAG; Type 0: Not a Combination Product		
2	NDC:83602-158-01	12 g in 1 BAG; Type 0: Not a Combination Product	08/08/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/08/2023	

**Labeler** - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

**Registrant** - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 7/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.