

LUMINOUS EYE CORRECTOR SPF 41 - MEDIUM- titanium dioxide, zinc oxide cream
Drmtlgy, LLC

DRMTLGY® LUMINOUS EYE CORRECTOR SPF 41

Drug Facts

Active ingredients

Titanium dioxide 10.00%
Zinc oxide 12.00%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure • dispense only half a pump to the applicator tip and gently dot around both eyes • smooth over the entire eye area from undereye to brow, including eyelids • blend with fingertips for a seamless finish • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor • works best on moisturized skin

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water (Aqua), Dimethicone, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Isododecane, Polymethylsilsesquioxane/ Trimethylsiloxysilicate, Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Polyhydroxystearic Acid, Coco-Caprylate/Caprates, Sodium Chloride, 1,2-Hexanediol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyphenylsilsesquioxane, Glycerin, Caprylhydroxamic Acid, Watermelon (Citrullus lanatus) Fruit Extract, Polyglyceryl-6 Polyricinoleate, Lentil (Lens esculenta) Fruit Extract, Mushroom (Tremella fuciformis) Sporocarp Extract, Dilinoleic Acid/Butanediol Copolymer, Disodium Stearoyl Glutamate, Apple (Pyrus malus) Fruit Extract, Silica, Trisodium Ethylenediamine Disuccinate, Castor Oil/IPDI Copolymer, Sodium Lactate, Sodium PCA, Butylene Glycol, Sodium Lauroyl Lactylate, Knotweed (Polygonum aviculare) Extract, Carbomer, Ceramide NP, Palmitoyl Tripeptide-5, Ceramide AP, Phytosphingosine, Cholesterol, Polysorbate 20, Xanthan Gum, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide EOP, Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?

1-888-376-8549

MEDICAL GRADE SKIN CARE

Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

Visibly improve the appearance of dark circles, puffiness, and fine lines while protecting the delicate eye area against photoaging with this broad spectrum SPF Eye Corrector.

A cooling applicator tip helps to reduce the appearance of puffiness, and enhance the look of skin brightness for your most youthful-looking, under-eyes!

Directions:

Dispense only half a pump to the applicator tip and gently dot around both eyes. Smooth over the entire eye area from undereye to brow, including eyelids. Blend with fingertips for a seamless finish. Reapply throughout the day, as desired, for a quick refresh.

Manufactured in USA with globally sourced components

Distributed by:

DRMTLGY, LLC.

8130 Remmet Ave, Canoga Park, CA 91304

www.DRMTLGY.com

CRUELTY FREE

BACKED BY SCIENCE
DERMATOLOGIST RECOMMENDED

Packaging

Outer Package Label

Drug Facts

Active ingredients Purpose
 Titanium dioxide 10.00%.....Sunscreen
 Zinc oxide 12.00%.....Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • dispense only half a pump to the applicator tip and gently dot around both eyes • smooth over the entire eye area from undereye to brow, including eyelids • blend with fingertips for a seamless finish • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.
 Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor • works best on moisturized skin

Other information
 • protect the product in this container from excessive heat and direct sun.

Inactive ingredients
 Water (Aqua), Dimethicone, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Isododecane, Polymethylsilsesquioxane/Trimethylsiloxy silicate, Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Polyhydroxystearic Acid, Coco-Caprylate/Caprate, Sodium Chloride, 1,2-Hexanediol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyphenylsilsesquioxane, Glycerin, Caprylhydroxamic Acid, Watermelon (Citrullus lanatus) Fruit Extract

Drug Facts (continued)

(Tremella fuciformis) Sporocarp Extract, Dilinoleic Acid/Butanediol Copolymer, Disodium Stearoyl Glutamate, Apple (Pyrus malus) Fruit Extract, Silica, Trisodium Ethylenediamine Disuccinate, Castor Oil/IPDI Copolymer, Sodium Lactate, Sodium PCA, Butylene Glycol, Sodium Lauroyl Lactylate, Knotweed (Polygonum aviculare) Extract, Carbomer, Ceramide NP, Palmitoyl Tripeptide-5, Ceramide AP, Phytosphingosine, Cholesterol, Polysorbate 20, Xanthan Gum, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide EOP, Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?
 1-888-376-8549



CRUELTY FREE



BACKED BY SCIENCE



DRMTLGY®
MEDICAL GRADE SKIN CARE

LUMINOUS EYE CORRECTOR SPF 41

Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

Visibly improve the appearance of dark circles, puffiness, and fine lines while protecting the delicate eye area against photoaging with this broad spectrum SPF Eye Corrector.

A cooling applicator tip helps to reduce the appearance of puffiness, and enhance the look of skin brightness for your most youthful-looking, under eyes!

Directions:
 Dispense only half a pump to the applicator tip and gently dot around both eyes. Smooth over the entire eye area from undereye to brow, including eyelids. Blend with fingertips for a seamless finish. Reapply throughout the day, as desired, for a quick refresh.

Manufactured in USA with globally sourced components

Distributed by

Watermelon (Citrullus lanatus) Fruit Extract,
Polyglyceryl-6 Polyricinoleate, Lentil (Lens
esculenta) Fruit Extract, Mushroom

DERMATOLOGIST
RECOMMENDED

.25 fl. oz / 7 mL

DRMTLGY, LLC.
Canoga Park, CA 91304
www.DRMTLGY.com

Inner Package Label

DRMTLGY
MEDICAL GRADE SKIN CARE

LUMINOUS EYE
CORRECTOR SPF 41
Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

.25 fl. oz / 7mL

Active Ingredients:
Zinc Oxide 12.00%, Titanium Oxide 10.00%

Manufactured in USA with globally
sourced components.

Dist. by DRMTLGY, LLC
8130 Remmet Ave, Canoga Park, CA 91304
www.DRMTLGY.com



MEDIUM
1234A
EXP. MM/YYYY

LUMINOUS EYE CORRECTOR SPF 41 - MEDIUM

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83286-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	12 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

ISODODECANE (UNII: A8289P68Y2)
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENYLSILANETRIOL (UNII: DNR46JQ8BT)
GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
WATERMELON (UNII: 231473QB6R)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
VICIA LENS FRUIT (UNII: ZYZ076G9JH)
TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G)
DILINOLEIC ACID/BUTANEDIOL COPOLYMER (UNII: 1F2S8T535O)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
APPLE (UNII: B423VGH5S9)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)
CASTOR OIL/IPDI COPOLYMER (UNII: GSA2TXZ34G)
SODIUM LACTATE (UNII: TU7HW0W0QT)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
CERAMIDE NP (UNII: 4370DF050B)
PALMITOYL TRIPEPTIDE-5 (UNII: 2A3916MQHO)
CERAMIDE AP (UNII: F1X8L2B00J)
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
XANTHAN GUM (UNII: TTV12P4NEE)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
CERAMIDE 1 (UNII: 5THT33P7X7)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83286-004-01	1 in 1 CARTON	12/22/2023	

1	7 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/22/2023	

Labeler - Drmtlgy, LLC (094762235)

Revised: 5/2024

Drmtlgy, LLC