

**SNAP BROAD SPECTRUM SPF 30- avobenzone, homosalate, octisalate, octocrylene aerosol
Prime Packaging**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SNAP Broad Spectrum SPF 30 Sunscreen Continuous Spray

Active Ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove. Keep away from face to avoid breathing it. Contents under pressure - do not puncture or incinerate. Do not store at temperatures above 120 F

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Flammable

Do not use near heat, flame, or while smoking

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold container 4 to 6 inches from the skin to apply
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: ask a doctor

Other Information

SnappyScreen is not responsible for a consumer still obtaining a sunburn or any other forms of skin damage. While sunscreen will protect from UV Rays, there is no guarantee that an individual will not contract skin cancer or other skin diseases. UV exposure from the sun increases the risk of skin cancer, premature skin aging, and other skin damage. It is important to decrease UV exposure by limiting time in the sun, wearing protective clothing and using sunscreen properly. SnappyScreen is not responsible for any discoloration or other damage of your bathing suit or clothing.

Inactive Ingredients

Bisabolol, Caprylic/Capric Triglyceride, Cyclopentasiloxane, Ethylhexyl Palmitate, Phenyl Trimethicone, Polyester-8, Tocopheryl Acetate, VP/Hexadecene Copolymer

Questions or Comments?

Call toll free 1-844-402-4348 or visit www.snappyscreen.com

SNAP SPF 30 Broad Spectrum Sunscreen Continuous Spray

SNAP

Sun Safe.

SPF 30

UVA/UVB Broad Spectrum
Water Resistant (80 Min)
Hypoallergenic
SPF 30

4 oz. (113g)

Drug Facts

Active Ingredients

Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove. Keep away from face to avoid breathing it. Contents under pressure – do not puncture or incinerate. Do not store at temperatures above 120°F.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away
- Flammable: Do not use near heat, flame or while smoking.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold container 4 to 6 inches from the skin to apply
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor

Other Information

SnappyScreen is not responsible for a consumer still obtaining a sunburn or any other forms of skin damage. While sunscreen will protect from UV Rays, there is no guarantee that an individual will not contract skin cancer or other skin diseases. UV exposure from the sun increases the risk of skin cancer, premature skin aging, and other skin damage. It is important to decrease UV exposure by limiting time in the sun, wearing protective clothing and using sunscreen properly. SnappyScreen is not responsible for any discoloration or other damage of your bathing suit or clothing.

Inactive Ingredients

Bisabolol, Caprylic/Capric Triglyceride, Cyclopentasiloxane, Ethylhexyl Palmitate, Phenyl Trimethicone, Polyester-8, Tocopheryl Acetate, VP/Hexadecene Copolymer

Questions or Comments?

Call toll free 1-844-402-4348 or visit
www.snappyscreen.com



Distributed By:
SnappyScreen, Inc.
New York, NY 10016

SNAP BROAD SPECTRUM SPF 30

avobenzone, homosalate, octisalate, octocrylene aerosol

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13630-0278
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.05 g in 1 g

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.1 g in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.15 g in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.03 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
.ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC)	

Product Characteristics

Color	yellow (Very Light Yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13630-0278-3	113 g in 1 CAN; Type 0: Not a Combination Product	08/04/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	08/04/2023	

Labeler - Prime Packaging (805987059)

Registrant - Prime Packaging (805987059)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Packaging		805987059	pack(13630-0278) , label(13630-0278)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Enterprises		101946028	analysis(13630-0278) , manufacture(13630-0278)

