

MENTHO PATCH COOL- menthol patch
THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID

Menthopatch Cool

Purpose

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains and sprains

Warnings

- FOR EXTERNAL USE ONLY
- When Using this Product
- Avoid contact with eyes
- Do not apply to open wounds, or to damaged skin
- Do not bandage tightly.

Directions

- Adults and children 3 years of age and older: apply to affected area not more than 3 to 4 times daily.
- Children under 3 years of age: consult doctor.

Stop use and ask doctor

- If condition worsens
- If symptoms persist more than 7 days or clear up and occur again with a few days

storage

- store in cool dry place avoid direct sunlight.

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away

Active ingredient section

Menthol, Camphor, Methyl salicylate

INACTIVE INGREDIENT SECTION

Glycerin, Sodium polyacrylate, Aluminum chloride hexahydrate 2,
Anhydrous citric acid, Tartaric acid 1, Poly sorbate -80 (tween 80) 0.5, Isopropyl
myristate alcohol 2.5, Carboxymethyl cellulose (CMC) 2
EDETA 0.5, Polyvinylpyrrolidone (PVP-K90) 3, Water 48.35, titanium dioxide

0.05,ACRYLATE/ C10-30 ALKYL ACRYLATE,cross polymer

Product label

for minor aches
and pain relief

- Shoulder
- Upper Back
- Lower Back

PAIN RELIEVING PATCH
Menthol 0.3% ,Methyl salicylate 1.5 %,Camphor 0.7 %

MENTHO Patch
Cool

Temporary relief of minor aches, muscles pain and joints associated with simple backaches, arthritis, strains, sprains and bruises.

COMFORTABLE

LASTS UP TO 8 HOURS

1 Patch
3.9 in x 5.5 in (10 cm x 14 cm)

MascoMid
www.mascomed.com

PAIN RELIEVING PATCH
Menthol 0.3% ,Methyl salicylate 1.5 %,Camphor 0.7 %

MENTHO Patch
Cool

Peel off the transparent layer before use.

Drug Facts	
Active Ingredient	Purpose
Menthol 1.5 %	pain relieving
Camphor 0.7 %	External Analgesic
Methyl salicylate 1.5 %	External Analgesic

Uses
■ for the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains.

Warnings
For external use only

When using this product ■ avoid contact with the eyes
■ do not apply to wounds or damaged skin ■ do not bandage tightly

Stop use and ask a doctor if ■ condition worsens
■ symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and children 5 years of age and older apply to the affected area not more than 3 to 4 times daily
■ Children under 3 years of age, consult a doctor

Other information
■ Store in a cool place. Avoid direct sunlight.

Inactive Ingredients
Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Alcohol, Aluminum Chloride Hexahydrate, Camphor, Citric Acid, Ethyleneimine Tetraacetic Acid, Glycerin, Kaolin, Methyl Sevicylate, Polysorbic Acid, Polysorbate 80, Sodium Polycrylate, Water

■ The Egyptian Saudi Co. For Medical Manufacturing (Masco-Mid)
2nd Industrial Zone - queena , Menofya , Egypt
Tel :+2 048 2590390 Fax :- +2 048 2590391
Made in Egypt

www.mascomed.com

4 824067 121013



MENTHO PATCH COOL

menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72602-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JNI2J)	
ALUMINUM CHLORIDE ANHYDROUS (UNII: LIF1N9568Y)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TARTARIC ACID (UNII: W4888I19H)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
CARBOXYMETHYLCELLULOSE SODIUM (0.9 CARBOXYMETHYL SUBSTITUTION PER SACCHARIDE; 600 MPA.S AT 2%) (UNII: ZY4732LP1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYACRYLIC ACID (800000 MW) (UNII: DOI6NSZ87U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72602-002-01	10 g in 1 PATCH; Type 0: Not a Combination Product	09/21/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/20/2018	

Labeler - THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID (850486280)

Registrant - THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID (850486280)

Establishment

Name	Address	ID/FEI	Business Operations
THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID		850486280	manufacture(72602-002)

Revised: 10/2025

THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID