

MARIO BADESCU COLLAGEN SPF 15- avobenzone, octinoxate, oxybenzone lotion
Bentley Laboratories LLC

Mario Badescu Collagen Moisturizer SPF 15

Drug Facts
Active ingredients

Avobenzone 2%
Octinoxate 7.5%
Oxybenzone 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water-resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Aqua (Water, Eau), Hydrogenated Polysobutene, Gossypium Herbaceum (Cotton) Seed Oil, Ethylhexyl Methoxycrylene, Stearic Acid, Cetyl Alcohol, Soluble Collagen, Glyceryl Stearate, PEG-100 stearate, Acrylates/C10-30 Acrylate Crosspolymer, Sodium Hydroxide, Leuconostoc (Radish) Root Ferment Filtrate, Phenoxyethanol, Caprylyl Glycol, Hexylene Glycol

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

Call **1-800-223-3728** M - F 9 a.m. - 5 p.m. EST or visit **mariobadescu.com**

Mario Badescu Collagen Moisturizer SPF 15 product label

MARIO

BADESCU

SKIN CARE

Established 1967

MB

COLLAGEN

MOISTURIZER

BROAD SPECTRUM

SPF 15 SUNSCREEN

SKIN

TYPES

C,S

2 fl oz (59 ml)

Deliver ultra-lightweight daily moisture and broad spectrum UVA/UVB protection with our Collagen Moisturizer SPF 15. Specially formulated with Cottonseed Oil to lightly hydrate your skin while Collagen supports your complexion's firmness and elasticity

Made in the USA. 03105-J002

CRUELTY FREE | PARABEN FREE

Mario Badescu Skin Care, New York, NY • (800) BADESCU

Leceur Plaza 1 Salford M50 3UB, UK

order online at mario badescu.com

**MARIO
BADESCU**
SKIN CARE
Established 1967
MB

**COLLAGEN
MOISTURIZER**
BROAD SPECTRUM
SPF 15 SUNSCREEN

2 fl oz e (59 ml)

Deliver ultra-lightweight daily moisture and broad spectrum UVA/UVB protection with our Collagen Moisturizer SPF 15. Specially formulated with Cottonseed Oil to lightly hydrate your skin while Collagen supports your complexion's firmness and elasticity.

Made in USA, 03105-J002
CRUELTY FREE | PARABEN FREE
Mario Badescu Skin Care, New York, NY • (800) BADESCU
Ladour Place 1 Saftco MSO BUE, UK
order online at mariobadescu.com

SKIN TYPES
C,S

Drug Facts

Active ingredients	Purpose
Azobenzene 2%, Octinoxate 7.5%, Oxybenzone 5%,	Sunscreen

7 52364 90009 9

Inside Back

Drug Facts (continued)

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure • use a water-resistant sunscreen if swimming or sweating • reapply at least every 2

HINGE: 1-5/8" X 3/8"

Inside Base

Drug Facts (continued)

hours • children under 6 months: Ask a doctor
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients Aqua (Water, Eau), Hydrogenated Polyisobutene, Gossypium Herbaceum (Cotton) Seed Oil, Ethylhexyl Methoxycrylene, Stearic Acid, Cetyl Alcohol, Soluble Collagen, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Sodium Hydroxide, Leuconostoc (Radish) Root Ferment Filtrate, Phenoxethanol, Caprylyl Glycol, Hexylene Glycol

Other information Protect this product from excessive heat and direct sun.

Questions or comments? Call 1-800-223-3728 M – F 9 a.m. – 5 p.m. EST or visit mariobadescu.com

HINGE: 1-5/8" X 3/8"

res

MARIO BADESCU
SKIN CARE
Established 1967
MB

SKIN TYPES
C,S

COLLAGEN MOISTURIZER
BROAD SPECTRUM
SPF 15 SUNSCREEN

2 fl oz e (59 ml)

Deliver ultra-lightweight daily moisture and broad spectrum UVA/UVB protection with our Collagen Moisturizer SPF 15. Specially formulated with Cottonseed Oil to lightly hydrate your skin while Collagen supports your complexion's firmness and elasticity.

Made in USA, 03105-J002
CRUELTY FREE | PARABEN FREE
Mario Badescu Skin Care, New York, NY • (800) BADDESCU
Ladour Place 1 St Albans MS03 3UE, UK
order online at mariobadescu.com

7 52364 90009 9

Drug Facts

Active ingredients	Purpose
Avobenzone 2%, Octinoxate 7.5%, Oxybenzone 5%,	Sunscreen

FOR DRUG FACTS LEFT HERE

Inside Back

Drug Facts (continued)

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure • use a water-resistant sunscreen if swimming or sweating • reapply at least every 2

HINGE: 1-5/8" X 3/8"

Inside Base

Drug Facts (continued)

hours • children under 6 months: Ask a doctor
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients Aqua (Water, Eau), Hydrogenated Polyisobutene, Gossypium Herbaceum (Cotton) Seed Oil, Ethylhexyl Methoxycrylene, Stearic Acid, Cetyl Alcohol, Soluble Collagen, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Sodium Hydroxide, Leuconostoc (Radish) Root Ferment Filtrate, Phenoxethanol, Caprylyl Glycol, Hexylene Glycol

Other information Protect this product from excessive heat and direct sun.

Questions or comments? Call 1-800-223-3728 M – F 9 a.m. – 5 p.m. EST or visit mariobadescu.com

HINGE: 1-5/8" X 3/8"

MARIO BADESCU COLLAGEN SPF 15

avobenzone, octinoxate, oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54111-136
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.2 g in 59 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.24 g in 59 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	2.84 g in 59 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
COTTONSEED OIL (UNII: H3E878020N)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
MARINE COLLAGEN, SOLUBLE (UNII: 8JC99XGU4W)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54111-136-50	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/13/2017	
2	NDC:54111-136-51	29 mL in 1 PACKAGE; Type 0: Not a Combination Product	04/13/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2017	

Labeler - Bentley Laboratories LLC (068351753)