

ADVANCED FIRST AID BACITRACIN- bacitracin zinc ointment
ADVANCED FIRST AID, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bacitracin Zinc 500 units

first aid antibiotic

Uses:

First aid to help prevent infection in: • minor cuts • scrapes • burns

Warnings:

- for external use only

Do not use :

- in the eyes
- if you are allergic to any of the ingredients, due to the possibility of anaphylactic shock
- over large areas of the body
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if:

- before use in case of deep puncture wounds, animal bites or serious burns
- if the condition persists or gets worse
- if a rash or other allergic reaction develops

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other Information:

- Tamper Evident. Do not use if packet is torn, cut or opened.
- Avoid excessive heat and humidity
- Store at a controlled room temperature 15° to 30°C (59° to 86°F)

Inactive Ingredients:

white petrolatum

PRODUCT # ????

NDC# 67060-400-47



NDC# 67060-400-47



BACITRACIN ZINC OINTMENT USP

FIRST AID ANTIBIOTIC

Net wt. 1.3oz.

Drug Facts

Active Ingredients (In Each Gram)	Purpose
Bacitracin Zinc 500 units	first aid antibiotic
Uses: First aid to help prevent infection in: • minor cuts • scrapes • burns	
Warnings: • for external use only	
Do not use: • in the eyes • over large areas of the body	
• if you are allergic to any of the ingredients, due to the possibility of anaphylactic shock	
• longer than 1 week unless directed by a doctor	
Stop use and ask a doctor:	
• before use in case of deep puncture wounds, animal bites or serious burns	
• if the condition persists or gets worse	
• if a rash or other allergic reaction develops	

Drug Facts (continued)

KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.
Directions:
• clean the affected area
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage
Other Information:
• Tamper Evident. Do not use if seal is torn, cut or opened.
• Avoid excessive heat and humidity.
• Store at a controlled room temperature 15° to 30° C (59° to 86° F).
Inactive Ingredients: white petrolatum

Manufactured For: Advanced First Aid Medical Supplies, Baltimore, MD 21227 U.S.A.



Manufactured For:
Advanced First Aid Medical Supplies
Baltimore, MD 21237 U.S.A.

NDC# 67060-400-28



BACITRACIN ZINC OINTMENT USP

FIRST AID ANTIBIOTIC

Net wt. 1oz.

Drug Facts

Active Ingredients (In Each Gram)

Bacitracin Zinc 500 units first aid antibiotic

Purpose

first aid antibiotic

Uses:

First aid to help prevent infection in: • minor cuts • scrapes • burns

Warnings:

• for external use only

Do not use: • in the eyes • over large areas of the body
• if you are allergic to any of the ingredients, due to the possibility of anaphylactic shock
• longer than 1 week unless directed by a doctor

Drug Facts (continued)

Stop use and ask a doctor:

• before use in case of deep puncture wounds, animal bites or serious burns
• if the condition persists or gets worse
• if a rash or other allergic reaction develops

KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

• clean the affected area
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage


Other Information:

• Tamper Evident. Do not use if tube is opened.
• Avoid excessive heat and humidity.
• Store at a controlled room temperature 15° to 30°C (59° to 86°F)

Inactive Ingredients: white petrolatum



Active Ingredients (in Each Gram): Bacitracin Zinc, 500 units. **Uses:** First aid to help prevent infection in minor cuts, scrapes, burns. **Warnings:** For external use only. Do not use in the eyes or over large areas of the body. If you are allergic to any of the ingredients due to the possibility of anaphylactic shock or longer than 1 week unless directed by a doctor. **Stop use and ask a doctor** before use in case of deep puncture wounds, animal bites or serious burns. If the condition persists or gets worse or if a rash or other allergic reaction develops. **KEEP OUT OF REACH OF CHILDREN. If swallowed,** get medical help or contact a Poison Control Center right away. **Directions:** Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage. **Other Information:** Tamper Evident. Do not use if packet is torn, cut, or opened. Avoid excessive heat and humidity. Store at a controlled room temperature 15° to 30° (59° to 86°F). **Inactive Ingredients:** white petrolatum. **Questions and Comments:** 888-922-5878. Manufactured For: Advanced First Aid Medical Supplies, Baltimore, MD 21237 U.S.A.



ADVANCED FIRST AID BACITRACIN

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67060-400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67060-400-53	369 g in 1 JAR; Type 0: Not a Combination Product	10/18/2016	

2	NDC:67060-400-28	28 g in 1 TUBE; Type 0: Not a Combination Product	10/18/2016	
3	NDC:67060-400-47	144 in 1 CARTON	10/18/2016	
3	NDC:67060-400-09	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	10/18/2016	

Labeler - ADVANCED FIRST AID, INC. (114477180)

Registrant - ADVANCED FIRST AID, INC. (114477180)

Establishment

Name	Address	ID/FEI	Business Operations
ULTRA SEAL CORPORATION		085752004	pack(67060-400)

Establishment

Name	Address	ID/FEI	Business Operations
ULTRA TAB LABORATORIES, INC.		151051757	manufacture(67060-400)

Revised: 10/2016

ADVANCED FIRST AID, INC.