

DOCUSATE SODIUM- docusate sodium 100mg capsule
Pharbest Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **Tamper Evident: Do not use if safety seal under cap is broken or missing**
- each softgel contains: **sodium 6 mg**
- **VERY LOW SODIUM**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

keep tightly closed.

Inactive ingredients

D&C Red #33, edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, purified water, sorbitol special, titanium dioxide

Questions?

Adverse drug event call: (866) 562-2756 Mon-Fri 8 AM to 4 PM

NDC 16103-0399-11

PHARBEST

***Compare to the active ingredient of Colace®**

Docusate

Sodium

Stool Softener

1000 SOFTGELS

100 mg each

PHARBEST
 *Compare to the active ingredient of Colace®
Docusate Sodium
 Stool Softener
1000 SOFTGELS
 100 mg each

Drug Facts

Active ingredient (in each softgel)
 Docusate Sodium 100mg.....Stool softener

Uses
 ■ relieves occasional constipation (irregularity)
 ■ generally produces bowel movement in 12 to 72 hours

Warnings
 Do not use if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have ■ stomach pain
 ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
 ■ you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In the case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 ■ Take only by mouth. Doses may be taken as a single daily dose or in divided doses.
 adults and children 12 years and over ■ take 1-3 softgels daily
 children 2 to under 12 years of age ■ take 1 softgel daily
 children under 2 years ■ ask a doctor

Other information
 ■ **Tamper Evident: do not use if safety seal under cap is broken or missing** ■ each softgel contains: sodium 6 mg ■ **VERY LOW SODIUM** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F). Keep tightly closed.

Inactive ingredients D&C Red #33, edible ink, FD&C Red #40, FD&C Yellow#6, gelatin, glycerin, polyethylene glycol, purified water, sorbitol special, titanium dioxide

Questions? Adverse drug event call:
 (866) 562-2756 Mon - Fri 8 AM to 4 PM

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Colace®.
 Manufactured for:
 Phat best Pharmaceuticals, Inc.,
 Farmingdale, NY 11735

LRev 05/16
 0 16103 39911 8

DOCUSATE SODIUM

docusate sodium 100mg capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16103-399
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Docusate Sodium (UNII: F05Q2T2JA0) (Docusate - UNII:M7P27195AG)	Docusate Sodium	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C Red No. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red (Two-toned- white and clear red)	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	SCU2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16103-399-08	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2016	
2	NDC:16103-399-11	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/01/2016	

Labeler - Pharbest Pharmaceuticals, Inc. (557054835)

Registrant - Pharbest Pharmaceuticals, Inc (557054835)

Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc		557054835	repack(16103-399) , relabel(16103-399)

Establishment

Name	Address	ID/FEI	Business Operations
SWISSCAPS Romania srl		565466997	manufacture(16103-399)

