SKINCEUTICALS SILYMARIN CF ACNE TREATMENT- salicylic acid solution Cosmetique Active Production

Drug Facts

Active ingredient

Salicylic acid 0.5%

Purpose

Acne treatment

Uses

- for the treatment of acne
- reduces the number and severity of acne blemishes and allows skin to heal

Warnings

For external use only

Flammable until dry.

Keep away from flames and heat.

When using this product

skin irritation and dryness is more liekly to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily

- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor

- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

store in a cool, dark place

Inactive ingredients

water, alcohol denat., ascorbic acid, propylene glycol, dipropylene glycol, laureth-23, silybum marianum fruit extract, sodium citrate, ferulic acid

Questions or comments?

Call 1-800-811-1660 Monday - Friday (9 a.m. - 5 p.m. CST)



SILYMARIN CF"

SALICYLIC ACID ACNE TREATM<u>ENT</u>

PREVENT

PROFESSIONAL SAMPLE ONLY NOT FOR RESALE 4 ml / 0.13 fl oz Active ingredient: Solicylic acidU.SM. Warnings: For external use only. Flam in able until dry. lleep away familianes and leat. When using this product, stin initiation and dyness ismare likely too aurify you use another topical accemendication at the same time. If initiation occurs, only use one topical ame mediantion at a time. Keep out of reach of children. If sual over, get medical help or contact a Poison Control Center right away. *Directicons*: Please see directions attached *Questions or Comments*: Call 1-868-811-1660 Slindening KLC Dallas TX75241. Node in USA of US and/or Imported Ingredients. www.slineeuticals.com

FRONT

-

Drug Facts	Drug Facts (continued)		
Active ingredient Purpose Salicylic acid 0.5%Acne treatment	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		
Uses • for the treatment of acne • reduces the number and severity of acne blemishes and allows skin to heal	Directions • clean the skin thoroughly before applying this product		
<i>Warnings</i> For external use only	 cover the entire affected area with a thin layer one to three times daily because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three 		
Flammable until dry. Keep away from flames and heat.			
When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.	times daily if needed or as directed by a doctor if bothersome dryness or peeling occurs reduce application to once a day or even other day		

1" ADHESIVE AREA NO COPY AREA Drug Facts (continued) Other information store in a cool, dark place at room temperature store in a cool, dark place at room temperature Mactive ingredients water, alcohol denat, ascorbic acid, propylene glycol, laureth-23, slyburn marianum fruit extract, sodium citrate, ferulic acid

BACK

FRONT


100	200	~	1.0
	91		

1" ADHESIVE AREA

Drug Facts	Drug Facts (continued)		
Active ingredient Purpose Salicylic acid 0.5%Acne treatment	If swallowed, get medical help or contact a Poison Control Center right away. Directions • clean the skin thoroughly before applying this product		
Uses • for the treatment of acne • reduces the number and severity of acne blemishes and allows skin to heal			
<i>Warnings</i> For external use only	 cover the entire affected area with a thin layer one to three times daily because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three 		
Flammable until dry. Keep away from flames and heat.			
When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.	times daily if needed or as directed by a doctor if bothersome dryness or peeling occurs, reduce application to once a day or every other day		

Drug Facts (continued)	Drug Facts (continue	ed)	
Other information store in a cool, dark place at room temperature	Questions or comments? Contact: 1-800-811-1660 Monday – Friday (9 a.m. – 5 p.m. CST)		
Inactive ingredients water, alcohol denat, ascorbic acid, propylene glycol, dipropylene glycol, laureth-23, silybum marianum fruit extract, sodium citrate. ferulic acid	855290 57 SkinCeuticals LLC, Dallas, TX 75241 Made in USA of US and/or Imported I www.skinceuticals.com 361262221	D251110/1	





Drug Facts: Active Ingredient: Salicylic acid 0.5%. Purpose: Acne treatment. SKINCEUTICALS 10 Use? For the treatment of acne. Warmings: For external use only. Flammable SKINCEUTICAL until dry. Keep away from flames and heat. When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne SILYMARIN CF" SALICYLIC ACID ACNE TREATMENT medication at a time. Keep out of reach of children. If swallowed, get medical HIGH-POTENCY COMBINATION help or contact a Poison Control Center right away. Directions: Clean the skin thoroughly before applying this product. Cover the entire affected area with a ANTIOXIDANT WITH 0.5% SILYMARIN, thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. Other information: 15% L-ASCORBIC ACID, AND 0.5% FERULIC ACID PREVENT Store in a cool, dark place. Questions or comments?1-800-811-1660 SKINCEUTICALS" PROFESSIONAL FREE SAMPLE NOT FOR SALE Sluin Ceutical's LLC, Dallas, TX 75241 Made in USA of US and/or Imported Ingredients www.sluinceutcals.com 3612622270678 0320 / EL _15 ml / 0.5 fl oz _ _ _ _

SILYMARIN CF"

SALICYLIC ACID ACNE TREATMENT

HIGH-POTENCY COMBINATION ANTIOXIDANT WITH 0.5% SILYMARIN, 15% L-ASCORBIC ACID, AND 0.5% FERULIC ACID

PREVENT


PROFESSIONAL FREE SAMPLE NOT FOR SALE


____15_ml/_0.5_fl.oz____

Drug Facts: Active Ingredient: Salicylic acid 0.5%. Purpose: Acne treatment. Use: Forthe treatment of acne. Warnings: For external use only. Flammable until dry. Keep away from flames and heat When using this product skin imitation and dryness is more likely to occur if you use another topical acne medication at the same time. If imitation occurs, only use one topical acne medication at a time. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. Other information: Store in a cool, dark place. Questions or comments? 1-800-811-1660

/ 81. 1

SlunCeutical's LLC, Dallas, TX 75241 Made in USA of US and/or Imported Ingredients www.slunceutcals.com 3612622270678 0320





SKINCEUTICALS

SALICYLIC ACID ACNE TREATMENT

HIGH-POTENCY COMBINATION ANTIOXIDANT WITH 0.5% SILYMARIN, 15% L-ASCORBIC ACID, AND 0.5% FERULIC ACID



30 ml / 1 fl oz

Drug Facts: Active Ingredient: Salicylic acid 0.5%. Purpose: Acne treatment. Use: For the treatment of acne. Warnings: For external use only. Flammable until dry. Keep away from flames and heat. When using his product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. Other information: Store in a cool, dark place. Questions or comments?

1-800-811-1660 Monday – Friday (9 a.m. – 5 p.m. CST)

SKINCEUTICALS.

SkinCeuticals LLC, Dallas, TX 75241 Made in USA of US and/or Imported Ingredients vvvv.skinceuticals.com



SKINCEUTICALS

SALICYLIC ACID ACNE TREATMENT

HIGH-POTENCY COMBINATION ANTIOXIDANT WITH 0.5% SILYMARIN, 15% L-ASCORBIC ACID, AND 0.5% FERULIC ACID



30 ml / 1 fl oz


Drug Facts: Active Ingredient: Salicylic acid 0.5%. Purpose: Acne treatment. Use: For the treatment of acne. Warnings: For external use only. Flammable until dry. Keep away from flames and heat. When using his product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. Other information: Store in a cool, dark place. Questions or comments?


1-800-811-1660 Monday – Friday (9 a.m. – 5 p.m. CST)

SKINCEUTICALS.

SkinCeuticals LLC, Dallas, TX 75241 Made in USA of US and/or Imported Ingredients vvvv.skinceuticals.com







E

SKINCEUTICALS

SILYMARIN CF"

SALICYLIC ACID ACNE TREATMENT

HIGH-POTENCY COMBINATION ANTIOXIDANT WITH 0.5% SILYMARIN, 15% L-ASCORBIC ACID, AND 0.5% FERULIC ACID

PREVENT

FOR PROFESSIONAL USE ONLY 55 ml / 1.9 fl oz **Drug Facts:** Active Ingredient: Salicylic acid 0.5%. Purpose: Acne treatment. Use: For the treatment of acne. Warnings: For external use only. Flammable until dry. Keep away from flames and heat. When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. Other information: Store in a cool, dark place. Questions or comments? 1-800-811-1660 Monday – Friday (9 a.m. – 5 p.m. CST)

SkinCeuticals.

untintintului

SkinCeuticals LLC, Dallas, TX 75241 Made in USA of US and/or Imported Ingredients www.skinceuticals.com 36126222762740320



SKINCEUTICALS

Ð

SKINCEUTICALS

SILYMARIN CF"

SALICYLIC ACID ACNE TREATMENT

HIGH-POTENCY COMBINATION ANTIOXIDANT WITH 0.5% SILYMARIN, 15% L-ASCORBIC ACID, AND 0.5% FERULIC ACID


PREVENT


FOR PROFESSIONAL USE ONLY 55 ml / 1.9 fl oz **Drug Facts: Active Ingredient:** Salicylic acid 0.5%. **Purpose:** Acne treatment. **Use:** For the treatment of acne. **Warnings: For external use only. Flammable until dry.** Keep away from flames and heat. **When using this product** skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. **Other information:** Store in a cool, dark place. **Questions or comments?** 1-800-811-1660 Monday – Friday (9 a.m. – 5 p.m. CST)

SkinCeuticals.

SkinCevticals LLC, Dallas, TX 75241 Made in USA of US and/or Imported Ingredients www.skinceuticals.com 3612622276274 0320







SKINCEUTICALS SILYMARIN CF ACNE TREATMENT salicylic acid solution						
Product Information						
Product Type	HUMAN OTC DRUG	ltem Code (S	ource)	NDC:69	625-068	
Route of Administration	TOPICAL					
Active Ingredient/Active Moiety						
Ingre	Basis of Stre	ength	Strength			
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)			SALICYLIC ACID		5 mg in 1 mL	

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
ASCORBIC ACID (UNII: PQ6CK8PD0R)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
LAURETH-23 (UNII: N72LMW566G)				
MILK THISTLE (UNII: U946SH95EE)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
FERULIC ACID (UNII: AVM951ZWST)				

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69625-068- 01	625-068- 1 in 1 CARTON 01/01/2021 01/01/2021		01/01/2021	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:69625-068- 02	1 in 1 CARTON	01/01/2021	01/01/2021	
2		55 mL in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:69625-068- 03	1 in 1 CARTON	01/01/2021	01/01/2021	
3		15 mL in 1 BOTTLE; Type 0: Not a Combination Product			
4	NDC:69625-068- 04	10 in 1 CARTON	01/01/2021	01/01/2021	
4		4 mL in 1 VIAL; Type 0: Not a Combination Product			
Marketing Information					
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ОТ	C Monograph Drug	g M006	12/31/2020		

Labeler - Cosmetique Active Production (282658798)

Establishment						
Name	Address	ID/FEI	Business Operations			
Cosmetique Active Production		282658798	manufacture(69625-068)			

Establishment					
Name	Address	ID/FEI	Business Operations		
Interspray		364829903	pack(69625-068)		