

SALICYLIC ACID- liquid corn and callus remover liquid

Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

☐For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away from heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

If discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

- store between 20°C to 25°C (68°F to 77°F)
- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-888-423-0139

Principal Display Panel

Topcare health

Liquid Corn & Callus Remover

SALICYLIC ACID 17%

- Safely Removes Corns and Calluses
- Soft Foam Cushions and Protects

3 CUSHIONS

0.33 FL OZ (9.8mL)

NUC36800 005 09

TopCare
health™

COMPARE TO DR. SCHOLL'S® LIQUID CORN/CALLUS REMOVER ACTIVE INGREDIENT*

**Liquid
Corn & Callus
Remover** SALICYLIC ACID 17%

- Safely Removes Corns & Calluses
- Soft Foam Cushions & Protects



FPO
Blister and Product
Covers
This Area

3 CUSHIONS 0.33 FL OZ (9.8 mL)

TopCare
health™

Drug Facts	
Active ingredient	Purpose
Salicylic acid 17% w/w	Corn and callus remover
Uses	
<ul style="list-style-type: none"> ■ for the removal of corns and calluses ■ relieves pain by removing corns and calluses 	
Warnings	
For external use only.	
Flammable	
<ul style="list-style-type: none"> ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat 	
Do not use	
<ul style="list-style-type: none"> ■ on irritated skin ■ on any area that is infected or reddened ■ if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist 	
When using this product	
<ul style="list-style-type: none"> ■ avoid contact with eyes ■ avoid inhaling vapors ■ if product gets into the eye, flush with water for 15 minutes 	
Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ wash the affected area and dry thoroughly ■ apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry ■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately) ■ repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed) 	
Other information	
<ul style="list-style-type: none"> ■ store between 20°–25°C (68°–77°F) ■ close tightly to prevent solidification ■ store in a cool place 	
Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose	
Questions? Call 1-888-423-0139	

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Care

- Wipe top of bottle clean after each use

This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
 ©TOPCO PBAAD918 QUESTIONS? 1-888-423-0139 topcare@topco.com
 www.topcarebrand.com MADE IN USA WITH U.S. AND IMPORTED PARTS

Scan here for more information

41-030TC-02 0 36800 42103 5

TopCare
health™

**Liquid
Corn & Callus
Remover**
SALICYLIC ACID 17%

**Safely Removes
Corns & Calluses**

CLOSE CAP TIGHTLY AFTER USE

0.33 FL OZ (9.8 mL)

Active ingredient: Salicylic acid (17% w/w)
Purpose: Corn and callus remover **Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

Do not use this product on irritated skin, on any area that is infected or reddened. **When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed) **Other information:** Store at 20° – 25° C (68° – 77° F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-888-423-0139
Keep packaging for complete drug facts information
 DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
 ©TOPCO PBAAD918 QUESTIONS? 1-888-423-0139 topcare@topco.com
 www.topcarebrand.com MADE IN USA WITH U.S. AND IMPORTED PARTS
 Visit here for more information: http://topbrnds.com/46ZRM3

NO VARNISH AREA
0.5315" AREA

50-030TC-02

SALICYLIC ACID
liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-005-09	9.8 mL in 1 PACKAGE; Type 0: Not a Combination Product	01/03/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	01/03/2012	

Labeler - Topco Associates LLC (006935977)