NIGHTTIME SLEEP AID- diphenhydramine hcl capsule TOP CARE (Topco Associates LLC)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

 adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

• store between 15-30°C (59°-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitol, sorbitan, white ink

Principal Display Panel

COMPARE TO UNISOM® SLEEPGELS® ACTIVE INGREDIENT!

NIGHTTIME SLEEP - AID

DIPHENHYDRAMINE HCI 50 mg • NIGHTTIME SLEEP-AID

- Fall Asleep Fast
- Sleep Soundly
- Wake Up Refreshed
- Non Habit-Forming

SOFTGELS**

**Liquid Filled Capsules

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

www.topcarebrand.com

Package Label

No not use # for children under 12 years of age with any other product containing diplombytramine, even one used on skin sks a doctor before use if you have a to breathing problem such as emplysema or chronic bronchitis glaccoma # Twolde unrating due to an enlarged prostate gland sks a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product, evoid alcoholic drinics, Stop use and ask a doctor if seepisesness persists continuously for more than 2 weeks, Insomnia may be a symptom of a serious underlying medical liness. If preparant or breaf-bedings, ask a health professional before use. Geep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) sight away. ### Difficetions ####################################	Active ingredient (in each softgel) Diphenhydramine HCl 50 mg	PurposeNighttime sleep-aid
■ a breathing problem such as emphysema or chroir bronchitis glacurona ■ Troube urinating due to an enlarged prostate daind Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product, avoid abcoholic drinks. Stop use and acts a doubtr if seeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) ingit away. Differentions a outles and children 12 years of age and over: 1 softigel (50 mg) at bedtime if needed, or as directed by a doctor Other information ■ store between 15-30°C (59-86°F)	Use For relief of occasional sleeplessness.	
perious underlying medical liness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) inplications adults and children 12 years of age and over: 1 softigel (50 mg) at bedtime if needed, or as directed by a doctor Other information store between 15-30°C (59-86°F)	Do not use ■ for children under 12 years of age	
When using this product, avoid alcoholic drinks. Stop use and ask a doctor if seepleseness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness. If pregnant or breast-feeding, ask a health professional before use, Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) inflight away. Directions adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor Other information store between 15-30°C (59-86°F)	a breathing problem such as emphysema or chronic bronchitis	
Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a servicus underlying medical liness. It pregnant or brasel-feeling, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) injudy away; Directions adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor Other information store between 15-30°C (59-86°F)	Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor Other information ■ store between 15-30°C (59-66°F)	When using this product, avoid alcoholic drinks.	
Keep dut of vaach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) injections adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor Other information store between 15-30°C (59-86°F)		Insomnia may be a symptom of a
	Keep out of reach of children. In case of overdose, get medical help or contact a Poison (Control Center (1-800-222-1222)
		is directed by a doctor
Inactive ingredients FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified	Other information ■ store between 15-30°C (59-86°F)	100
water, sorbitan, sorbitol, white ink		nitol, polyethylene glycol, purified

NIGHTTIME Sleep

- DIPHENHYDRAMINE HCI, 50 mg **NIGHTTIME SLEEP-AID**
- Fall Asleep Fast
- Sleep Soundly
- · Wake Up Refreshed
- · Non Habit-Forming



64 SOFTGELS**
**Liquid-Filled Capsules

64 SOFTGELS**
**Liquid-Filled Capsules







1 BOTTLE INSIDE



TOPCARE HEALTH Nighttime Sleep-Aid

NIGHTTIME SLEEP AID

diphenhydramine hcl capsule

†This product is not manufactured or distributed by Chattern, Inc., distributor of Unisom® SleepGels®

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:36800-116

ORAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength **DIPHENHYDRAMINE HYDROCHLORIDE** (UNII: TC2D6|AD40) **DIPHENHYDRAMINE** 50 mg (DIPHENHYDRAMINE - UNII:8GTS82S83M) **HYDROCHLORIDE**

Inactive Ingredients Ingredient Name Strength FD&C BLUE NO. 1 (UNII: H3R47K3TBD) GELATIN (UNII: 2G86QN327L) GLYCERIN (UNII: PDC6A3C0OX) LECITHIN, SOYBEAN (UNII: 1DI56QDM62) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A) WATER (UNII: 059QF0KO0R) SORBITAN (UNII: 6092ICV9RU) SORBITOL (UNII: 506T60A25R)

LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MANNITOL (UNII: 30WL53L36A)	

Product Characteristics					
Color	blue	Score	no score		
Shape	CAPSULE	Size	13mm		
Flavor		Imprint Code	PC5		
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:36800- 116-32	1 in 1 BOX	01/31/2020		
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
2	NDC:36800- 116-64	1 in 1 BOX	01/31/2020		
2		64 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph final	part338	01/31/2020				

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 12/2022 TOP CARE (Topco Associates LLC)