

SODIUM CHLORIDE- normal salt tablets tablet
Wittman Pharma, Inc.

Sodium Chloride Tablets

Directions

- to make isotonic solution of sodium chloride, dissolve one tablet in 120 ml (four ounces) of distilled water and use as directed by a physician.
- if used as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration take one tablet orally as directed by your physician.

Warnings

Do not use without consulting a physician

Ask a physician before use if you have a sodium restricted diet due to multiple organ diseases

Stop use and ask a physician if symptoms of heat cramps continue for more than 24 hours.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

None

Uses

- for the preparation of normal isotonic solution of sodium chloride
- as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration
- any alternative use as directed by a physician

Keep out of reach of children.

Purpose

Electrolyte Replenisher

Active ingredient (in each tablet)

Sodium Chloride, USP 1.0 gram

Drug Facts

Active ingredient (in each tablet)

Sodium Chloride, USP 1.0 gram

Purpose

Electrolyte Replenisher

Uses

- for the preparation of normal isotonic solution of sodium chloride
- as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration
- any alternative use as directed by a physician

Warnings

Do not use without consulting a physician

Ask a physician before use if you have a sodium restricted diet due to multiple organ diseases

Stop use and ask a physician if symptoms of heat cramps continue for more than 24 hours.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- to make isotonic solution of sodium chloride, dissolve one tablet in 120 ml (four ounces) of distilled water and use as directed by a physician.
- if used as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration take one tablet orally as directed by your physician.

Other information

- **each tablet contains:** sodium 394 mg
- store at room temperature 15°-30°C (59°-86°F)
- product does not contain any inactive ingredients

Questions or comments?

Call 1-352-549-9917 M-F 9am - 5pm EST

NO VARNISH

NDC 83335-002-01



**Sodium Chloride
Tablets, USP**
Normal Salt Tablets
for Solution or Oral Use

1 Gm. (15.4 gr.)

100 Tablets



TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)
Sodium Chloride, USP, 1.0 Gram.....Electrolyte Replenisher

Uses

- for the preparation of normal isotonic solution of Sodium chloride
- as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration
- any alternative use as directed by a physician

Warnings

Do not use without consulting a physician

Ask a physician before use if you have a sodium restricted diet due to multiple organ diseases

Ask a physician or pharmacist before use if you are taking any prescription drugs for any possible interactions

Stop use and ask a physician if symptoms of heat cramps continue for more than 24 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- to make isotonic solution of sodium chloride, dissolve one tablet in 120 ml (four ounces) of distilled water and use as directed by a physician
- if used as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration take one tablet orally as directed by your physician

Other information

- each tablet contains: sodium 394 mg
- store at room temperature 15°-30°C (59°-86°F)
- product does not contain any inactive ingredients

Questions or comments?
Call 1-352-549-9917 M-F 9am - 5pm EST

Manufactured for:
Wittman Pharma, Inc.
Brooksville, FL 34604
Rev. 3/2024

83335 00201 8

SODIUM CHLORIDE

normal salt tablets tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83335-002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	1 g in 1 g

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	SC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83335-002-01	100 g in 1 BOTTLE; Type 0: Not a Combination Product	08/09/2023	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/09/2023	

Labeler - Wittman Pharma, Inc. (830980947)

Registrant - Wittman Pharma, Inc. (830980947)

Establishment

Name	Address	ID/FEI	Business Operations
Wittman Pharma, Inc.		830980947	label(83335-002) , analysis(83335-002) , manufacture(83335-002)

Revised: 4/2024

Wittman Pharma, Inc.