

**NEO-LUBRINA FUERTE- acetaminophen, caffeine tablet, film coated  
OPMX LLC**

-----  
**Neo-Lubrina Fuerte**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg

Caffeine 65 mg

***Purposes***

Pain reliever

Pain reliever aid

***Uses***

- temporarily relieves minor aches and pain due to:
- headache
- muscular aches

***Warnings***

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Caffeine warning**

The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.

**Ask a doctor before use if**

you have liver disease

**Ask a doctor or pharmacist**

if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- any new symptoms occur
- symptoms do not get better or worsen
- painful area is red or swollen
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- do not exceed recommended dosage
- adults and children 12 years and over: take 2 caplets every 6 hours; do not take more than 6 caplets in 24 hours
- children under 12 years: ask a doctor

***Other information***

- store at controlled room temperature 20°-25°C (68°-77°F)
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

***Inactive ingredients***

colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C blue #1, FD&C yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, polyvinylpyrrolidone, stearic acid, talc, titanium dioxide.

***Questions or comments?***

Call toll free 1-844-832-1138 Monday through Friday 9AM - 5PM EST or [www.healthlifeofusa.com](http://www.healthlifeofusa.com)

**Principal Display Panel**

**NDC 69729-149-24**

Neo-Lubrina Fuerte

24 Caplets

**Neo-Lubrina**

**FUERTE**

**Pain Reliever**  
**Box with 24 caplets**

**Drug Facts** (Continued)

■ symptoms do not get better or worsen  
■ painful area is red or swollen  
■ pain gets worse or lasts for more than 10 days  
■ fever gets worse or lasts for more than 3 days  
■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not exceed recommended dosage.
- adults and children 12 years and over: take 2 tablets every 6 hours.
- do not take more than 6 tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- store at controlled room temperature 20°-25°C (68°-77°F)
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C blue #1, FD&C yellow #6, magnesium stearate, polyvinylpyrrolidone, stearic acid, talc, titanium dioxide

**Questions or comments?**

Call Medtronic Inc. 302-318-1359 Monday through Friday 9AM-5PM EST

**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen 500 mg  
Caffeine 65 mg  
Pain Reliever

**Purpose**

■ temporary relief minor aches and pains due to:  
■ headache  
■ muscle aches

**Warnings**

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 6 tablets in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.

**Ask a doctor before use** if you have liver disease

**Ask a doctor or pharmacist** if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**  
■ any new symptoms appear

**Neo-Lubrina**

**FUERTE**

**Pain Reliever**

**Box with 24 caplets**

Exclusively distributed by:



**OPMX**

Chula Vista, CA 91910  
Phone: 619-600-5632



Made for:

**inov**

FARMACEUTIQUE

Item # INX032 Rev. 08.2023

NDC 69729-149-24

**Neo-Lubrina**

**FUERTE**

**Caplets**  
**500 mg**

**Box with 24 caplets**

**Analgesico**  
**Pain Reliever**

NO VANISH AREA

NO VANISH AREA

Lot No.:  
Exp. Date:

**NEO-LUBRINA FUERTE**  
acetaminophen, caffeine tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-149
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	OVAL ((Caplet))	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	5431
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-149-24	2 in 1 CARTON	08/09/2023	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/09/2023	

**Labeler - OPMX LLC (029918743)**

**Establishment**

Name	Address	ID/FEI	Business Operations
ELYSIUM PHARMACEUTICALS LIMITED		915664486	label(69729-149) , manufacture(69729-149) , pack(69729-149)

Revised: 12/2024

OPMX LLC