

**NIGHTTIME COLD/FLU RELIEF- acetaminophen, dextromethorphan hbr,
doxylamine succinate capsule, liquid filled
ARMY AND AIR FORCE EXCHANGE SERVICE**

exchange select Nighttime Cold/Flu Relief

Drug Facts

Active ingredients

(in each Softgel)

Acetaminophen325 mg

Dextromethorphan HBr15 mg

Doxylamine succinate6.25 mg

Purpose

AcetaminophenPain reliever/Fever reducer

Dextromethorphan HBrCough suppressant

Doxylamine succinate Antihistamine

Uses temporarily relieves common cold/flu symptoms: ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches and pain ■ fever ■ runny nose and sneezing

Warnings**Liver warning** : This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4 doses in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product.

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include ■ skin reddening ■ blisters ■ rash. If skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use: ■ with any other products containing Acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor

or pharmacist

- if you are now taking a prescription Monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
- to make a child sleep.

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma chronic bronchitis or emphysema
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product, do not use more than directed.

- excitability may occur, especially in children,
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

In case of accidental overdose, get medical

help or contact a Poison Control center right away. Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- **take only as directed (see Warning)**
- **do not exceed 4 doses per 24 hours**

adults & children 12 yrs & over	2 soft gels with water every 6 hours
children 4 to under 12 years:	ask a doctor
children under 4 years:	do not use

■ When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing.

Other information

- Store at room temperature 20-25° C (68-77° F)
- avoid excessive heat

Inactive ingredients

D&C Yellow # 10, FD&C Blue # 1, Gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol sorbitan solution, Titanium dioxide.

Questions? Call Weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

Product Label: exchange select NightTime Cold/Flu Relief

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	603
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-603-03	2 in 1 CARTON	01/01/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

AptaPharma Inc.		790523323	manufacture(55301-603)
-----------------	--	-----------	------------------------

Revised: 12/2025

ARMY AND AIR FORCE EXCHANGE SERVICE