

**NIGHTTIME COLD/FLU RELIEF- acetaminophen, dextromethorphan hbr,
doxylamine succinate capsule, liquid filled
ARMY AND AIR FORCE EXCHANGE SERVICE**

exchange select Nighttime Cold/Flu Relief

Drug Facts

Active ingredients

(in each Softgel)

Acetaminophen325 mg

Dextromethorphan HBr15 mg

Doxylamine succinate6.25 mg

Purpose

AcetaminophenPain reliever/Fever reducer

Dextromethorphan HBrCough suppressant

Doxylamine succinate Antihistamine

Uses temporarily relieves common cold/flu symptoms: ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches and pain ■ fever ■ runny nose and sneezing

Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4 doses in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product.

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include ■ skin reddening ■ blisters ■ rash. If skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use: ■ with any other products containing Acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor

or pharmacist

- if you are now taking a prescription Monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
- to make a child sleep.

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma chronic bronchitis or emphysema
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product, do not use more than directed.

- excitability may occur, especially in children,
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

In case of accidental overdose, get medical

help or contact a Poison Control center right away. Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- **take only as directed (see Warning)**
- **do not exceed 4 doses per 24 hours**

adults & children 12 yrs & over	2 soft gels with water every 6 hours
children 4 to under 12 years:	ask a doctor
children under 4 years:	do not use

■ When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing.

Other information

- Store at room temperature 20-25° C (68-77° F)
- avoid excessive heat

Inactive ingredients

D&C Yellow # 10, FD&C Blue # 1, Gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol sorbitan solution, Titanium dioxide.

Questions? Call Weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

Product Label: exchange select NightTime Cold/Flu Relief

U.S. 107
 11/11/11/11/11/11/11

Drug Facts
Active ingredients (in each softgel)
 Acetaminophen 325 mg Pain reliever/fever reducer
 Dextromethorphan HBr 15 mg Cough suppressant
 Doxylamine Succinate 6.25 mg Antihistamine

Purpose
 Relieves pain, fever, cough, and sneezing.

Uses
 temporarily relieves common cold/flu symptoms: cough due to minor throat & bronchial irritation, sore throat & headache, minor aches & pains, fever, runny nose & sneezing.

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4 doses in 24 hrs, which is the maximum daily amount for this product. Do not take other drugs containing acetaminophen 2 or more alcoholic drinks daily while using this product.
Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.
Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)
Warnings (continued)
 Ask a doctor before use if you have:
 liver disease, glaucoma, cough that occurs with too much phlegm (phlegm), breathing problem or chronic cough that lasts or all occurs with smoking, asthma, chronic bronchitis or emphysema, trouble urinating due to enlarged prostate gland.
 Ask a doctor or pharmacist before use if you are:
 taking sedatives or tranquilizers, taking the blood thinning drug warfarin.
When using this product, do not use more than directed.
 excitability may occur, especially in children, marked drowsiness may occur, avoid alcoholic drinks, be careful when driving a motor vehicle or operating machinery, alcohol, sedatives & tranquilizers may increase drowsiness.
Stop use and ask a doctor if:
 pain or cough gets worse or lasts more than 7 days, fever gets worse or lasts more than 3 days, redness or swelling is present, new symptoms occur, cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as children, even if you do not notice any signs or symptoms.

Drug Facts (continued)
Directions
 Take only as directed (see Warnings). Do not exceed 4 doses per 24 hrs.
 Adults & children 12 yrs & over: 2 softgels with water every 6 hours.
 Children 4 to 12 yrs: ask a doctor.
 Children under 4 yrs: do not use.
 when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing.

Other information
 Store at room temperature 20-25°C (68-77°F). Avoid excessive heat.

Inactive ingredients
 DMC Yellow # 10, PDAC, Blue # 1, Gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol w/ester solution, Titanium dioxide.

Questions?
 Call weekdays from 9:30 AM to 4:30 PM (EST) at 1-877-798-5944.

*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® NyQuil™ LiquiCaps®.



CAUTION: DO NOT USE IF CARTON IS OPENED OR INDENTS ARE TO BE SEEN. BROKEN OR DAMAGED PACKAGING MAY BE HARMFUL. KEEP WATER CAPSULES FROM COMPLETELY COVERING THE PRODUCT FOR ABSORPTION. Failure to follow these warnings could result in serious consequences.

SAISFACTIO GUARANTIEERD ON YOUR MONEY BACK. Manufactured for Your Military Exchange by Aptapharma Inc., 1533 Union Ave., Pennsauken, NJ 08110. 1-877-798-5944. aptapharma.com



exchange select
Nighttime
Cold/Flu Relief
24 Softgels
 Manufactured For Your Military Exchange
 By Aptapharma Inc.,
 1533 Union Avenue, Pennsauken, NJ 08110
 1-877-798-5944
 aptapharma.com
 res

NIGHTTIME COLD/FLU RELIEF			
acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-603
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325.0 mg

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15.0 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	603
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-603-03	2 in 1 CARTON	01/01/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

AptaPharma Inc.		790523323	manufacture(55301-603)
-----------------	--	-----------	------------------------

Revised: 1/2025

ARMY AND AIR FORCE EXCHANGE SERVICE