

**BACITRACIN- bacitracin ointment**  
**Meijer Distribution Inc**

-----  
**Meijer Distribution, Inc. Bacitracin Ointment Drug Facts**

**Active ingredient (each gram contains)**

Bacitracin 500 units

**Purpose**

First aid antibiotic

**Uses**

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Other information**

- store at 20°-25°C (68°-77°F)

## **Inactive ingredients**

light mineral oil, white petrolatum

## **Questions or comments?**

**1-800-719-9260**

## **Principal Display Panel**

meijer®

Bacitracin Ointment

FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, & BURNS

Helps Prevent Infection

FIRST AID ANTIBIOTIC

Helps Prevent Infection In Minor Cuts, Scrapes, & Burns

NET WT 1 OZ (28 g)

meijer.

# Bacitracin Ointment

FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, & BURNS

Helps Prevent Infection

Helps Prevent Infection in Minor Cuts | Scrapes | Burns

meijer.

# Bacitracin Ointment

FIRST AID ANTIBIOTIC

Helps Prevent Infection in Minor Cuts, Scrapes, & Burns

NDC 41250-844-64

NET WT 1 OZ (28 g)

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com



## Drug Facts

Active ingredient (each gram contains)	Purpose
Bacitracin 500 units.....	First aid antibiotic

**Uses** first aid to help prevent infection in:  
■ minor cuts ■ scrapes ■ burns

**Warnings**  
For external use only  
Do not use  
■ in the eyes  
■ over large areas of the body  
■ if you are allergic to any of the ingredients

Ask a doctor before use if you have  
■ deep or puncture wounds  
■ animal bites  
■ serious burns

## Drug Facts (continued)

Stop use and ask a doctor if  
■ you need to use longer than 1 week  
■ condition persists or gets worse  
■ rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ clean the affected area  
■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
■ may be covered with a sterile bandage

**Other information** ■ store at 20°-25°C (68°-77°F)

**Inactive ingredients** light mineral oil, white petrolatum

**Questions or comments?** 1-800-719-9260

# BACITRACIN

bacitracin ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-844
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN</b> (UNII: 58H6RW052I) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	500 [USP'U] in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41250-844-64	1 in 1 CARTON	10/24/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	10/24/2018	

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 10/2024

Meijer Distribution Inc