

BACITRACIN- bacitracin ointment
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Bacitracin Ointment Drug Facts

Active ingredient (each gram contains)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

bacitracin ointment

Helps Prevent Infection in Minor Cuts | Scrapes | Burns

First Aid Antibiotic Ointment

NET WT 1 OZ (28 g)

bacitracin ointment

Helps Prevent Infection in Minor Cuts | Scrapes | Burns

First Aid Antibiotic Ointment

Helps Prevent Infection in Minor
Cuts | Scrapes | Burns

meijer

NDC 41250-844-04

bacitracin ointment

Helps Prevent Infection in Minor Cuts | Scrapes | Burns

First Aid Antibiotic Ointment

NET WT 1 OZ (28 g)

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



PID 365714



Drug Facts

Active Ingredient (each gram contains)

Bacitracin 500 units.....First aid antibiotic

Purpose

Uses First aid to help prevent infection in:
■ minor cuts ■ scrapes ■ burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- maybe covered with a sterile bandage

Other information ■ store at 20°-25° C (68°-77° F)

Inactive ingredients light mineral oil, white petrolatum

Questions or comments? 1-800-779-0260

BACITRACIN

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-844	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [USPU] in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-844-64	1 in 1 CARTON	10/24/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	10/24/2018		

Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2018

Meijer Distribution Inc