

ALLERGY- chlorpheniramine maleate tablet
Strategic Sourcing Services, LLC (Sunmark)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sunmark 44-194

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children 12 years of age and over	1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.
children 6 to 12 years of age	1/2 tablet (break tablet in half) every 4 to 6 hours. Do not exceed 3 whole tablets in 24 hours.
children under 6 years of age	do not use this product in children under 6 years of age

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-426-9391

Principal Display Panel

sunmark®

COMPARE TO
CHLOR-TRIMETON® ALLERGY TABLETS
ACTIVE INGREDIENT*
NDC 70677-0004-1

allergy

CHLORPHENIRAMINE MALEATE 4 mg
Antihistamine

4 HOUR

100 TABLETS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Chlor-Trimeton® Allergy Tablets.

50844 ORG021319412

McKESSON

Another Quality Product

Distributed by McKesson

One Post Street, San Francisco, CA 94104

Money Back Guarantee

Please visit us at www.sunmarkbrand.com

sunmark®

COMPARE TO
CHLOR-TRIMETON® ALLERGY TABLETS
ACTIVE INGREDIENT*
NDC 70677-0004-1

relieves sneezing, runny nose,
itchy, watery eyes,
itchy throat

sunmark®

COMPARE TO
CHLOR-TRIMETON® ALLERGY TABLETS
ACTIVE INGREDIENT*
NDC 70677-0004-1

allergy

CHLORPHENIRAMINE MALEATE 4 mg
Antihistamine



4 HOUR
100 TABLETS

sunmark®

COMPARE TO
CHLOR-TRIMETON® ALLERGY TABLETS
ACTIVE INGREDIENT*
NDC 70677-0004-1

allergy

CHLORPHENIRAMINE MALEATE 4 mg
Antihistamine



4 HOUR
100 TABLETS

LEBG7190

This product is not manufactured or distributed by
MSD Consumer Care, Inc., owner of the registered
trademark Chlor-Trimeton® Allergy Tablets.
50844 ORG021319412
Another Quality Product
Distributed by McKesson
One Park Street, San Francisco, CA 94104
Many Back Covers
Please visit us at www.sunmark.com

McKESSON

B-1242-194-12
ORG021319412
6

Drug Facts (continued)

Other Information
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ protect from excessive moisture
■ see end flap for expiration date and lot number

Inactive ingredients corn starch, D & C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments? 1-800-426-9391

Drug Facts

Active ingredient (in each tablet)
Chlorpheniramine maleate 4 mg, Antihistamine

Purpose
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating machinery
■ excitation may occur, especially in children

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ itchy, watery eyes
■ sneezing
■ itching of the nose or throat

Warnings
Do not use to make a child sleepy.
Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis
■ glaucoma
■ trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product
■ drowsiness may occur
■ avoid alcoholic beverages

Directions
adults and children
1 tablet every 4 to 6 hours.
Do not take more than 6 tablets in 24 hours.
children 6 to under 12 years of age
1/2 tablet (break tablet in half) every 4 to 6 hours. Do not exceed 3 whole tablets in 24 hours.
children under 6 years of age
do not use this product in children under 6 years of age

Drug Facts (continued)
alcohol, sedatives, and tranquilizers may increase drowsiness
use caution when driving a motor vehicle or operating machinery
excitation may occur, especially in children
pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) at night away.

TAMPER EVIDENT: DO NOT USE IF
IMPRINTED SAFETY SEAL UNDER CAP
IS BROKEN OR MISSING

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

OMIT A



ALLERGY

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-0004
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	

Product Characteristics

Color	YELLOW	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-0004-1	1 in 1 CARTON	12/19/1992	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	12/19/1992	

Labeler - Strategic Sourcing Services, LLC (Sunmark) (116956644)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(70677-0004)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(70677-0004)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(70677-0004)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(70677-0004)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(70677-0004)

Revised: 8/2019

Strategic Sourcing Services, LLC (Sunmark)