

**GOODMEDS EXTRA STRENGTH PAIN RELIEF PM- acetaminophen,  
diphenhydramine hydrochloride tablet  
Cabinet Health P.B.C.**

-----

**Goodmeds Extra Strength Pain Relief PM**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Diphenhydramine HCl 25 mg

***Purpose***

Pain reliever  
Nighttime sleep aid

***Uses***

temporary relief of occasional headaches and minor aches and pains with  
accompanying sleeplessness

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if  
you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may  
include:

■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical  
help right away.

***Do not use***

- with other products containing acetaminophen (prescription or nonprescription). If  
you are not sure whether a drug contains acetaminophen, ask a doctor or  
pharmacist
- with any product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

***Ask a doctor before use if you have***

- liver disease

- breathing problems such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery.

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur These could be signs of a serious condition

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

**Overdosewarning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than recommended (see overdose warning)**

---

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets at bedtime</li><li>• do not take more than 2 caplets of this product in 24 hours</li></ul>
children under 12 years	do not use

---

**Other information**

- **each caplet contains:**magnesium 0.05 mg
- store between 20-25°C (68-77°F)

**Inactive ingredients**

FD&C Blue # 1, FD&C Blue # 2, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, povidone K-30, purified water, stearic acid, titanium dioxide

## Questions or comments?

contact **1-908-242-6108** Mon-Fri 8:00 AM to 5:00 PM EST

## Package Labeling

**goodmeds**

Compare to the active ingredient in EXTRA STRENGTH TYLENOL® PM†


EXTRA STRENGTH

**PAIN RELIEF** pm


Acetaminophen 500 mg,  
Diphenhydramine HCl 25 mg

Pain Reliever, Nighttime Sleep Aid

For Adults



**375**  
Caplets

actual size 

NDC 82725-4124-1

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE**

**Drug Facts**

**Active ingredients (in each caplet)**

Acetaminophen 500 mg.....Pain reliever  
Diphenhydramine HCl 25 mg.....Nighttime sleep aid

**Purpose**

Asks temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts (continued)**

**Do not use**  
■ with other products containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist  
■ with any product containing diphenhydramine, even one used on skin  
■ in children under 12 years of age  
■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
■ liver disease  
■ breathing problems such as emphysema or chronic bronchitis  
■ trouble urinating due to an enlarged prostate gland  
■ glaucoma

**Ask a doctor or pharmacist before use if you are**  
■ taking the blood thinning drug warfarin  
■ taking sedatives or tranquilizers

**When using this product** ■ drowsiness will occur  
■ avoid alcoholic drinks  
■ do not drive a motor vehicle or operate machinery.

**Stop use and ask a doctor if**  
■ sleeplessness persists continuously for more than 2 weeks.  
■ Insomnia may be a symptom of a serious underlying medical illness  
■ pain gets worse or lasts for more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ redness or swelling is present ■ new symptoms occur  
These could be signs of a serious condition.

**Drug Facts (continued)**

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**  
**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than recommended (see overdose warning)  
adults and children 12 years and over ■ take 2 caplets at bedtime ■ do not take more than 2 caplets of this product in 24 hours  
children under 12 years ■ do not use

**Other information**  
■ each caplet contains: magnesium 0.05 mg  
■ store between 20-25°C (68-77°F)

**Inactive ingredients**  
FD&C Blue # 1, FD&C Blue # 2, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, povidone K-30, purified water, stearic acid, titanium dioxide

**Questions or comments?** contact 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

ITEM# GM-4124-1 Made in India

Distributed by: Cabinet Health P.B.C. Brooklyn, NY 11222

Lot No. and Exp. Date: 086 11/25

see bottom of bottle

50069 92817 9

## GOODMEDS EXTRA STRENGTH PAIN RELIEF PM

acetaminophen, diphenhydramine hydrochloride tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82725-4124
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

WATER (UNII: 059QF0KO0R)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	blue	Score	no score	
Shape	CAPSULE	Size	18mm	
Flavor		Imprint Code	S525	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82725-4124-1	375 in 1 BOTTLE; Type 0: Not a Combination Product	11/11/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		11/11/2025	

**Labeler** - Cabinet Health P.B.C. (117102391)

Revised: 1/2026

Cabinet Health P.B.C.