

**LOREAL PARIS REVITALIFT DERM INTENSIVES INVISIBLE UV FLUID BROAD SPECTRUM SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, and octocrylene gel**  
**L'Oreal USA Products Inc**

-----

**Drug Facts**

**Active ingredients**

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable until dry.**

Do not use near fire, flame, or heat.

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

water, alcohol denat., glycerin, styrene/acrylates copolymer dimethicone, butyloctyl salicylate, sodium dodecylbenzenesulfonate, phenoxyethanol, phenylethyl resorcinol, adenosine, PEG-8 laurate, PEG-20, trisodium ethylenediamine disuccinate, sclerotium gum, pullulan, ammonium acryloyldimethyltaurate/vp copolymer, xanthan gum, isocetyl stearate, caprylyl glycol, carbomer, cetearyl glucoside, inulin lauryl carbamate

**L'ORÉAL PARIS  
SKINCARE  
COMMITMENTS**

Every product is extensively tested for safety with a minimum of 400 applications, under the guidance of dermatologists.

Every product benefit is tested by unbiased independent third parties.

VALIDATED IN PARTNERSHIP WITH AN ADVISORY PANEL OF DERMATOLOGISTS THROUGH:

Thorough review of test protocols and results

Comprehensive ingredient screening for efficacy, safety & tolerance

DERMATOLOGIST TESTED  
SUITABLE FOR SENSITIVE SKIN

- ✓ All skin types
- ✓ Non-greasy
- ✓ No white cast on all skin tones



By using a FSC® or FSC® Mix paperboard for this package L'ORÉAL PARIS supports forest management that respects people and nature

**L'ORÉAL PARIS**

CREATED BY  
VALIDATED WITH  
DERMATOLOGISTS

LIGHTWEIGHT  
SUNSCREEN

**REVITALIFT  
DERM INTENSIVES\***

**BROAD SPECTRUM  
SPF 50  
+ ANTIOXIDANTS**

**INVISIBLE UV FLUID**

Helps prevent aging signs\*  
& the look of dark spots\*

**50**

FRAGRANCE-FREE

actual size

When used as directed with other sun protection measures **1.7 FL. OZ. (50ml)**

**Drug Facts**

Active Ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only
- Flammable until dry. Do not use near fire, flame, or heat
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - shake well
  - apply liberally 15 minutes before sun exposure
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients** water, alcohol denat., glycerin, styrene/acrylates copolymer, dimethicone, butyl acyl salicylate, silica, isocetyl isononanolate, isopropyl myristate, octenyl alcohol, calcium aluminum borosilicate, tocopherol, adenosine, phenylethyl resorcinol, triethylamine, disodium ascorbyl glucoside, isocetyl stearate, ammonium acryloyldimethylsulfate / VP copolymer, caprylyl glycol, carbomer, octenyl glucoside, methyl lauryl carbanate, lecithin, PEG-30, PEG-8 laurate, pullulan.

**Drug Facts (continued)**

octyltrimonium, sodium dibutyltinmaleate, sodium stearylglutamate, butyl alcohol, xanthan gum, phenylethyl alcohol

FORMULA NUMBER: 107-00000000000000000000

ALL INFORMATION

**DAILY UVA/UVB PROTECTION,  
HELPS PREVENT AGING SIGNS\***

Broad spectrum UV fluid with:

**UVA/UVB FILTERS**

UV filters are a first line of defense against UV induced signs of aging such as discoloration.

Our UV fluid has a broad spectrum protection from both UVA (aging) and UVB (burning) rays.

**ANTIOXIDANTS**

Vitamin C & E help protect against environmental damage caused by free radicals that can accelerate the

appearance of aging signs.

**INVISIBLE LIGHTWEIGHT TEXTURE**

Lightweight & non greasy texture. Blends seamlessly with all skin tones. \*when used as directed with other sun protection measures

**VISIBLE RESULTS**

Immediately  
Skin feels fresh & moisturized.  
Skin has a glowy finish.

Day after day  
Skin looks brighter, tone more even.  
Fine lines are visibly reduced.  
Skin looks younger.

**APPLICATION**

Smooth over face & neck every morning as the last step of your skincare routine. Primes well for makeup.

BLEND S WELL WITH ALL SKIN TONES

Questions or comments?  
L'ORÉAL USA, Inc. 10 Hudson Yards,  
New York, NY 10001 1-800-322-2038  
Made in USA or US and for Imported Ingredients

← ACTUAL PRODUCT SIZE →

0.75



### L'ORÉAL PARIS SKINCARE COMMITMENTS

Every product is extensively tested for safety with a minimum of 400 applications, under the guidance of dermatologists.

Every product benefit is tested by unbiased independent third parties.

VALIDATED IN PARTNERSHIP WITH AN ADVISORY PANEL OF DERMATOLOGISTS THROUGH:

- Thorough review of test protocols and results
- Comprehensive ingredient screening for efficacy, safety & tolerance

DERMATOLOGIST TESTED SUITABLE FOR COGNITIVE GISE

- ✓ All skin types
- ✓ Non-greasy
- ✓ No white cast on all skin tones

ALLERGY TESTED    FRAGRANCE FREE

PARABEN FREE    DYE FREE    MINERAL OIL FREE

FSC® CERTIFIED PAPERBOARD

By using a FSC®-certified paperboard for this package L'ORÉAL PARIS supports forest management that respects people and nature.

## L'ORÉAL PARIS

CREATED BY  
VALIDATED WITH DERMATOLOGISTS

LIGHTWEIGHT SUNSCREEN

# REVITALIFT DERM INTENSIVES\*

## BROAD SPECTRUM SPF 50 + ANTIOXIDANTS

### INVISIBLE UV FLUID

Helps prevent aging signs\* & the look of dark spots

# 50

FRAGRANCE-FREE

When used as directed with other sun protection measures **1.7 FL. OZ. (50ml)**

### Drug Facts

Active Ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Flammable until dry. Do not use near fire, flame, or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

protect the product in this container from excessive heat and direct sun

**Inactive Ingredients** water, alcohol denat., glycerin, styrene/acrylates copolymer, dimethicone, butyl acyl salicylate, silica, isocetyl isononanolate, isocetyl myristate, octearyl alcohol, calcium aluminum borosilicate, tocopherol, adenosine, phenylethyl resorcinol, triisodium ethylenediamine diacetate, ascorbyl glucoside, isocetyl stearate, ammonium acryloyldimethylsulfate / VP copolymer, caprylyl glycol, carbonic, octearyl glucoside, multi lauryl carbenate, lecithin, PEG-30, PEG-8 laurate, pullulan.

### Drug Facts (continued)

ascorbium gum, sodium dibutyltinmaleate, sodium stearylglutamate, t-butyl alcohol, xanthan gum, phenylethyl alcohol

**ALL INFORMATION IS SUBJECT TO CHANGE WITHOUT NOTICE**

### DAILY UVA/UVB PROTECTION, HELPS PREVENT AGING SIGNS\*

Broad spectrum UV fluid with:

**UVA/UVB FILTERS**

UV filters are a first line of defense against UV induced signs of aging such as discoloration.

Our UV fluid has a broad spectrum protection from both UVA (aging) and UVB (burning) rays.

**ANTIOXIDANTS**

Vitamin C & E help protect against environmental damage caused by free radicals that can accelerate the appearance of aging signs.

**INVISIBLE LIGHTWEIGHT TEXTURE**

Lightweight & non greasy texture. Blends seamlessly with all skin tones. \*when used as directed with other sun protection measures

### VISIBLE RESULTS

Immediately

Skin feels fresh & moisturized. Skin has a glowy finish.

Day after day

Skin looks brighter, tone more even. Fine lines are visibly reduced. Skin looks younger.

### APPLICATION

Smooth over face & neck every morning as the last step of your skincare routine. Primes well for makeup.

BLEND'S WELL WITH ALL SKIN TONES

Questions or comments? L'ORÉAL USA, Inc. 10 Hudson Yards, New York, NY 10001 1-800-322-2038 Made in USA of US and/or Imported Ingredients

← ACTUAL PRODUCT SIZE →

0.7%

## LOREAL PARIS REVITALIFT DERM INTENSIVES INVISIBLE UV FLUID BROAD SPECTRUM SPF 50 SUNSCREEN

avobenzene, homosalate, octisalate, and octocrylene gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-011
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzene</b> (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	30 mg in 1 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	150 mg in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	100 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)	
<b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52RONHXW)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>SODIUM DODECYLBENZENESULFONATE</b> (UNII: 554127163Y)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHENYLETHYL RESORCINOL</b> (UNII: G37UFG162O)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>POLYETHYLENE GLYCOL 1000</b> (UNII: U076Q6Q621)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>BETASIZOFIRAN</b> (UNII: 2X51AD1X3T)	
<b>PULLULAN</b> (UNII: 8ZQ0AYU1TT)	
<b>AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ISOCETYL STEARATE</b> (UNII: 3RJ7186O9W)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>INULIN LAURYL CARBAMATE</b> (UNII: 48RFF58ESG)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-011-01	1 in 1 CARTON	09/30/2022	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/30/2022	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(49967-011) , pack(49967-011)

Revised: 12/2024

L'Oreal USA Products Inc