

**VICKS DAYQUIL NYQUIL BERRY KIDS COLD AND COUGH PLUS-  
chlorpheniramine maleate, dextromethorphan hbr, guaifenesin,  
phenylephrine hcl  
The Procter & Gamble Manufacturing Company**

-----  
**Vicks® DayQuil™ | NyQuil™ Kids BERRY COLD & COUGH +  
Convenience Pack**

**VICKS® NyQuil™ Kids BERRY COLD & COUGH + MUCUS**

***Drug Facts***

**Active ingredients (in each 15 mL)**

Chlorpheniramine maleate 2 mg  
Dextromethorphan HBr 15 mg

**Purpose**

Antihistamine  
Cough suppressant

**Uses**

temporarily relieves common cold symptoms:

- cough due to minor throat & bronchial irritation
- sneezing
- runny nose

**Warnings**

**Do not use**

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

**Ask a doctor before use if you have**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

## Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

### When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, & tranquilizers may increase drowsiness

### Stop use and ask a doctor if

- cough lasts more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

---

adults & children 12 yrs & over	30 mL every 6 hrs
children 6 to under 12 yrs	15 mL every 6 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

---

### Other information

- **each 15 mL contains:**sodium 13 mg
- Store at no greater than 25°C

### Inactive ingredients

citric acid, FD&C Red No. 40, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

### Questions?

**1-800-362-1683**

**Vicks® DayQuil™ Kids BERRY COLD & COUGH + MUCUS**

## **Drug Facts**

### **Active ingredients (in each 15 mL)**

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

Phenylephrine HCl 5 mg

### **Purpose**

Cough suppressant  
Expectorant  
Nasal decongestant

### **Uses**

- temporarily relieves common cold symptoms:
- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

### **Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

**When using this product,  
do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

---

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use

---

**Other information**

- **each 15 mL contains:** sodium 15 mg
- store at no greater than 25°C

**Inactive ingredients**

citric acid, FD&C Red No. 40, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

**Questions?**

**1-800-362-1683**

**TAMPER EVIDENT:**DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING.

**DIST. BY: PROCTER & GAMBLE, CINCINNATI, OH 45202**

**PRINCIPAL DISPLAY PANEL - Convenience Pack**

Vicks® DayQuil™ Kids Vicks® NyQuil™ Kids

VALUE COMBO PACK

1 DAY + 1 NIGHT

VICKS®

DayQuil™ Kids BERRY

COLD & COUGH + MUCUS

Guaifenesin, Phenylephrine HCl, Dextromethorphan HBr

Chest Congestion

Nasal Congestion

Cough

*Non-Drowsy*

*Ages 6+*

NyQuil™ Kids BERRY

COLD & COUGH + RUNNY NOSE

Chlorpheniramine maleate, Dextromethorphan HBr

Sneezing, Runny Nose

Cough

*Nighttime Relief*

*Ages 6+*

FREE OF ALCOHOL & ACETAMINOPHEN

2 BOTTLES - 1 DAYQUIL/1 NYQUIL 8 FL OZ (236 mL) EACH; TOTAL 16 FL OZ (472 mL)



# VICKS DAYQUIL NYQUIL BERRY KIDS COLD AND COUGH PLUS

chlorpheniramine maleate, dextromethorphan hbr, guaifenesin, phenylephrine hcl kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69423-780
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-780-16	1 in 1 PACKAGE; Type 0: Not a Combination Product	06/06/2023	
2	NDC:69423-780-24	1 in 1 PACKAGE; Type 0: Not a Combination Product	06/06/2023	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
--------	------------------	------------------------

<b>Part 1</b>	1 BOTTLE, PLASTIC	236 mL
<b>Part 2</b>	1 BOTTLE, PLASTIC	236 mL

## Part 1 of 2

### VICKS DAYQUIL KIDS BERRY COLD AND COUGH PLUS MUCUS

guaifenesin, phenylephrine hcl, dextromethorphan hbr liquid

#### Product Information

**Item Code (Source)** NDC:69423-778

**Route of Administration** ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 15 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

#### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-778-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/06/2023	

## Part 2 of 2

### VICKS NYQUIL KIDS BERRY COLD AND COUGH PLUS RUNNY NOSE

chlorpheniramine maleate, dextromethorphan hbr liquid

## Product Information

Item Code (Source)	NDC:69423-779
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 15 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>WATER</b> (UNII: 059QF0KOOR)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	

## Product Characteristics

Color	red	Score	
-------	-----	-------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-779-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/06/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/06/2023	

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

Revised: 2/2026

The Procter & Gamble Manufacturing Company