

STOMACH RELIEF, 24-7 LIFE- bismuth subsalicylate suspension liquid
STOMACH RELIEF, CASEYS 4GOOD- bismuth subsalicylate suspension liquid
Lil' Drug Store Products, Inc.

Stomach Relief, 8oz

Drug Facts

Drug Facts

Active ingredient

Active ingredient (in each 30 mL)

Bismuth subsalicylate 525 mg

Purpose

Purpose

Upset stomach reliever and antidiarrheal

Uses

Uses relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

Warnings

Warnings

Reye's syndrome

Reye's syndrome:

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)

- taking other salicylate products

Do not use if you have

Do not use if you have

- an ulcer
- bloody or black stool
- a bleeding problem

Ask a doctor or pharmacist before use if you are

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

Stop use and ask a doctor if

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

Directions

- **shake well before use**
- mL = milliliter
- TBSP = tablespoon
- measure only with dosing cup provided. Do not use any other dosing device.
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

Other information

- **each 30 mL or 2 TBSP contains:** • potassium 25 mg • salicylate 260 mg • sodium 8 mg
- protect from freezing.
- avoid excessive heat (over 104°F or 40°C).
- dosage cup provided

Inactive ingredients

Inactive ingredients

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

Questions

Questions? 1-877-507-6516 (M-F 8AM-4:30PM CST)

Stomach Relief, Casey's 4good PDP/Package

Stomach Relief

Compare to the active ingredient in *Pepto-Bismo**

Bismuth

Subsalicylate 525 mg

Upset Stomach Reliever/

Antidiarrheal

Relieves:

Upset Stomach,

Nausea, Heartburn,

Diarrhea, Indigestion

[Casey's 4good logo]

8 FL OZ (237 mL)

Drug Facts

DO NOT USE IF IMPRINTED SHRINKBAND IS MISSING OR BROKEN.

Active ingredient (in each 30 mL) Purpose

Bismuth subsalicylate 525 mgUpset stomach reliever and antidiarrheal

Uses

relieves: ■ diarrhea ■ heartburn ■ indigestion ■ nausea ■ upset stomach associated with these symptoms

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

■ allergic to salicylates (including aspirin)
■ taking other salicylate products

Do not use if you have

■ an ulcer ■ a bleeding problem
■ bloody or black stool ■ a bleeding problem

Ask a doctor before use if you have

■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking

any drug for ■ anticoagulation (thinning of the blood)
■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

■ symptoms get worse
■ ringing in the ears or loss of hearing occurs
■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

◀ Drug Facts continued

Stomach Relief

Bismuth Subsalicylate 525 mg

Upset Stomach Reliever/
Antidiarrheal

Compare to the active ingredient in Pepto-Bismol®*

Relieves:
Upset Stomach,
Nausea, Heartburn,
Diarrhea, Indigestion

4good™
Casey's®

8 FL OZ (237 mL)

Drug Facts (continued)

Directions

■ shake well before use
■ mL = milliliter ■ Tbsp = tablespoon ■ measure only with dosing cup provided. Do not use any other dosing device. ■ adults and children 12 years and over: 1 dose (2 Tbsp or 30 mL) every 1/2 to 1 hour as needed ■ do not exceed 8 doses (16 Tbsp or 240 mL) in 24 hours ■ use until diarrhea stops but not more than 2 days ■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

■ each 30 mL or 2 Tbsp contains: ■ potassium 25 mg ■ salicylate 260 mg ■ sodium 8 mg ■ protect from freezing. ■ avoid excessive heat (over 104°F or 40°C). ■ dosage cup provided

Inactive ingredients

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

Questions? 1-877-507-6516 (M-F 8AM-4:30PM CST)



DISTRIBUTED BY
CASEY'S MARKETING COMPANY
ANKENY, IA 50021

SATISFACTION GUARANTEED
www.caseys.com
1-866-922-0767



0 98437 24369 5

63554L-CS-05-23
MFR# 53041 REI 0415

*This product is not manufactured or distributed by Procter & Gamble Company, the distributor of Pepto-Bismol®. Pepto-Bismol is a registered trademark of The Procter & Gamble Company.

Stomach Relief, 24/7 Life BY 7-ELEVEN

24/7 Life BY 7-ELEVEN

Stomach Relief

Bismuth Subsalicylate 525 mg
Upset Stomach Reliever / Anti-diarrheal

5 Symptom Digestive Relief

Nausea, Heartburn, Indigestion
Upset Stomach, Diarrhea

8 FL OZ
(236 mL)

compare to
Pepto-Bismol®
active ingredient*

Drug Facts**DO NOT USE IF IMPRINTED SHRINKBAND IS MISSING OR BROKEN.****Active ingredient (in each 30 mL) Purpose**

Bismuth subsalicylate 525 mgUpset stomach reliever and anti-diarrheal

Uses relieves: ■ diarrhea ■ heartburn ■ indigestion ■ nausea ■ upset stomach associated with these symptoms**Warnings****Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.**Allergy alert: Contains salicylate. Do not take if you are** ■ allergic to salicylates (including aspirin) ■ taking other salicylate products**Do not use if you have** ■ an ulcer ■ bloody or black stool ■ a bleeding problem**Ask a doctor before use if you have** ■ fever ■ mucus in the stool**Ask a doctor or pharmacist before use if you are taking any drug for** ■ anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis**When using this product** a temporary, but harmless darkening of the stool and/or tongue may occur**Stop use and ask a doctor if** ■ symptoms get worse ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

◀ Drug Facts continued



Stomach Relief

Bismuth Subsaliicylate 525 mg
Upset Stomach Reliever / Anti-diarrheal

5 Symptom Digestive Relief

Nausea, Heartburn, Indigestion
Upset Stomach, Diarrhea

8 FL OZ
(236 mL)

compare to
Pepto-Bismol®
active ingredient*

Drug Facts (continued)**Directions** ■ shake well before use

■ mL = milliliter ■ TBSP = tablespoon ■ measure only with dosing cup provided. Do not use any other dosing device. ■ adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed ■ do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours ■ use until diarrhea stops but not more than 2 days ■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information ■ each 30 mL or 2 TBSP contains:

• potassium 25 mg • salicylate 260 mg • sodium 8 mg ■ protect from freezing. ■ avoid excessive heat (over 104°F or 40°C). ■ dosage cup provided

Inactive ingredients benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.**Questions?** 1-877-507-6516 (M-F 8AM-4:30PM CST)

DISTRIBUTED BY: 7-ELEVEN, INC.
IRVING, TX 75063
WWW.7-ELEVEN.COM
5542L-SE-05-23

Satisfaction Guaranteed
1-800-255-0711

*This product is not manufactured or distributed by The Procter & Gamble Company, distributor of Pepto-Bismol®. Pepto-Bismol is a registered trademark of The Procter & Gamble Company.



MFR# 53041 REV 0919

STOMACH RELIEF, 24-7 LIFE

bismuth subsalicylate suspension liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-8554
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-8554-2	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/19/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	04/19/2022	

STOMACH RELIEF, CASEYS 4GOOD

bismuth subsalicylate suspension liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-8355
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-8355-4	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	08/01/2023	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2024

Lil' Drug Store Products, Inc.