# GOOD NEIGHBOR PHARMACY ACID REDUCER- famotidine tablet, film coated Amerisource Bergen

-----

#### **Amerisource Bergen Acid Reducer Drug Facts**

#### **Active ingredient (in each tablet)**

Famotidine 10 mg

#### **Purpose**

Acid reducer

#### Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

#### **Warnings**

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

## Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

## Ask a doctor or pharmacist before use if you are

Taking a prescription drug. Acid reducers may interact with certain prescription drugs.

## Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15
   to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- · protect from moisture

## Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

#### Questions or comments?

1-800-719-9260

### **Principal Display Panel**

Compare to Pepcid® AC active ingredient

See New Warnings

famotidine tablets, 10 mg

Acid Reducer


Original Strength

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion

actual size

90 Tablets

\_



- a children under 12 years:ask a docto r an of use more fran Stat dat S ne rit enom eau to no b∎ can as he artburn
- to prevent symptome, awallow 1 tabletwith a glass of wateratany time from 15 to 60 60 minuses before eating from order inhinding bewengersthat
- of water. Do not chew. ato relie ve symptoms,swallow 1 tablet with a glass adults and children 1 2 years and over:
  - Directions

(baunithoo) at set R (continued)

#### Questions or comments ?1-800-719-0260

m âgn edu mastaarata, m iorocny at allina calu bes, polyda storeo, polyednylane glycol, pe geladini zed starch, talc, ti anium doxid e, ti aceirin hwolley ebixo nori, ber ebixo nori, esolle mor og rh In active ingredients caron ba wax

Keep out of reach of children. In case of overdose, get me dicalhe por contact a Poison Control Centerright

■ you ne ed to take this product for more than 14 days

taking a p rescription drug. Acid reduce as may interact Ask a doctor or pharma cist be fore use if you are

■ frequent wheelight base of method with heartburn

■h eartburn with lightheads dness, swe ating, or

sweating; p ain sp read ing to arms, neck or shou Iders,

If pre gnan to rbreast-feeding, ask ah ealth

■your heartburn continuesor wosens Stopuse and as kadoctor if

with certain prescrip tion drugs.

esassi b yen bivl∎

mstomach pain

BUI SUSSESS OF VOMETING

misque erbo meupeni 🖿

seembe broedt rigit ho

Drug Facts (continued)

e wasiom maj tostory ■

#### ■ store at 20°-25°C (68°-77°F) Drug Facts(continued)

SWING (1-800-222-1223)

more se irous condition. ev and ucy if eau erohedrorbeak a doctrorbeak a tong to a sign of a morth Trait mort Snevo murthus of baring

assouben to a reft of with

signs of a serious condition.See yourd octor. initron v, bod privvollaws nisq no 4 duon even tuvy iiii edysm esenT sloos slaski nov booki no bo d d niw

enectheracid reducers

en bblom ná ot cignella en a wy hiesu to no O:h ela ygnellA. sbuju.re/M

certain food and beverages

an d sou retomach brought on by eating or drinking moresetion i bics driv be traicess mud treat streverq∎

mofisegibrii bios rithw be isioossa muditraed a ereilen∎ கூரி

ecuben bicA gm Of emilitom sh (in each tablet) Active ingredient ə so dın<sub>d</sub>

Stor 9 Facts



14175 29 CH



Acid Reducer bamotaine tablets, 10 mg







Distributed By AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 Questions or Concerns?



ACTUAL SIZE

Compare to Pepcid® AC active ingredient\*

Tips for Managing Hearthum

• Do not lie flat or bend over after eating
• Do not wear tight-fitting clothing around
thestomach
• Do not eat before bestime
• Rabe the head of your bed
• Avoid hearthum-causing bods such as rich,
• skicy, fathy or fired foods, chocolde, cafflere,
elachal, and certain fruits and vegetables
• Est skowly and avoid big meals
• If overweight, lose weight
• Outs smoking

NDC 46122-394-75

See New Warnings



famotidine tablets, 10 mg

# **Acid Reducer**


Original Strength

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion









## 90 Tablets

### **GOOD NEIGHBOR PHARMACY ACID REDUCER**

famotidine tablet, film coated

<b>Product</b>	Inform	ation
1 I OUUCE	🗸	acion

<b>Product Type</b>	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-394
---------------------	----------------	--------------------	---------------

**Route of Administration** ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name	e	<b>Basis of Strength</b>	Strength
 	= 0.7.01.510.7.0\	FAMOTIDINE	10

FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8) FAMOTIDINE

## **Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX43802MRT)

#### **Product Characteristics**

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L141
Contains			

#### **Packaging**

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:46122-394- 65	30 in 1 CARTON	12/12/2016	
	1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
П					

2	NDC:40122-394- 72	1 in 1 CARTON	12/12/2016
2		60 in 1 BOTTLE; Type 0: Not a Combination Product	
3	NDC:46122-394- 75	1 in 1 CARTON	01/16/2020
3		90 in 1 BOTTLE; Type 0: Not a Combination Product	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075400	12/12/2016	

## Labeler - Amerisource Bergen (007914906)

Revised: 7/2021 Amerisource Bergen