

GREENCAINE BLAST- lidocaine gel
ALMA Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Greencaine Blast

Drug Facts

Lidocaine 4%

Active Ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

For the temporary relief of pain and itching associated with minor skin irritations, minor cuts, minor burns, scrapes or insect bites.

Warnings

For external use only

Flammable

Keep away from heat, sparks, electrical, fire or flame.

When using this product

avoid contact with the eyes. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor

if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product.

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to times daily. Children under 2 years of age consult a doctor.

Inactive ingredients:

Aloe barbadensis leaf juice (aloe vera), caprylyl glycol, carbomer, disodium EDTA, glycerin, glyceryl laurate, jojoba oil, SD alcohol 40-B, triethanolamine, water.

Questions:

Call (888) 306-6933 or visit www.greencaine.com

Package Labeling



GREENCAINE BLAST

LIDOCAINE 4%

**TOPICAL
ANESTHETIC GEL**

Discard if foil seal under cap bearing
'SEALED for YOUR PROTECTION'
is broken or missing.

Cap is Child Resistant
Always replace cap after use

Manuf. for

ALMA Laboratories, Inc.
Palm Bch Gdns, FL 33410
MADE in USA

NET WT: 4 Oz (113 grams)

GREENCAINE BLAST

Drug Facts

Active Ingredient	Purpose
Lidocaine 4%	Topical Anesthetic

Uses For the temporary relief of pain and itching associated with minor skin irritations, minor cuts, minor burns, scrapes or insect bites.

Warnings **For external use only**

Flammable Keep away from heat, sparks, electrical, fire or flame.

When using this product avoid contact with the eyes. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product.

Keep out of the reach of children
If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age consult a doctor.

Inactive ingredients: Aloe barbadensis leaf juice (aloe vera), caprylyl glycol, carbomer, disodium EDTA, glycerin, glyceryl laurate, jojoba oil, SD alcohol 40-B, triethanolamine, water.

Questions: Call (888) 306-6933 or visit www.greencaine.com



GREENCAINE BLAST

lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69747-040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL LAURATE (UNII: Y98611C087)	
JOJOBA OIL (UNII: 724GKU717M)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69747-040-01	113 g in 1 TUBE; Type 0: Not a Combination Product	01/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/18/2018	

Labeler - ALMA Laboratories, Inc. (012180032)

Revised: 1/2018

ALMA Laboratories, Inc.