

**MECLIZINE- meclizine hcl 12.5 mg tablet**  
**Advanced Rx LLC**

-----

***Active ingredient (in each caplet)***

Meclizine HCl 12.5mg

***Purpose***

Antiemetic

***Uses***

prevents and treats nausea, vomiting or dizziness associated with motion sickness

***Warnings***

**Do not use** in children under 12 years of age unless directed by a doctor.

**Do not take unless directed by a doctor if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Do not take if you are** taking sedatives or tranquilizers, without first consulting your doctor.

***When using this product***

- do not exceed recommended dosage
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

- dosage should be taken 1 hour before travel starts
-

adults and children 12 years and over take 2 or 4 caplets once daily or as directed by a doctor

### Other information


- Tamper Evident: do not use if safety seal under cap is broken or missing
- each caplet contains: **calcium 28 mg**
- store at room temperature 20°-25°C (68°-77°F).

### Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid.

### Questions or comments?

call 1-800-630-8895, 8:30 am - 4:30 pm ET, Monday-Friday






Compare to active ingredient in Bonine®  
NDC 80513-427-02

## MECLIZINE HCl

12.5 mg

FOR PREVENTION OF  
MOTION SICKNESS

ANTIEMETIC  
200 CAPLETS

 MOTION SICKNESS  
 VOMITING  
 NAUSEA

### Drug Facts

**Active ingredient (in each caplet)** Purpose  
Meclizine HCl 12.5 mg.....Antiemetic


**Uses**  
prevents and treats nausea, vomiting or dizziness due to motion sickness

**Warnings**  
Do not use in children under 12 years of age unless directed by a doctor.  
Do not take unless directed by a doctor if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland  
Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.  
When using this product ■ do not exceed recommended dosage ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery  
If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Peel here for more drug facts

Org 09/25

\*This product is not manufactured or distributed by WellSpring Pharmaceuticals Corporation, owner of the registered trademark Bonine®.  
Distributed by: ADVANCED RX LLC, 1942 NE 163rd St.  
North Miami Beach, FL 33162 U.S.A  
MANUFACTURED IN USA



3 80513 00031 6

Unvarnished Area for Lot # & Exp. Dt.

Drug Facts (continued)	
<b>Directions</b> ■ dosage should be taken 1 hour before travel starts	take 2 or 4 caplets once daily or as directed by a doctor
adults and children 12 years and over	
<b>Other information</b> ■ Tamper Evident: do not use if safety seal under cap is broken or missing ■ each caplet contains: calcium 28 mg ■ store at room temperature 20-25°C (68-77°F).	
<b>Inactive ingredients</b> croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid.	
<b>Questions or comments?</b> call 1-800-630-8895, 8:30 am - 4:30 pm ET, Monday-Friday	

STOP PEELING

## MECLIZINE

meclizine hcl 12.5 mg tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80513-427	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)		MECLIZINE HYDROCHLORIDE	12.5 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
Product Characteristics				
Color	white	Score	2 pieces	
Shape	CAPSULE (CAPSULE SHAPED TABLET)	Size	13mm	
Flavor		Imprint Code	PH049	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80513-427-02	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009		09/01/2025	

**Labeler** - Advanced Rx LLC (042795108)

**Registrant** - Advanced Rx LLC (042795108)

Establishment			
Name	Address	ID/FEI	Business Operations

Pharbest Pharmaceuticals, Inc.		557054835	manufacture(80513-427)
--------------------------------	--	-----------	------------------------

Revised: 9/2025

Advanced Rx LLC