

FIRST AID BURN RELIEF RITE AID- lidocaine 0.5% spray

Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Burn Relief Spray

Active ingredient

Lidocaine 0.5%

Purpose

External analgesic

Uses

Temporarily relieves pain and itching due to

- sunburn • minor burns • minor cuts • scrapes
- insect bites • minor skin irritation

Warnings

For external use only

Flammable: Do not spray while smoking or near heat or flame

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- keep out of your eyes
- use only as directed
- do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120F.

Keep out of reach of the children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- shake well
- adults and children 2 years of age and older: apply to affected area, not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- to apply to face, spray into palm of hand and gently apply

Inactive ingredients

Aloe Barbadensis Leaf Juice, Carbomer, Diazolidinyl Urea, Disodium Cocoamphodipropionate, Disodium EDTA, Glycerin, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 40, Simethicone, Tocopheryl Acetate, Triethanolamine

Drug Facts

Active ingredient	Purpose
Lidocaine 0.50%	External analgesic

Uses
Temporarily relieves pain and itching due to:

- sunburn • minor burns • minor cuts • scrapes
- insect bites • minor skin irritations

Warnings
For external use only.

Flammable: Do not use while smoking or near heat or flame

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product

- keep out of eyes
- use only as directed.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask doctor if

- condition gets worse • symptoms last more than 7 days
- symptoms clear up and occur again in a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor • to apply to face, spray into palm of hand and gently apply

Inactive ingredients
Aloe Barbadensis Leaf Juice, SD Alcohol 40, Propylene Glycol, Glycerin, Simethicone, Tocopheryl Acetate, Triethanolamine, Carbomer, Diazolidinyl Urea, Methylparaben, Propylparaben, Disodium

*This product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc. owner of the Solarcaine® trademark.

DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011

IF YOU'RE NOT SATISFIED, WE'LL
HAPPILY REFUND YOUR MONEY.

Text Free Area



*Compare to the active ingredient in Solarcaine®

first aid burn relief spray

lidocaine 0.5%

with aloe vera

burn relief formula that cools
restores moisture to sunburned skin
continuous spray at any angle

NET WT 4.5 OZ (127 g)

ITEM 0370230

STRIP IN UPC: 0-11822-37230

90% MAGNIFICATION,
50% TRUNCATION,
DOTTED RULE DOES NOT PRINT.

FIRST AID BURN RELIEF RITE AID			
lidocaine 0.5% spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-7800
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Lidocaine (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	Lidocaine	0.5 g in 100 g	
Inactive Ingredients			
Ingredient Name	Strength		
ALOE VERA LEAF (UNII: ZY81Z83H0X)			
Diazolidinyl Urea (UNII: H5RIZ3MPW4)			
Disodium Cocoamphodipropionate (UNII: 6K8PRP397M)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
Glycerin (UNII: PDC6A3C0OX)			
Methylparaben (UNII: A218C7HI9T)			
Propylene Glycol (UNII: 6DC9Q167V3)			

Propylparaben (UNII: Z8IX2SC1OH)

ALCOHOL (UNII: 3K9958V90M)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

TROLAMINE (UNII: 9O3K93S3TK)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-7800-4	127 g in 1 CAN; Type 0: Not a Combination Product	11/21/2011	
2	NDC:11822-7800-5	170 g in 1 CAN; Type 0: Not a Combination Product	11/21/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	11/21/2011	

Labeler - Rite Aid (014578892)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(11822-7800) , label(11822-7800)

Revised: 6/2018

Rite Aid