

BISACODYL- bisacodyl suppository
Rising Pharma Holdings, Inc.

Bisacodyl USP Suppositories 10 mg

Drug Facts

Active ingredient (in each suppository)

Bisacodyl USP, 10 mg

Purpose

Stimulant Laxative

Use

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 15 minutes to 1 hour

Warnings

For rectal use only

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product you may experience stomach discomfort, faintness, rectal burning and mild cramps

Stop use and ask a doctor if

- you need to use a laxative product for longer than one week
- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

If pregnant or breast-feeding, ask health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and over	1 suppository in a single daily dose. Peel open plastic. Insert suppository well into rectum, pointed end first. Retain about 15 to 20 minutes
children 6 to under 12 years	1/2 suppository in a single daily dose
children under 6 years	Do not use

Other information

- store at 20-25°C (68-77°F)
- if suppository softens prior to use, may be placed in refrigerator for short time

Inactive ingredient hard fat

Questions or Comments? Call 1-844-474-7464

**TAMPER EVIDENT: DO NOT USE IF SEALED WRAPPER AROUND
SUPPOSITORIES IS BROKEN OR MISSING**

Distributed by:

Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816

Made in India

CODE NO.: MH/DRUGS/25-KD/724

Issued: 08/2023

NDC 57237-327-21 (3 blisters of 4 suppositories)

Bisacodyl USP Suppositories 10 mg

Stimulant Laxative

Gentle, Predictable, Fast Relief

DO NOT SWALLOW

SNK

LOT: XXXXXXXX
EXP: YYYYMM



Drug Facts

Active ingredient (in each suppository) Purpose
Bisacodyl USP, 10 mg Stimulant Laxative

Use
■ for relief of occasional constipation (irregularity)
■ this product generally produces bowel movement in 15 minutes to 1 hour

Warnings
For rectal use only
Ask a doctor before use if you have
■ stomach pain, nausea or vomiting
■ a sudden change in bowel habits that lasts more than 2 weeks

When using this product you may experience stomach discomfort, faintness, rectal burning and mild cramps
Stop use and ask a doctor if
■ you need to use a laxative product for longer than one week
■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

Drug Facts (continued)

■ pregnant or breast-feeding, ask health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years of age and over 1 suppository in a single daily dose. Peel open plastic. Insert suppository well into rectum, pointed end first. Retain about 15 to 20 minutes
children 6 to under 12 years 1/2 suppository in a single daily dose
children under 6 years Do not use

Other information
■ store at 20-25°C (68-77°F)
■ if suppository softens prior to use, may be placed in refrigerator for short time

Inactive ingredient hard fat
Questions or Comments? Call 1-844-474-7464

UNVARNISHED AREA FOR OPZ

BISACODYL USP
10 mg

Stimulant Laxative

TAMPER EVIDENT: DO NOT USE IF SEALED WRAPPER AROUND SUPPOSITORIES IS BROKEN OR MISSING



NDC 57237-327-21

BISACODYL USP
10 mg

Stimulant Laxative

Gentle, Predictable, Fast Relief

■ DO NOT SWALLOW



3 blisters of 4 suppositories

Stimulant Laxative
BISACODYL USP
10 mg

13010513

Distributed by:
Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816
Made in India
CODE NO: MH/DRUGS/25-KD/724
Issued: 08/2023



NDC 57237-327-04 (4 suppositories in 1 blister pack)

Front Foil

	 BISACODYL USP 10 mg For rectal use only NDC 57237-327-04 Code No.: MH/DRUGS/25-KD/724	
	 BISACODYL USP 10 mg For rectal use only NDC 57237-327-04 A 12004710	

Back Foil

Dist. By: Rising Pharma Holdings, Inc. Store at 20-25°C (68-77°F)	
Dist. By: Rising Pharma Holdings, Inc. Store at 20-25°C (68-77°F)	A 12004711

BISACODYL

bisacodyl suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57237-327
---------------------	----------------	---------------------------	---------------

Route of Administration	RECTAL
--------------------------------	--------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	10 mg

Inactive Ingredients

Ingredient Name	Strength
FAT, HARD (UNII: 8334LX7S21)	

Product Characteristics

Color	white	Score	
Shape	BULLET	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57237-327-21	3 in 1 CARTON	08/24/2023	10/31/2026
1	NDC:57237-327-04	4 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:57237-327-03	6 in 1 CARTON	08/24/2023	10/31/2026
2	NDC:57237-327-51	5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/24/2023	10/31/2026

Labeler - Rising Pharma Holdings, Inc. (116880195)

Establishment

Name	Address	ID/FEI	Business Operations
Bliss GVS Pharma Limited		675630493	manufacture(57237-327) , analysis(57237-327) , pack(57237-327)