

**MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet**  
**Rite Aid Corporation**

-----  
**Drug Facts**

**Active ingredients (in each extended-release tablet)**

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

**Purpose**

Cough Suppressant

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

**Warnings**

**Do not use**

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product,**

do not use more than directed.

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

### **Other information**

store between 20° to 25°C (68° to 77°F)

### **Inactive ingredients**

carbomer, colloidal silicon dioxide, D&Cyellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

Compare to the active ingredients in Mucinex® DM\*

#### **MUCUS RELIEF DM**

GUAIFENESIN 600 mg

DEXTROMETHORPHAN HBr 30 mg

EXPECTORANT & COUGH SUPPRESSANT

Temporarily controls cough

Thin & loosens mucus

12 HOUR

EXTENDED-RELEASE TABLETS

\*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Mucinex® DM.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE,

CAMP HILL, PA 17011

[www.riteaid.com](http://www.riteaid.com)

### **Package Label**

Compare to the active ingredients in Mucinex® DM\*

# MUCUS RELIEF DM

**GUAIFENESIN 600 mg  
DEXTROMETHORPHAN HBr 30 mg  
EXPECTORANT & COUGH SUPPRESSANT**

Temporarily controls cough  
Thins & loosens mucus

**12  
HOUR**

ACTUAL SIZE

**68**

EXTENDED-RELEASE  
TABLETS

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Lot No.:  
Exp. Date:

RITE AID PHARMACY Mucus Relief DM

## Drug Facts

### Active Ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg Cough Suppressant  
Guaifenesin 600 mg Expectorant

### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

### Warnings

- Do not use**
  - for children under 12 years of age
  - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product**, do not use more than directed.

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

### Other information

store between 20° to 25°C (68° to 77°F)

**Inactive ingredients** carboxer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

**Questions or comments?** Call 1-877-783-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

DISTRIBUTED BY:  
RITE AID 30 HUNTER LANE,  
CRAMP HILLS, PA 17011  
www.riteaid.com

PLD-A519A FC005844



**SATISFACTION  
GUARANTEE**  
If you're not satisfied, we'll  
happily refund your money.

**PARENTS:**  
Read Child Medication Guide  
www.ChildrenMed.com

## MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0733
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARBOMER 934 (UNII: Z135WT9208)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

Color	YELLOW	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AN038
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0733-4	40 in 1 CARTON	02/28/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0733-2	20 in 1 CARTON	02/28/2019	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0733-6	68 in 1 CARTON	02/28/2019	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	02/28/2019	

**Labeler** - Rite Aid Corporation (014578892)