

**MOBISYL- trolamine salicylate cream**  
**BF ASCHER AND CO INC**

-----  
**Mobisyl**

**Active ingredient .....Purpose**

Trolamine salicylate 10%.....Topical analgesic

**Use**

For temporarily relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, lumbago, neuralgia, strains, bruises, and sprains

**Use**

Temporarily relieves minor aches and pains of muscles and joints associated with arthritis, simple backache, lumbago, neuralgia, strains, bruises, and sprains.

**Warnings**

For external use only.

Use only as directed

**Do not use**

- on or near the eyes
- on broken, damaged, or irritated skin

**Stop use and ask a doctor** if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep this and all drugs** out of reach of children. In case of ingestion, get medical help or contact a poison control center immediately.

**Directions**

- adults and children 12 years and older: massage a liberal amount into the affected area three or four times a day, especially before retiring
- children under 12 years of age: consult your doctor

**Other information**

- store tightly capped at 59°- 86° F (15°- 30° C)
- mfd. in the USA for B.F. Ascher & Co., Inc.

**Inactive ingredients:** allantoin, aloe vera gel, carbomer, cetyl alcohol, citric acid, diazolidinyl urea, glycerin, glyceryl stearate, iodopropynyl butylcarbamate, isopropyl palmitate, lecithin, mineral oil, potassium sorbate, propylene glycol, sodium benzoate, sodium dehydroacetate, sodium hydroxide, sodium sulfite, stearic acid, sweet almond oil, tetrasodium EDTA, and water

**Questions?** Call 1-800-324-1880, 7:30am - 4:00pm Central, M - F, or visit [www.bfascher.com](http://www.bfascher.com)

**Mobisyl 8oz PDP**



**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TROLAMINE SALICYLATE</b> (UNII: H8O4040BHD) (SALICYLIC ACID - UNII:O414PZ4LPZ)	TROLAMINE SALICYLATE	10 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>ALMOND OIL</b> (UNII: 66YXD4DKO9)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>SODIUM SULFITE</b> (UNII: VTK01UQK3G)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>CARBOMER 940</b> (UNII: 4Q93RCW27E)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALOE</b> (UNII: V5VD430YW9)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0225-0360-35	226.8 g in 1 JAR; Type 0: Not a Combination Product	09/19/2014	
2	NDC:0225-0360-11	100 g in 1 TUBE; Type 0: Not a Combination Product	09/19/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	09/19/2014	

Revised: 12/2024

BF ASCHER AND CO INC