# MOBISYL- trolamine salicylate cream BF ASCHER AND CO INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Mobisyl

Active ingredient ......Purpose
Trolamine salicylate 10%.....Topical analgesic

#### Use

For temporarily relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, lumbago, neuralgia, strains, bruises, and sprains

#### Use

Temporarily relieves minor aches and pains of muscles and joints associated with arthritis, simple backache, lumbago, neuralgia, strains, bruises, and sprains.

#### **Warnings**

For external use only. Use only as directed

#### Do not use

- on or near the eyes
- on broken, damaged, or irritated skin

**Stop use and ask a doctor** if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use.

**Keep this and all drugs** out of reach of children. In case of ingestion, get medical help or contact a poison control center immediately.

#### **Directions**

- adults and children 12 years and older: massage a liberal amount into the affected area three or four times a day, especially before retiring
- children under 12 years of age: consult your doctor

#### Other information

- store tightly capped at 59°- 86° F (15°- 30° C)
- mfd. in the USA for B.F. Ascher & Co., Inc.

**Inactive ingredients:** allantoin, aloe vera gel, carbomer, cetyl alcohol, citric acid, diazolidinyl urea, glycerin, glyceryl stearate, iodopropynyl butylcarbamate, isopropyl palmitate, lecithin, mineral oil, potassium sorbate, propylene glycol, sodium benzoate, sodium dehydroacetate, sodium hydroxide, sodium sulfite, stearic acid, sweet almond oil, tetrasodium EDTA, and water


Questions? Call 1-800-324-1880, 7:30am - 4:00pm Central, M - F, or visit

#### www.bfascher.com

## **Mobisyl 8oz PDP**



## **Mobisyl 3.5oz PDP**



### **MOBISYL**

trolamine salicylate cream

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0225-0360
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TROLAMINE SALICYLATE (UNII: H8O4040BHD) (SALICYLIC ACID - UNII: O414PZ 4LPZ)	TROLAMINE SALICYLATE	10 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALMOND OIL (UNII: 66YXD4DKO9)	
EDETATE SODIUM (UNII: MP1J8420LU)	
SODIUM SULFITE (UNII: VTK01UQK3G)	
ALLANTOIN (UNII: 344S277G0Z)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
MINERAL OIL (UNII: T5L8T28FGP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALOE (UNII: V5VD430YW9)	
WATER (UNII: 059QF0KO0R)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0225-0360- 35	226.8 g in 1 JAR; Type 0: Not a Combination Product	09/19/2014		
2	NDC:0225-0360- 11	100 g in 1 TUBE; Type 0: Not a Combination Product	09/19/2014		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC managraph not			

final	part348	09/19/2014	

## Labeler - BF ASCHER AND CO INC (003854403)

Revised: 11/2022 BF ASCHER AND CO INC