

**TOLNAFATE- tolnaftate powder spray aerosol, spray  
Meijer Distribution Inc.**

-----  
**Meijer Tolnaftate Powder Spray - Talc Free**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, creaking, and chafing associated with jock itch

**Warnings**

For external use only.

**Flammable:**

Do not use while smoking or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 2 weeks

**Do not use**

on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- for athlete's foot: pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch
- if conditions persist, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

### ***Other information***

store between 20° and 30°C (68°F and 86°)

### ***Inactive ingredients***

BHT, Isobutane, Kaolin, PPG-12-Buteth-16, SD Alcohol 40-B, Zea Mays (Corn) Starch

### ***Questions?***

call 1-866-964-0939

### **Principal Display Panel**

Meijer

Antifungal

Powder Spray

Tolnaftate 1%/Antifungal

- Cures most athlete's foot & Prevents Recurrences
- Relieves itching & burning
- Talc free

NET WT. 4.6 OZ. (130g)



# Antifungal Powder Spray

TOLNAFTATE 1%/ANTIFUNGAL

COMPARE TO TINACTIN®  
ATHLETE'S FOOT POWDER  
SPRAY ACTIVE INGREDIENT\*

CURES MOST ATHLETE'S FOOT &  
PREVENTS RECURRENCES

Relieves itching, cracking & burning  
Talc-free

NET WT. 4.6 OZ. (130 g)

\* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Tolnaftate 1%.....	Antifungal
<b>Uses</b> ■ cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris) ■ can prevent recurrence of most athlete's foot ■ relieves symptoms of athlete's foot, including itching, burning, cracking, and chafing associated with jock itch	
<b>Warnings</b>	
<b>For external use only.</b>	
<b>Flammable:</b> Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.	
<b>When using this product</b> ■ avoid contact with the eyes or mouth ■ use only as directed	
<b>Stop use and ask a doctor if</b> ■ no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch ■ irritation occurs	
<b>Do not use</b> on children under 2 years of age unless directed by a doctor.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ wash affected area and dry thoroughly	
■ shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor	
■ supervise children in the use of this product	
■ to prevent athlete's foot, apply once or twice daily (morning and/or night)	
■ for athlete's foot, pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily	
■ use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch	
■ if condition persists, consult a doctor	
■ this product is not effective on the scalp or nails	
■ if nozzle clogs, clean with a pin	

**Other information**  
store between 20° and 30°C (68° and 86°F)

**Inactive ingredients**  
BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch

**Questions?** Call 1-866-964-0939



DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com  
MADE IN USA WITH U.S.  
AND IMPORTED PARTS



50-105ME-01

## TOLNAFATE

tolnaftate powder spray aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0607
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
KAOLIN (UNII: 24H4NWX5CO)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	

**ALCOHOL** (UNII: 3K9958V90M)

**ZEA MAYS SUBSP. MAYS WHOLE** (UNII: 1G5HNE09V8)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0607-1	130 g in 1 CAN; Type 0: Not a Combination Product	08/18/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	08/18/2023	

**Labeler** - Meijer Distribution Inc. (006959555)

Revised: 10/2024

Meijer Distribution Inc.