

ACIDUM SULPHURICUM- acidum sulphuricum pellet
Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**ACIDUM
SULPHURICUM
30C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM
SULPHURICUM
100C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM
SULPHURICUM
200C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM
SULPHURICUM
500C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM
SULPHURICUM
1M**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ACIDUM SULPHURICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

ACIDUM SULPHURICUM

acidum sulphuricum pellet

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3819 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | | Basis of Strength | Strength | |
|--|--|--|----------------------|--------------------|
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | | SULFURIC ACID | 30 [hp_C] | |
| Inactive Ingredients | | | | |
| Ingredient Name | | Strength | | |
| SUCROSE (UNII: C151H8M554) | | | | |
| Product Characteristics | | | | |
| Color | white | Score | no score | |
| Shape | ROUND | Size | 3mm | |
| Flavor | | Imprint Code | | |
| Contains | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37662-3819-1 | 80 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3819-2 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 3 | NDC:37662-3819-3 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 4 | NDC:37662-3819-4 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 08/22/2023 | | |

ACIDUM SULPHURICUM

acidum sulphuricum pellet

| Product Information | | | |
|--|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3823 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | | SULFURIC ACID | 1 [hp_M] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|----------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-3823-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3823-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 3 | NDC:37662-3823-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 4 | NDC:37662-3823-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/22/2023 | |

ACIDUM SULPHURICUM

acidum sulphuricum pellet

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3818 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------|
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | SULFURIC ACID | 12 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 3mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:37662-3818-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3818-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 3 | NDC:37662-3818-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/22/2023 | |

ACIDUM SULPHURICUM

acidum sulphuricum pellet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3821 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------|
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | SULFURIC ACID | 200 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|--------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |

| Flavor | | Imprint Code | | |
|------------------------------|--|---|----------------------|--------------------|
| Contains | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37662-3821-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3821-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 3 | NDC:37662-3821-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 4 | NDC:37662-3821-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 08/22/2023 | | |

| ACIDUM SULPHURICUM | | | |
|---|-------------------|---------------------------|----------------|
| acidum sulphuricum pellet | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3820 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | Basis of Strength | Strength | |
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | SULFURIC ACID | 100 [hp_C] | |
| Inactive Ingredients | | | |
| Ingredient Name | Strength | | |
| SUCROSE (UNII: C151H8M554) | | | |
| Product Characteristics | | | |
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-3820-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3820-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 3 | NDC:37662-3820-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 4 | NDC:37662-3820-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/22/2023 | |

ACIDUM SULPHURICUM

acidum sulphuricum pellet

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3822 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------|
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | SULFURIC ACID | 500 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|----------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

| | | | | |
|---|------------------|---|------------|--|
| 1 | NDC:37662-3822-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3822-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 3 | NDC:37662-3822-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 4 | NDC:37662-3822-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/22/2023 | |

ACIDUM SULPHURICUM

acidum sulphuricum pellet

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-3817 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF) | SULFURIC ACID | 6 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|----------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 3mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:37662-3817-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |
| 2 | NDC:37662-3817-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 | |

| | | | |
|----------|------------------|--|------------|
| 3 | NDC:37662-3817-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/22/2023 |
|----------|------------------|--|------------|

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/22/2023 | |

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------------|---------|-----------|---|
| Hahnemann Laboratories, INC. | | 147098081 | manufacture(37662-3817, 37662-3818, 37662-3819, 37662-3820, 37662-3821, 37662-3822, 37662-3823) |

Revised: 8/2023

Hahnemann Laboratories, INC.