

MEDICATED CALLUS REMOVERS- salicylic acid patch
Meijer Distribution Inc.

Meijer Medicated Callus Removers

Active ingredient

Salicylic acid 40%

Purpose

Callus remover

Uses

- for the removal of calluses
- relieves pain by removing calluses

Warnings

For external use only.

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

Ask your doctor

if discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit callus
- carefully adhere medicated patch directly over callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
- may soak callus in warm water for 5 minutes to assist in removal

Other information

- store between 15°C to 30°C (59° to 86°F)
- avoid surrounding skin when applying medicated patch

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

Meijer

Medicated

Maximum Strength

callus remover

SALICYLIC ACID 40%/

Callus Remover

Effective Callus Remover Treatment

Protects Against Pressure & Friction

6 PADS

4 MEDICATED PATCHES



Drug Facts

Active ingredient Purpose
Salicylic acid 40%.....Callus remover

Uses

- for the removal of calluses
- relieves pain by removing calluses

Warnings
For external use only.

Do not use

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin or on any area that is infected or reddened

Stop use and ask a doctor if discomfort persists

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit callus
- carefully adhere medicated patch directly over callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat this procedure every 48 hours as needed for up to 14 days (until callus is removed)
- may soak callus in warm water for 5 minutes to assist in removal

Other information

- store between 15° and 30°C (59° and 86°F)
- avoid surrounding skin when applying medicated patch

Inactive ingredients
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions? Call 1-866-964-0939

52-005ME-01



MEDICATED
MAXIMUM STRENGTH
Callus Removers
SALICYLIC ACID 40%/
CALLUS REMOVER

EFFECTIVE CALLUS
REMOVAL TREATMENT

Protects against
pressure & friction

6
PADS
4
MEDICATED PATCHES

COMPARE TO
DR. SCHOLL'S®
ACTIVE INGREDIENT*



*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®, DIST. BY MEIJER DISTRIBUTION, INC., GRAND RAPIDS, MI 49544
www.meijer.com
MADE IN USA WITH U.S. AND IMPORTED PARTS
The Seal of Cotton is a trademark of Cotton Incorporated.




MEDICATED CALLUS REMOVERS

salicylic acid patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0609
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	400 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0609-1	4 in 1 CARTON	08/23/2023	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	02/22/2023	

Labeler - Meijer Distribution Inc. (006959555)

Revised: 12/2025

Meijer Distribution Inc.