30 DAY ACNE TREATMENT KIT- salicylic acid, benzoyl peroxide Cosmetic Enterprises Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

30 day Acne Treatment Kit

Acne Cleanser

Active ingredients Purpose Salicylic Acid 0.5% Acne Medication

Acne Lotion

Active Ingredient Purpose

Benzoyl Peroxide 5% Acne treatment

Use - For the Treatment of acne

Keep this and all drugs out of reach of children. If swallowed, get medical help or contact a Poison Control Center immdiately.

Stop use and ask a doctor if irritation becomes severe.

Acne Cleanser

Warnings:

For external use only

when using this product

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical medication at a time.
- Avoid contact with eyes, If contact occurs, flush thoroughly with water.

Acne Lotion

Warnings:

- For external use only
- Do not use if you
- have very sensitive skin
- are sensitive to benzoyl peroxide.
- When using this product
- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical medication at a

time

- Avoid unnecess sun exposure and use a sunscreen
- Avoid contact with eyes, lips and mouth
- Avoid contact with hair and dyed fabrics, which may be bleached by this product
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in lower concentration.

Acne Cleanser

Directions:

- Cleanse twice a day.
- Wet face. Apply to hands, add water and work into lather.
- Massage Face gently.
- Rinse thoroughly.

Acne Lotion

Directions:

- Clean the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or directed by a doctor
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day
- If going outside, apply a sunscreen after using this product
- If irritation or sensitivity develops, stop use of both products and ask a doctor

Acne Cleanser

Inactive ingredients:

Water, Decyl Polyglucose, Laurel Glucoside, Cocamidopropyl Betaine, Glycerin, Xanthan Gum, Sodium Cocoyl Hydrolized Amaranth Protein, Malaleuca Alternifolia (Australian Tea Tree) Leaf Extract, Polysorbate 20, Backhousia Citriodora (Australian Myrtle) Leaf Extract, Fusanus Spicatus (Australian Sandalwood) Extract, Disodium EDTA.

Acne Lotion

Inactive Ingredients:

Water, Dimethicone,Cetyl Alcohol, Propylene Glycol, Polyacrylate 13/polyisobutene/ Polysorbate 20, Cocamidopropyl Betaine, Glycerin, Backhouseia Citriodora (Australian Myrtle) Leaf Extract, Fusanus Spicatus (Australian Sandalwood) Extract, Aloe Barbadensis Leaf Juice, Sodium Benzoate, Pentylene Glycol, C12-15 Alkyl Benzoate, Phenoxyethanol.

Organiclear Acne Kit

ORGANICLEAR ACNE CLEANSER

ORGANICLEAR ACNE LOTION

Drug Facts		Drug Facts	
Active ingredient alicylic Acid 0.5%	Purpose	Active ingredient Purpose Benzoyl Peroxide 5% Acne treatment	
se - For the treatment	of acne	Use - For the treament of acne	
at the same time. If irrit topical medication at a	r topical acne medication tation occurs, only use one time. es. If contact occurs, flush UGS OUT OF REACH OF get medical help or	 Warnings: For external use only. Do not use if you have very sensitive skin. are sensitive to benzoyl peroxide. When using this product Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical medication at a time. Avoid unnecessary sun exposure and use a sunscreen. 	
nto lather. Massage face gently. Rinse thoroughly.	ds, add water and work	 Avoid contact with eyes, lips and mouth. Avoid contact with hair and dyed fabrics, which may be bleached by this product. Skin irritation may occur, characterized by red- ness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in lower concentration. 	
hactive ingredient Vater, Decyl Polyglucose, L cocamidopropyl Betaine, G odium Cocoyl Hydrolized / Malaeuca Altemifolia (Austr	aurel Glucoside, lycerin, Xanthan Gum, Amaranth Protein,	Stop use and ask a doctor if irritation becomes severe KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center immediately.	
xtract, Polysorbate 20, Ba Australian Myrtle) Leaf Ext Australian Sandalwood) Ex	ckhousia Citriodora ract, Fusanus Spicatus tract, Disodium EDTA.	 Directions: Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, star 	rt
RGANICLEAR SOOT	HING LOTION	with one application daily, then gradually increase to two or three times daily if needed or directed by a doctor.	VO
Directions: Cleanse the skin thoroug nedication. Cover the entire treatn ayer once daily at bedtin	nent area with a thin	 If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply a sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor. 	di-
olyisobutene/Polysorbate Itemifola (Australian Tea ousia Citriodora (Australi	ricaria) Extract, Fusanus alwood) Extract, Penty-	Inactive ingredients: Water, Dimethicone, Cetyl Alcohol, Propylene Glycol, Polyacrylate 13/Polyisobutene/Polysorbate 20, Cocami- dopropyl Betaine, Glycerin, Backhousia Citriodora (Aus- tralian Myrtle) Leaf Extract, Fusanus Spicatus (Australia Sandalwood) Extract, Aloe Barbadensis Leaf Juice, Sodium Benzoate, Pentylene Glycol, C12-15 Alkyl Ben- zoate, Phenoxyethanol.	an

# Item Code	Pack	age Description		Marketing Date			eting End Date
	. in 1 KIT; Typ Product	e 0: Not a Combinatio	'n	08/23/2023			
Quantity of Part							
	Package Q	uantity		Total F	Product Qu	uantity	
Part 1 1 TUBE			90 mL				
Part 2			1				
Part 3 1 TUBE			180 mL				
Part 1 of 3							
ORGANICLEA	R ACNE						
benzoyl peroxide k	otion						
Product Informa	ation						
Item Code (Source)	NDC:56152-0251					
Route of Administ	ration	TOPICAL					
Active Ingredien	t/Activo I	Maiatu					
Active ingredien		•			Basis	of	<u> </u>
	-	edient Name			Stren		Strength
BENZOYL PEROXIDE UNII: W9WZ N9A0GM)	(UNII: W9WZN	I9A0GM) (BENZOYL PE	ROXIDE	-	BENZOYL PE	EROXIDE	5 g in 100 mL
Inactive Ingredi	ents						
		Ingredient Nam	е			S	trength
WATER (UNII: 059QF0k	(OOR)						
DIMETHICONE (UNII: 9	92RU3N3Y10)					
BACKHOUSIA CITRIO	DORA LEAF	(UNII: FKN73KG747)					
PENTYLENE GLYCOL	(UNII: 50C13	07PZG)					
GLYCERIN (UNII: PDC6							
ALOE VERA LEAF (UNI							
SODIUM BENZOATE (-						
COCAMIDOPROPYL B							
CETYL ALCOHOL (UNI							
SANTALUM SPICATU	M WHOLE (U	NII: 08PUT10401)					
Packaging							
# Item Code	Pac	kage Description	1	Marketir	-		eting End
				Da	le		Date

NDC:56152- 0251-190 mL in 1 TUBE; Type 0: Not a Combination Product	
---	--

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC monograph final	M006	08/23/2023	

Part 2 of 3

ORGANICLEAR SOOTHING LOTION

lotions, oils, powders, and creams lotion

Product Information

Route of Administration

TOPICAL

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	MELALEUCA ALTERNIFOLIA LEAF (UNII: G43C57162K)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	SODIUM BENZOATE (UNII: OJ245FE5EU)	
INGR	MATRICARIA CHAMOMILLA WHOLE (UNII: G0R4UBI2ZZ)	
INGR	WATER (UNII: 059QF0KO0R)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
INGR	SANTALUM SPICATUM WHOLE (UNII: 08PUT10401)	
INGR	PENTYLENE GLYCOL (UNII: 50C1307PZG)	
INGR	LACTIC ACID (UNII: 33X04XA5AT)	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
Cosmetic		08/24/2023	

Part 3 of 3

ORGANICLEAR ACNE CLEANSER

salicylic acid cream

ltem Code (Sou	rce)	NDC:56152-0252				
Route of Admini	stration	TOPICAL				
Active Ingredi	ent/Active	Moiety				
	Ingred	lient Name		Basis of Stren	ngth	Strength
SALICYLIC ACID (U	INII: 0414PZ4LF	PZ) (SALICYLIC ACID - UNII:0414PZ4	LPZ)	SALICYLIC ACID		0.5 g in 100 m
Inactive Ingre	dients					
		Ingredient Name				Strength
GLYCERIN (UNII: PE						
COCAMIDOPROPY		·				
XANTHAN GUM (UI						
		(UNII: FKN73KG747)				
EDETATE DISODIU	M ANHYDROU	S (UNII: 8NLQ36F6MM)				
MELALEUCA ALTE	RNIFOLIA LEAI	• (UNII: G43C57162K)				
WATER (UNII: 059Q MELALEUCA ALTE SANTALUM SPICA POLYSORBATE 20	RNIFOLIA LEAI FUM WHOLE (I	JNII: 08PUT10401)				
MELALEUCA ALTE SANTALUM SPICA POLYSORBATE 20	RNIFOLIA LEAI FUM WHOLE (I	JNII: 08PUT10401)				
MELALEUCA ALTE	RNIFOLIA LEAI FUM WHOLE (1 (UNII: 7T1F30V	JNII: 08PUT10401) 5YH)	Mar	keting Start	Ma	rketing End
MELALEUCA ALTE SANTALUM SPICA POLYSORBATE 20 Packaging # Item Code	RNIFOLIA LEAI FUM WHOLE (I (UNII: 7T1F30V Pa	JNII: 08PUT10401) 5YH) ckage Description	Mar	keting Start Date	Ma	rketing End Date
MELALEUCA ALTE SANTALUM SPICA POLYSORBATE 20 Packaging # Item Code	RNIFOLIA LEAI FUM WHOLE (I (UNII: 7T1F30V Pa	JNII: 08PUT10401) 5YH)	Mar	-	Ma	
MELALEUCA ALTE SANTALUM SPICA POLYSORBATE 20 Packaging # Item Code 1 NDC:56152-	RNIFOLIA LEAI FUM WHOLE (I (UNII: 7T1F30V Pac 180 mL in 1 TU	JNII: 08PUT10401) 5YH) ckage Description	Mar	-	Ma	
MELALEUCA ALTE SANTALUM SPICAT POLYSORBATE 20 Packaging Item Code NDC:56152- 0252-1	RNIFOLIA LEAI FUM WHOLE (I (UNII: 7T1F30V (UNII: 7T1F30V Pac 180 mL in 1 TU Product	JNII: 08PUT10401) 5YH) ckage Description JBE; Type 0: Not a Combination	Mar	-	Ma	
MELALEUCA ALTE SANTALUM SPICAT POLYSORBATE 20 Packaging # Item Code 1 NDC:56152- 0252-1 Marketing Marketing	RNIFOLIA LEAI TUM WHOLE (I (UNII: 7T1F30V Pac 180 mL in 1 TU Product	JNII: O8PUT104O1) 5YH) ckage Description JBE; Type 0: Not a Combination iON		Date Date		Date arketing End
MELALEUCA ALTER SANTALUM SPICAT POLYSORBATE 20 Packaging Item Code NDC:56152- 0252-1 Marketing Category	RNIFOLIA LEAI TUM WHOLE (I (UNII: 7T1F30V Pac 180 mL in 1 TU Product Informat Applica	JNII: O8PUT104O1) 5YH) ckage Description JBE; Type 0: Not a Combination	Ма	Date Arketing Start Date		Date
MELALEUCA ALTER SANTALUM SPICAT POLYSORBATE 20 Packaging Item Code NDC:56152- 0252-1 Marketing Category	RNIFOLIA LEAI TUM WHOLE (I (UNII: 7T1F30V Pac 180 mL in 1 TU Product Informat Applica	JNII: O8PUT104O1) 5YH) ckage Description JBE; Type 0: Not a Combination iON	Ма	Date Date		Date arketing End
MELALEUCA ALTER SANTALUM SPICAT POLYSORBATE 20 Packaging Item Code NDC:56152- 0252-1 Marketing Category OTC monograph fin	RNIFOLIA LEAI FUM WHOLE (I (UNII: 7T1F30V Pac 180 mL in 1 TU Product Informat Application al M006	JNII: O8PUT10401) 5YH) Ckage Description JBE; Type 0: Not a Combination iON tion Number or Monograph Citation	Ма	Date Arketing Start Date		Date arketing End
MELALEUCA ALTE SANTALUM SPICAT POLYSORBATE 20 Packaging Item Code 1 NDC:56152- 0252-1 NDC:56152- 0252-1	RNIFOLIA LEAI TUM WHOLE (I (UNII: 7T1F30V Pac 180 mL in 1 TU Product Informat Applicat al M006	JNII: O8PUT10401) 5YH) Ckage Description JBE; Type 0: Not a Combination iON tion Number or Monograph Citation	M a 08/2	Date Arketing Start Date	Ma	Date arketing End

Labeler - Cosmetic Enterprises Ltd (017701475)