

LIQUID CORN AND CALLUS REMOVER- salicylic acid liquid
Meijer Distribution Inc

Meijer Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop and ask a doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry

- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20° to 25°C (68° to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabric, floors, countertops or other surfaces -- will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-6964-0939

Principal Display Panel

meijer

liquid corn &

callus remover

Salicylic Acid


with Cushions

Safely removes corns & calluses

Soft foam cushions & protects

3 Cushions

0.33 FL OZ (9.8 mL)






Only use product on feet & hands

Drug Facts

Active ingredient **Purpose**
Salicylic acid 17% w/w.....Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings
For external use only.
Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20°–25°C (68°–77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®.

PID 2872044
 DIST. BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com
 MADE IN USA WITH U.S. AND IMPORTED PARTS
 41-030ME-05



7 08820 11 95271 3

LIQUID CORN AND CALLUS REMOVER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0612
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y219G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0612-1	1 in 1 BLISTER PACK	08/30/2023	
1		9.8 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	07/16/2015	

Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2025

Meijer Distribution Inc