

**LORATADINE ANTIHISTAMINE- loratadine tablet**  
**PD-Rx Pharmaceuticals, Inc.**

-----  
**Loratadine Tablets, 10 mg Drug Facts**

**Active ingredient (in each tablet)**

Loratadine 10 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

## Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

## Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

## Questions or comments?

1-800-719-9260

## Principal Display Panel

Loratadine Tablets, 10 mg

Antihistamine

24 Hour Relief of:

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet) Purpose</b> Loratadine 10 mg .....Antihistamine</p> <p><b>Uses</b> Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: • itching of the nose or throat • runny nose • itchy, watery eyes • sneezing</p> <p><b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p><b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p><b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.</p> <p><b>Stop use and ask a doctor if</b> an allergic reaction to this product occurs. Seek medical help right away.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	<p>NDC 72789-347-90</p> <p></p> <p>24 Hour Allergy Relief, Antihistamine</p> <p><b>Loratadine</b> Tablets, 10mg</p> <p>Marketed and Packaged By: PD-Rx Pharmaceuticals, Inc Oklahoma City, OK 73127 1-405-942-3040 v.8.19.0</p> <p>90 Tablets TAMPER EVIDENT. DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE.</p>	<p> GTIN: 00372789347301 SNO: F23D75000004 EXP: 09/2024 LOT: F23D75</p>								
		<p><b>Drug Facts (Continued)</b></p> <table border="1"> <tr> <td><b>Directions</b></td> <td></td> </tr> <tr> <td>• adults and children 6 years and over</td> <td>1 tablet daily; not more than 1 tablet in 24 hours.</td> </tr> <tr> <td>• children under 6 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>• consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table> <p><b>Other information</b> • store between 20° to 25°C (68° to 77°F)</p> <p><b>Inactive ingredients</b> lactose monohydrate, magnesium stearate, povidone, pregelatinized starch</p> <p><b>Questions or Comments?</b> call 1-800-719-9260</p>	<b>Directions</b>		• adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours.	• children under 6 years of age	ask a doctor	• consumers with liver or kidney disease	ask a doctor
<b>Directions</b>										
• adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours.									
• children under 6 years of age	ask a doctor									
• consumers with liver or kidney disease	ask a doctor									

# LORATADINE ANTIHISTAMINE

loratadine tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72789-347(NDC:45802-650)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	L612
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72789-347-14	14 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/18/2025	
2	NDC:72789-347-20	20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/16/2024	
3	NDC:72789-347-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/23/2023	
4	NDC:72789-347-90	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/23/2023	
5	NDC:72789-347-87	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/23/2023	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA076301	10/15/2008	

**Labeler** - PD-Rx Pharmaceuticals, Inc. (156893695)

**Registrant** - PD-Rx Pharmaceuticals, Inc. (156893695)

**Establishment**

Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(72789-347)

Revised: 2/2026

PD-Rx Pharmaceuticals, Inc.