

**OBAGI-C RX SYSTEM C-EXFOLIATING DAY WITH VITAMIN C- octisalate, octinoxate, and oxybenzone lotion
OMP, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**OBAGI-C™
RX SYSTEM
C-EXFOLIATING
DAY LOTION
SPF 12**

DIRECTIONS

Apply to the face and neck in the morning after Obagi-C Rx System C-Clarifying Serum and before C-SunGuard SPF 30. Massage in gently.

WARNINGS

FOR EXTERNAL USE ONLY.

Avoid contact with eyes. If contact occurs, rinse with water to remove.

Stop use and consult a physician if rash or irritation develops.

Keep out of reach of children.

ACTIVE INGREDIENTS

Octinoxate 7.50%, Octisalate 5.00%, Oxybenzone 4.00%

INACTIVE INGREDIENTS

Arginine, Ascorbyl Glucoside (Vitamin C), Bisabolol, Butylparaben, Caprylic/Capric Triglyceride, Cetareth-20, Cetaryl Alcohol, Dimethicone, Ethylparaben, Fragrance, Glycerin, Glyceryl Stearate, Glycolic Acid, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isobutylparaben, Methylparaben, PEG/PPG-10/2 Ricinoleate, PEG-100 Stearate, PEG-8 Dimethicone, Phenoxyethanol, Polysorbate 60, Propylparaben, Purified Water, Sodium Hyaluronate (Hyaluronic Acid), Sodium Hydroxide, Squalane, Steareth-2, Tetrasodium EDTA, Tocopheryl Acetate (Vitamin E)

Dist. by OMP Inc., Long Beach, CA 90802

PRINCIPAL DISPLAY PANEL - 57 mL Carton

**OBAGI-C™
RX SYSTEM
C-EXFOLIATING
DAY LOTION
SPF 12
WITH VITAMIN C
AM**

2 FL. OZ. (57 mL)

|O|B|A|G|I|-C™
RX SYSTEM

**C-EXFOLIATING
DAY LOTION**
SPF 12
WITH VITAMIN C

AM

2 FL.OZ. (57 mL)

C-Exfoliating Day Lotion SPF 12 gently exfoliates, accelerating surface skin cell turnover, while hydrating and protecting to promote brighter, more Photolumines™ Skin.

DIRECTIONS: Apply to the face and neck in the morning after Obagi-C Rx System C-Clarifying Serum and before C-SunGuard SPF 30. Massage in gently.

WARNINGS: FOR EXTERNAL USE ONLY.

Avoid contact with eyes. If contact occurs, rinse with water to remove. Stop use and consult a physician if rash or irritation develops. Keep out of reach of children.

ACTIVE INGREDIENTS: Octinoxate 7.50%, Octisalate 5.00%, Oxybenzone 4.00%

INACTIVE INGREDIENTS: Arginine, Ascorbyl Glucoside (Vitamin C), Bisabolol, Butylparaben, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Dimethicone, Ethylparaben, Fragrance, Glycerin, Glyceryl Stearate, Glycolic Acid, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isobutylparaben, Methylparaben, PEG/PPG-10/2 Ricinoleate, PEG-100

Stearate, PEG-8 Dimethicone, Phenoxyethanol, Polysorbate 60, Propylparaben, Purified Water, Sodium Hyaluronate (Hyaluronic Acid), Sodium Hydroxide, Squalane, Steareth-2, Tetrasodium EDTA, Tocopheryl Acetate (Vitamin E)

Dist. by OMP Inc., Long Beach, CA 90802
www.obagi.com Made in U.S.A. 5003 Rev. 12/04

OBAGI-C RX SYSTEM C-EXFOLIATING DAY WITH VITAMIN C

octisalate, octinoxate, and oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62032-108
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
STEARETH-2 (UNII: V56DFE46J5)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
LEVOMENOL (UNII: 24WE03BX2T)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ARGININE (UNII: 94ZLA3W45F)	
WATER (UNII: 059QF0K00R)	

METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
SQUALANE (UNII: GW89575KF9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYL PARABEN (UNII: 14255EXE39)	
BUTYL PARABEN (UNII: 3QP1IU3FV8)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
PEG-8 RICINOLEATE (UNII: DM36F4D2OU)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-108-36	1 in 1 CARTON		
1		57 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2004	

Labeler - OMP, INC. (790553353)

Establishment

Name	Address	ID/FEI	Business Operations
PURETEK CORPORATION		785961046	MANUFACTURE(62032-108) , LABEL(62032-108) , PACK(62032-108)