

TOPCO MUCUS RELIEF - guaifenesin tablet, extended release
Topco Associates, LLC

Topcare health Mucus Relief
Guaifenesin Extended-Release Tablets 600 mg

ACTIVE INGREDIENT(in each extended-release tablet)

Guaifenesin 600 mg

PURPOSE

Expectorant

USE(S)

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

WARNING

.

DO NOT USE

for children under 12 years of age

ASK A DOCTOR BEFORE USE IF YOU HAVE

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

STOP USE AND ASK A DOCTOR IF

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

OTHER INFORMATION

- tamper evident: do not use if seal on bottle printed "SEALED for YOUR PROTECTION" is torn or missing
- store between 20 to 25°C (68 to 77°F)

INACTIVE INGREDIENTS

carbomer homopolymer, hypromellose, microcrystalline cellulose, povidone

QUESTIONS?

1-609-860-2600

Hours: 8am - 4pm, EST

You may also report side effects to this phone number.

PRINCIPAL DISPLAY PANEL

Topcare health

COMPARE TO MUCINEX® EXTENDED RELEASE TABLETS 600 mg - EXPECTORANT

Mucus Relief

GUAIFENESIN EXTENDED RELEASE TABLETS 600 mg - EXPECTORANT

- Relieves Chest Congestion
- Thins and Loosens Mucus

12 Hour

100 EXTENDED-RELEASE TABLETS

PEEL TO READ ALL WARNINGS
HERE AND DIRECTIONS BEFORE USE

*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex® Extended Release 600 mg Tablets.
tamper evident: do not use if seal on bottle printed "SEALED for YOUR PROTECTION" is torn or missing.

Drug Facts

Active ingredient	Purpose
(in each extended-release tablet)	
Guaifenesin 600 mg	Expectorant

NDC 36800-226-16

TopCare
health

COMPARE TO
MUCINEX®
EXTENDED RELEASE
600 mg TABLETS
ACTIVE INGREDIENT*

Mucus Relief

GUAIFENESIN EXTENDED-RELEASE
TABLETS 600 mg - EXPECTORANT

- Relieves Chest Congestion
- Thins and Loosens Mucus



100 EXTENDED-
RELEASE TABLETS



actual size

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO GUAA1120 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com



Scan here for more
information or
call 1-888-423-0139

QUALITY
GUARANTEED

MFR# 53041 REV 1119



LOT:

EXP:

Drug Facts (continued)

Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

- do not crush, chew, or break tablet • take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- tamper evident: do not use if seal on bottle printed "SEALED for YOUR PROTECTION" is torn or missing.
- store between 20 to 25°C (68 to 77°F)

Inactive ingredients carbomer homopolymer; hypromellose; microcrystalline cellulose; povidone

Questions? 1-800-860-2600 Hours: 8am - 4pm, EST. You may also report side effects to this phone number.

TOPCO MUCUS RELIEF

guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-226
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

Inactive Ingredients	
Ingredient Name	Strength
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	CAPSULE	Size	22mm
Flavor		Imprint Code	G233
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-226-16	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209215	06/01/2021	

Labeler - Topco Associates, LLC (006935977)

Establishment			
Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(36800-226)

Revised: 11/2022

Topco Associates, LLC