

LIQUID WART REMOVER- salicylic acid liquid
Meijer Distribution Inc

Meijer Liquid Wart Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- carefully apply small amount of wart remover with applicator to sufficiently cover each wart
- do not apply to face or neck
- let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information

store between 20° to 25°C (68° to 77°F)

- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

meijer

liquid

wart remover

Salicylic Acid

Maximum Strength

Removes common & plantar warts

Convenient brush applicator

Safe & effective

NET 0.31 FL OZ (9mL)



Liquid Wart Remover


SALICYLIC ACID 17%/
WART REMOVER

REMOVES COMMON &
PLANTAR WARTS

Convenient brush
applicator



Use for warts on feet & hands



53-012ME-02



Empty &
Replace Cap
how2recycle.info

Liquid Wart Remover

SALICYLIC ACID 17%/
WART REMOVER

NET 0.31 FL. OZ. (9 mL)

Safe &
effective

Care ■ Wipe top of bottle clean after each use ■ For optimal use, discard when signs of wart no longer appear ■ Avoid surrounding skin when applying product ■ Do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain.

* This product is not manufactured or distributed by Mediatech Products Inc., owner of the registered trademark Compound W®.

PID 441642



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com
MADE IN USA WITH U.S.
AND IMPORTED PARTS



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Drug Facts

Active ingredient Salicylic acid 17% w/w. Wart remover.

Purpose Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings For external use only. Flammable ■ Keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat

Do not use ■ if you are diabetic or have poor blood circulation ■ on genital warts and warts on the face ■ on moles, birthmarks and warts with hair growing from them ■ on mucous membranes ■ on irritated, infected or reddened skin

When using this product ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Stop use and ask a doctor If discomfort persists. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ carefully apply one drop at a time with applicator to sufficiently cover each wart ■ do not apply to face or neck ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information ■ store between 20°–25°C (68°–77°F) ■ close tightly to prevent solidification ■ store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

DO NOT USE IF NECKBAND IS BROKEN

LIQUID WART REMOVER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0614
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0614-1	1 in 1 CARTON	08/25/2023	
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	08/25/2023	

Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2025

Meijer Distribution Inc