LIQUID WART REMOVER- salicylic acid liquid Meijer Distribution Inc

Meijer Liquid Wart Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Wart remover

Uses

• for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temerature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- carefully apply small amount of wart remover with applicator to sufficiently cover each wart
- do not apply to face or neck
- let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information

store between 20° to 25°C (68° to 77°F)

- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

meijer

liquid

wart remover

Salicylic Acid

Maximum Strength


Removes common & plantar warts

Convenient brush applicator

Safe & effective

NET 0.31 FL OZ (9mL)





Active ingredient: Salicylic acid (17% w/w) Purpose: Wart remover Use: For the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its renderness and the interruption of the footpmin pattern. Warmings: For external use only. Flammable: Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat.

meijer

MAXIMUM STRENGTH

Liquid

Wart

Remover

SALICYLIC ACID 17%/
WART REMOVER

CLOSE CAP TIGHTLY
AFTER USE

NET 0.31 FL. OZ. (9 mL)

Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. Do not use on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes. Genital warts, warts on the face and mucous membranes. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Stop use and ask a doctor if discomfort persists. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Carefully apply one drop at a time with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. Other information: Store between 20° – 25°C (68° – 17°F). Close tightly to prevent solidification. Store in a cool place.

Inactive ingredients: camphor, castor oil, ethand, ethyl efether, introcellulose Questions? Call 1-866-964-0939

Keep packagiing for complete drug facts information.

Do not allow to come into contact with fabrics.

Hosts. By Male List Distribution, INC.

AND IMPORTED PARTS

50-012ME-02

LIQUID WART REMOVER

salicylic acid liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0614	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
PYROXYLIN (UNII: KYR8BR2X6O)			
CAMPHOR (NATURAL) (UNII: N20HL7Q941)			
CASTOR OIL (UNII: D5340Y2I9G)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:79481- 0614-1	1 in 1 CARTON	08/25/2023		
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M028	08/25/2023		

Labeler - Meijer Distribution Inc (006959555)

Revised: 2/2024 Meijer Distribution Inc