

PUBLIX WOMEN LAXATIVE- bisacodyl tablet
PUBLIX SUPER MARKETS, INC

Publix Stimulant Woman's Laxative 30 Tablets

Active ingredient (in each tablet)

Bisacodyl, USP 5 mg

Purpose

Laxative

Use

- for relief of occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

for children under 6 years of age.

Ask a doctor before use if you have

- abdominal pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet
- do not use within 1 hour after taking an antacid or milk
- abdominal discomfort, faintness and cramps may occur

Stop use and ask a doctor if

- you need to use a laxative for more than 1 week
- rectal bleeding or failure to have a bowel movement after use of laxative. These could be signs of a serious condition.

If pregnancy or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at (1-800-222-1222).

Directions

- each laxative works differently. Adults and children over 12 may need fewer tablets to get the same effect as more tablets of another brand.
- start with one tablet and take with water. If one tablet does not produce the desired results, then try two or three tablets daily.
- do not take more than three tablets daily

adults and children 12 years of age and older	take 1 to 3 tablets in a single dose once daily
children 6 to under 12 year of age	take 1 tablets once daily
children under 6 years of age	ask a doctor

Other information

- each tablet contains: **calcium 20 mg**
- store at room temperature
- keep this carton for future reference on full labeling.

Inactive ingredients

acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C Red No. 7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin.

Questions or comments?

1-888-267-3037

Principal Display Panel

NDC# **41415-121-30**

*Compare to the Correctol[®] active ingredient

WOMEN'S laxative

BISACODYL, USP 5 mg

STIMULANT LAXATIVE

- For gentle, overnight relief from irregularity

30 TABLETS

*This product is not manufactured or distributed by Schering Plough Healthcare Products, Inc., owner of the registered trademark Correctol[®].

TAMPER EVIDENT: DO NOT USE IF ANY INDIVIDUAL BLISTER IS BROKEN OR

OPEN.

IMPORTANT:Keep this carton for future reference on full labeling.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,

3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811

1-888-267-3037 publix.com

PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOU MONEY BACK

Product Label

GLUE - NO COATING

NO COATING

Drug Facts

Active ingredient (in each tablet)

Bisacodyl USP 5mg

Purpose

Laxative

Uses ■ for relief of occasional constipation (irregularity) ■ this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use for children under 6 years of age

Ask a doctor before use if you have

■ abdominal pain ■ nausea ■ vomiting ■ a sudden change in bowel habits that persists more than 2 weeks

Ask a doctor or pharmacist before use if you are unable to swallow without chewing

When using this product ■ do not chew or crush tablets ■ do not take this product within 1 hour after taking an antacid or milk ■ abdominal discomfort, faintness, and cramps may occur

Stop use and ask a doctor if ■ you need to use a laxative for more than 1 week ■ rectal bleeding or failure to have a bowel movement occurs after use of laxative. There may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions ■ each laxative works differently. Adults and children over 12 may need fewer tablets to get the same effect as more tablets of another brand. ■ start with one tablet and take with water. If one tablet does not produce the desired results, then try two or three tablets daily. ■ do not take more than three tablets daily

Drug Facts (continued)

adults and children 12 years of age and older

take 1 to 3 tablets in a single dose once daily

children 6 to under 12 years of age

take 1 tablet once daily

children under 6 years of age

ask a doctor

Other information ■ each tablet contains: calcium 20 mg ■ store at room temperature ■ keep this carton for future reference on full labeling.

EXP.

LOT:

DO NOT USE IF ANY INDIVIDUAL BLISTER IS BROKEN OR OPEN

COATING
FREE AREA



WOMEN'S
laxative

BISACODYL 5 mg

STIMULANT LAXATIVE

- For gentle, overnight relief from irregularity

30 TABLETS



ACTUAL SIZE

*Compare to the Correctol® active ingredient

This product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc., owner of the registered trademark "Correctol®".

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC., 12130 PUBLIFC



3000 PUBLIX CORPORATE PARKWAY
LAKELAND, FL 33811
1-888-267-3037 publix.com
PUBLIX GUARANTEES COMPLETE
SATISFACTION OR YOUR MONEY BACK

Publix.

Drug Facts (continued)

Inactive Ingredients acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, cornstarch, D&C Red No. 7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin.

PUBLIX WOMEN LAXATIVE

bisacodyl tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:41415-121

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
HYPROMELLOSE PHTHALATE (24% PHTHALATE, 55 CST) (UNII: 87Y6436BKR)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
RAW SUGAR (UNII: 8M707QY5GH)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	RP121
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41415-121-30	2 in 1 CARTON	05/22/2019	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/22/2019	

Labeler - PUBLIX SUPER MARKETS, INC (006922009)

Revised: 10/2025

PUBLIX SUPER MARKETS, INC